

HURRICAINA TOPICAL ANESTHETIC- benzocaine gel
Beutlich Pharmaceuticals, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HurriCaine Gel LV Syringe - Wild Cherry

Active ingredient

Benzocaine 20%

Purpose

Oral Anesthetic

Uses

for the temporary relief of occasional minor irritation and pain, associated with:

- canker sores
- sore mouth and throat
- minor injury of the mouth and gums
- minor dental procedures
- minor irritation of the mouth and gums caused by dentures or orthodontic appliances

Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert: Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or irritation, pain, or redness persists or worsens, see your dentist or doctor promptly.

Do not use

Do not use:

- if the tray seal is broken or missing
- for teething

- in children under 2 years of age

When using this product

- avoid contact with eyes

Keep out of reach of children.

If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

Directions**Directions:**

Do not exceed recommended dosage.

- adults and children 2 years of age and older: apply to the affected area. Allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.
- children under 12 years of age: should be supervised in the use of the product
- children under 2 years of age: do not use

Other information

- store at 20°-25° C (68°-77° F)

Inactive ingredients

- flavor, polyethylene glycol, sodium saccharin

Questions or comments?

1-800-238-8542

M-F: 8:00 a.m. - 4:30 p.m. ET

Principal Display Panel

Manufactured for:
Beutlich Pharmaceuticals, LLC
Bunnell, FL 32110
NDC 0283-0520-34



ORIGINAL WILD CHERRY

HURRICAINÉ
Topical Anesthetic GEL
20% Benzocaine Oral Anesthetic

HURRICAINÉ
Topical Anesthetic GEL
20% Benzocaine Oral Anesthetic

Drug Facts

Active ingredient Purpose
Benzocaine 20%.....Oral Anesthetic

Uses for the temporary relief of occasional minor irritation and pain, associated with

- canker sores
- sore mouth and throat
- minor injury of the mouth and gums
- minor dental procedures
- minor irritation of the mouth and gums caused by dentures or orthodontic appliances

Warnings
Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert: Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

Drug Facts (continued)

Warnings (continued)

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persist or worsens, see your dentist or doctor promptly.

Do not use

- if tray seal is broken or missing
- for teething
- in children under 2 years of age

When using this product avoid contact with eyes

Keep out of reach of children. If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

Directions do not exceed recommended dosage
 adults and children 2 years of age and older apply to the affected area. Allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.

children under 12 years of age should be supervised in the use of the product
 children under 2 years of age do not use

Drug Facts (continued)

Other information
 store at 20-25 °C (68-77 °F)

Inactive ingredients
 flavor, polyethylene glycol, sodium saccharin

Questions or comments?
 1-800-238-8542
 M-F: 8:00 a.m. - 4:30 p.m. ET

Please retain Drug Facts for future reference.
 HurriCaine® is a registered trademark of Beutlich Pharmaceuticals, LLC, 7775 S. US Hwy 1, Suite H, Bunnell, FL 32110. www.beutlich.com

LOT
EXP

No UV
Coating in this Area



Gel Syringe Unit: 0283-0520-43 1.5g in 1 syringe
 Gel Syringe Pack of 4: 0283-0520-34 4 x 1.5g in 1 box.

HURRICAINÉ TOPICAL ANESTHETIC

benzocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0283-0520
Route of Administration	ORAL, DENTAL, PERIODONTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZO CAINE (UNII: U3RS Y48JW5) (BENZO CAINE - UNII:U3RS Y48JW5)	BENZO CAINE	200 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	brown (amber)	Score	
Shape		Size	

Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0283-0520-34	4 in 1 BOX	01/31/2021	
1	NDC:0283-0520-43	1.5 g in 1 SYRINGE, PLASTIC; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	01/31/2021	

Labeler - Beutlich Pharmaceuticals, LLC (005209325)

Registrant - Beutlich Pharmaceuticals, LLC (005209325)

Establishment

Name	Address	ID/FEI	Business Operations
Dental Technologies, Inc.		148312838	manufacture(0283-0520)

Revised: 1/2021

Beutlich Pharmaceuticals, LLC