

**CD2-X11-LD ACTIVATOR- lactic acid spray, metered  
Wausau Chemical**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Disposal:**

Unused teat dip may be diluted with water and flushed down drain. Do not reuse containers. Empty containers should be thoroughly rinsed with water and taken to a recycling center.

**Hazards/Precautions:**

Causes skin irritation.

Causes serious eye damage.

Very toxic to aquatic life.

Do not breathe mists.

Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

**First Aid:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Handling Instructions:**

For external use only. Not for use in sanitizing dairy equipment. Avoid contact with eyes. Avoid contact with food.

**Storage & Handling:**

Do not mix with any other teat dip or other product. Store at room temperature and out of direct sunlight.

Avoid freezing - If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.

Store locked up.

Avoid release to the environment.

**DIRECTIONS:**

Measure equal volumes of CD2-X11 Base and CD2-X11-LD Activator into a clean container along with 20 parts water, and mix until the color is uniform throughout. Mixing container should be cleaned after each mixture is consumed.

APPLICATION:

Pre-Milking: If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping. Before each cow is milked, dip the teats as far up as possible. Leave CD2 teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

Post-Milking: Immediately after milking, dip teats at least 2/3 of their length in CD2 teat dip. Allow to air dry. DO NOT WIPE. CD2 teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

Always use freshly mixed, full strength CD2 teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2 teat dip. CD2 teat dip may be diluted with water and safely flushed down the drain.

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2 should be used with a compatible pre-dip or udder wash.

Active Ingredient:

Lactic Acid.....8.8%

Wausau Chemical Corporation

2001 N River Drive

Wausau, WI 54403

800-950-6656

# CD2-X11-LD Activator



## PRE- & POST-MILKING TEAT DIP CONCENTRATE FOR USE ONLY WITH CD2-X11 BASE

**Active Ingredient:** 8.8% Lactic Acid  
**Contains:** 35% Glycerin



**DANGER**

### HAZARD STATEMENTS:

Causes skin irritation.  
Causes serious eye damage.

### PRECAUTIONARY STATEMENTS:

Wash hands thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Take off contaminated clothing and wash it before reuse.

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation occurs: Get medical advice/attention.

### CAUTION:

For external use only. Not for use in sanitizing dairy equipment. Do not mix with any other teat dip or other product. Avoid contact with food. Store at room temperature and out of direct sunlight. Avoid contact with eyes.

### FIRST AID:

If swallowed: drink large quantities of water, and get medical attention. If in eyes: flush eyes with large quantities of water, and get immediate medical attention.

### DISPOSAL:

Unused teat dip may be diluted with water and flushed down drain. Do not reuse containers. Empty containers should be thoroughly rinsed with water and taken to a recycling center.

### DIRECTIONS FOR USE:

Measure equal parts CD2-X11 Base and CD2-X11-LD Activator into a clean container along with 20 parts water, and mix until the color is uniform throughout. Mixing container should be cleaned after each mixture is consumed.

### APPLICATION:

**Pre-Milking:** If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping. Before each cow is milked, dip the teats as far up as possible. Leave CD2 teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

**Post-Milking:** Immediately after milking, dip teats at least 2/3 of their length in CD2 teat dip. Allow to air dry. **DO NOT WIPE.** CD2 teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

**Always use freshly mixed, full strength CD2 teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2 teat dip. CD2 teat dip may be diluted with water and safely flushed down the drain.**

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2 should be used with a compatible pre-dip or udder wash.

**Avoid Freezing** — If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.

<p><b>WAUSAU CHEMICAL CORPORATION</b> 2001 N RIVER DRIVE WAUSAU, WI 54403 800-950-6656</p>	Contents:	Mfg Code: 200107
	<input type="checkbox"/> 15 Gal/137# (64892-019-17)	Exp. Date: MMDDYY
	<input type="checkbox"/> 55 Gal/505# (64892-019-21)	
	<input type="checkbox"/> 275 Gal/2525# (64892-019-88)	

## CD2-X11-LD ACTIVATOR

lactic acid spray, metered

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:64892-019
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	98.3 g in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64892-019-17	56.78 L in 1 CONTAINER		
2	NDC:64892-019-21	208.2 L in 1 DRUM		
3	NDC:64892-019-	1040 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE		

88	BULK		
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		01/07/2020	

**Labeler** - Wausau Chemical (006136220)

**Registrant** - Wausau Chemical (006136220)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Wausau Chemical		006136220	manufacture, api manufacture

Revised: 1/2020

Wausau Chemical