BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE- liquid bandage liquid
Chain Drug Marketing Association

Quality Choice Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic

Topical analgesic

Uses

- first aid to help prevent infection in minor cuts, scrapes and burns
- first aid for the temporary relief of pain in minor cuts, scrapes, and burns

Warnings

For external use only.

Flammable:

Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs
- symptoms persist for more than 7 days or clear Up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- for adults and children 2 years of age and older
- Clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily and let dry
- may be covered with a sterile bandage
- if bandaged, let dry first
- children under 2 years of age: do not use, consult a doctor

Other information

- ***cap bottle tightly***
- wipe top of bottle clean after each use
- store between 20 ^{0} to 25 ^{0}C (68 ^{0} TO 77 ^{0}F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off
- do not allow to come into contact with fabrics, floors, countertops, or other surfaces - will stain.

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD slcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

Kills 99.9.% of germs to help prevent infection

QC

Quality Choice

Liquid

Bandage

Benzethonium chloride 0.2% / First Aid Antiseptic

Dyclonine hydrochloride 0.75% / Topical Analgesic

Protects Small Cuts & Wounds

Helps Prevent Infection

Invisible & Flexible

Water- Resistant

Built-In Applicator Brush

0.3 FL. OZ. (9 mL)

Kills 99.9% of germs to help prevent infection†
NDC 83324-232-03
QUALITY CHOICE
Compare to the Active Ingredient In New-Skin®*
Liquid Bandage
Benzethonium Chloride 0.2% / First Aid Antiseptic
Dyclonine Hydrochloride 0.75% / Topical Analgesic
Protects Small Cuts & Wounds
Helps Prevent Infection
Invisible & Flexible
Water-Resistant
Built-In Applicator Brush
NOT ACTUAL SIZE
0.3 FL. OZ. (9 mL)
Use Liquid Bandage For:
Blisters, chapped & cracked fingertips, hangnails, paper cuts, shaving nicks, & help in preventing the formation of calluses.
Great For:
Athletes, active lifestyles, outdoor sportsmen, & musicians.
53-033QC-02
Liquid Bandage
Protects Small Cuts & Wounds
†Kills 99.9% of 3 of the top germs within 60 minutes of contact
*This product is not manufactured or distributed by Advantice Health, LLC, owner of the registered trademark New-Skin®.
Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362
Made in USA from Globally Sourced Materials
FPO
6 35515 95896 8
Questions? Call 1-866-964-0939
Inactive ingredients acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40
Other information
■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily and let dry ■ may be covered with a sterile bandage ■ if bandaged, let dry first ■ children under 2 years of age: do not use, consult a doctor
■ wipe top of bottle clean after each use ■ cap bottle tightly ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more Liquid Bandage and quickly wipe off ■ do not allow to come into contact with fabrics, floors, countertops or other surfaces – will stain.



BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:83324-232
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	2 mg in 1 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q30O)	DYCLONINE HYDROCHLORIDE	7.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End

#	Item Code	Package Description	Date	Date
1	NDC:83324-232-03	1 in 1 CARTON	04/25/2025	
1		9 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	04/17/2025	

Labeler - Chain Drug Marketing Association (011920774)

Revised: 6/2026 Chain Drug Marketing Association