MEDISPA SUNSPRAY SUNBLOCK- octinoxate spray Universal Cosmetic Co., Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

Active Ingredients: Ethylhexyl Methoxycinnamate, 4-Methylbenzylidene camphor, Octocrylene

Uses

- Helps prevent sunburn
- Provides high protection from sunburn
- Helps keep moisturize
- Can be sprayed on powdered face

Warning

For external use only

When using this product

- Avoid eye area. If contact occurs, rinse eyes thoroughly
- Discontinue use if signs of irritation develops

Keep out of reach of the children

Direction

■ Spray a proper quantity over the whole face, before finishing skincare.

Other Information

- store between 20-25 °C (68-77 °F)
- avoid freezing and excessive heat above 40 °C (104 °F)
- close cap after use.











MediSpa Sunspray™ SPF 22/ PA ++





HYPOALLERGÉNIQUE e 55ml

MediSpa Sunspray™ SPF 22/ PA ++

SPF 22/PA++
A lightweight non-greasy sunscreen providing UVA and UVB broad spectrum protection. This oil-free, quickly absorbed preparation is formulated with Hyaluronic Acid, which holds moisture, controls tissue hydration and contributes to the elasticity of skin. Finally, HA acts as a free-radical scavenger and exhibits antioxidative effect, which results in increased protection of the results in increased protection of the skin against UV irradiation and in positive attributes during wound healing.

INGREDIENTS
Water, Ethylhexyl Methoxycinnamate, 4-Methylbenzylidene
Camphor, Propylene Glycol, C1215 Alkyl Benzoate, Sucrose
Distearate, Cyclomethicone,
Octocrylene, Hyaluronic Acid,
Cetearyl Alcohol, DEA-Cetyl Phosphate, Tocopheryl Acetate, Methylparaben, Propylparaben, BHT, Disodium EDTA

Spray liberally to face and spread product with rapping over moisturizer. Respray every 2~3 hours to protect skin with an invisible veil of broad spectrum UVA/UVB protection. You can spray on the make up.

메디스파 썬스프레이 SPF22/PA++

사용방법: 외출 30분전 자외선 차단제를 바른 후 2시간 마다 완벽한 차단을 위해 일곱 및 차단에 밀또한 부위에 분사하여 흡수시켜 줍니다. (2시간 간격으로 사용하면 피부보호 에 출습니다.)

표시성분: 예칠파라벤 프로필파라벤 호능원료: 예칠때라벤트 유크관벤 호등원료: 예칠때라벤트, 목프관벤 효상으로 대 사외센(U/B/U/A)으로 부터 피부를 보호해줍니다. (SPF22/PA++)

전성분: 강제수, 여칠핵실메통시신나데이트, 4-메칠벤질리덴캠퍼, 프로필렌플라이글, 전성분: 전성분 1 전체수, 여칠핵실메통시신나데이트, 4-메칠벤질리덴캠퍼, 프로필렌플라이콜, C12~15일본벤조에이트, 슈크로오스디스템에 심에트, 사이플로메로, 목프로필린 등이얼 루르너에트, 세팅마일만로 (10에)는 시에를보다하는 및 대회파란 벤포스페이트, 토코페릴아서테이트, 메칠파라 벤포스페이트, 토코페릴아서테이트, 메칠파라 벤 프로필래라멘, 바에이지티, 디스튬이드트, 베르파리

[사용상의 주의사항] (사용상의 주의사항] 1. 화장품을 사용하여 다음과 같이 이상이 있는 경우에는 사용을 중지하여야 하며, 계속 사용하 면 중상을 약화시키므로 피부과 전문의 등에게

2 식용무위가 식사용인에 의하여 위와 같은 이 성이 있는 경우 2. 상처가 있는 부위, 습진 및 파부염 등의 이상 이 있는 부위에는 사용하지 말 것 3. 보관 및 취급상의 주의사항 1) 사용후에는 반드시 마개를 닫아돌 것 2) 유·소아의 손에 닿지 않는곳에 보관할 것 3) 고온 내지 자온의 장소 및 일광이 닿는 곳에는



MEDISPA SUNSPRAY SUNBLOCK

octinoxate spray

Product Information	roduct Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52554-2001	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.075 mL in 1 mL			
ENZACAMENE (UNII: 813XWY40L9) (ENZACAMENE - UNII:813XWY40L9)	ENZACAMENE	0.05 mL in 1 mL			
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.01 mL in 1 mL			

ı	Packaging					
ı	# I	tem Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:	52554-2001-1	55 mL in 1 BOTTLE, WITH APPLICATOR			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		08/06/2010			

Labeler - Universal Cosmetic Co., Ltd (557795012)

Revised: 8/2010 Universal Cosmetic Co., Ltd