

ACT RESTORING ANTICAVITY FLUORIDE COOL MINT- sodium fluoride mouthwash
Chattem, Inc.

ACT Restoring Anticavity Fluoride Mouthwash Cool Mint

Active Ingredient

Sodium fluoride 0.02% (0.009% w/v fluoride ion)

Purpose

Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use twice a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters into cap (10 mL is equal to 2 teaspoonfuls); do not use more than 10 milliliters
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- do not use if safety seal is broken or missing

Inactive ingredients

water, alcohol (11%), sorbitol, poloxamer 407, propylene glycol, sodium benzoate, flavor, sodium phosphate, polysorbate 20, sodium saccharin, cetylpyridinium chloride, disodium phosphate, calcium disodium EDTA, blue 1 (245-172)

www.actfluoride.com

PRINCIPAL DISPLAY PANEL

#1 DENTIST RECOMMENDED

FLUORIDE BRAND

RESTORING

Anticavity Fluoride Mouthwash

Cool Mint

33.8 fl oz. (1 L)

#1 DENTIST RECOMMENDED
FLUORIDE BRAND†



ACT®

2X Daily

RESTORING®
ANTICAVITY FLUORIDE MOUTHWASH

- **STRENGTHENS** Tooth Enamel
- **REMINERALIZES** Soft Spots
- **HELPS PREVENT** Tooth Decay
- **FRESHENS** Breath



COOL MINT

Sodium Fluoride 0.02% **IMPORTANT:** Read directions for proper use.

33.8 fl oz (1 L)

0170113-01





RESTORING®
ANTICAVITY FLUORIDE MOUTHWASH

Drug Facts

Active ingredient	Purpose
Sodium fluoride 0.02% (0.009% w/v fluoride ion)	Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use twice a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters into cap (10 mL mark on inside of cap); do not fill above 10 mL mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor


Other information

- do not use if safety seal is broken or missing

Inactive ingredients water, alcohol (11%), sorbitol, poloxamer 407, propylene glycol, sodium benzoate, flavor, sodium phosphate, polysorbate 20, sodium saccharin, cetylpyridinium chloride, disodium phosphate, calcium disodium EDTA, blue 1

245-172

Learn more at www.ACTFLUORIDE.com



Dist. by Chatterm, Inc., a Sanofi Company
P.O. Box 2219, Chattanooga, TN 37409 USA
U.S. Patent D591,159
† among mouth rinses ©2018 Chatterm, Inc.



0 41167 09806 6

0170114-01



ACT RESTORING ANTICAVITY FLUORIDE COOL MINT

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0981
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.09 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
SORBITOL (UNII: 506T60A25R)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
CETYLPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
EDETATE CALCIUM DISODIUM ANHYDROUS (UNII: 8U5D034955)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	

Product Characteristics

Color	blue	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0981-7	1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2006	
2	NDC:41167-0981-2	1250 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2006	08/26/2018

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	02/01/2006	

Labeler - Chattem, Inc. (003336013)

Establishment

Name	Address	ID/FEI	Business Operations
CHATTEM, INC.		832973031	label(41167-0981) , manufacture(41167-0981) , pack(41167-0981)

Revised: 10/2023

Chattem, Inc.