#### RITE AID MAXIMUM STRENGTH- benzocaine liquid Rite Aid

-----

### 5820345 Rite Aid Max Str Oral Pain Relief

#### Active ingredient

Benzocaine 20% (w/w)

#### Purpose

Oral anesthetic

### Use

temporarily relieves pain associated with the following mouth irritations

- toothache
- sore gums
- canker sores
- braces
- minor dental procedures

### Warnings

**Methemoglobinemia warning:** use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in yoru care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lighteadedness
- fatigue or lack of energy

**Allergy alert:** do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

#### Do not use

- more than directed
- for more than 7 days unless directed by a dentist or doctor
- for teething
- in children under 2 years of age

### Stop use and ask a doctor if

- swelling, rash or fever develops
- irritation, pain or redness persists or worsens
- symptoms do not improve in 7 days
- allergic reaction occurs

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

# Adults and children 2 years of age and older:

- apply to affected area using applicator tip
- use up to 4 times daily or as directed by a dentist or doctor
- children under 12 years of age should be supervised in the use of this product

# children under 2 years of age: do not use

### Other information

- do not use if package has been opened
- store at 20-25°C (68-77°F)

*Inactive ingredients* Benzyl Alcohol, D&C Yellow 10, FD&C Blue 1, FD&C Red 40, Methylparaben, Natural and Artificial Flavor, Polyethylene Glycol, Propylene Glycol, Sodium Saccharin, Water

# **DISTRIBUTED BY:**

# RITE AID, 30 HUNTER LANE

# CAMP HILL, PA 17011

# MADE IN CANADA

Compare to the active ingredient in Anbesol® Liquid®		DO NOT USE IF PLASTIC BLISTER OR BACKING M	ATERIAL IS BROKEN OR SEPARATED.
MAXIMUM STRENGTH	LIQUID	Drug Facts Active ingredient	Purpose
ORAL		Benzocaine 20% (w/w)	
ANESTHE	ГІС	Use temporarily relieves pain associated with the foll • toothache • sore gums • canker sores • braces • mi	owing mouth and gum imitations: nor dental procedures
Benzocaine 20% PAIN RELIEVING LIQUID		Warmings Methemoglobinemia warming: use of this product ma condition that must be treated promptly because it net taiod. This can occur even if you have used this produc medical attention if you or a child in your care develops (opencesis + headache + rapid heart rate + shortness of + fatigue or lack of energy	ces the amount of oxygen carried in t before. Stop use and seek immediate : • pale, gray, or blue colored skin
		Allergy alert: do not use this product if you have a hist procaine, butacaine, benzocaine or other "caine" anest	ory of allergy to local anesthetics such as tetics
FAST-ACTING PAIN RELIEF FROM:		Do not use • more than directed • for more than 7 day doctor • for teething • in children under 2 years of age	s unless told to do so by a dentist or
oothaches gum pain		Stop use and ask a doctor if • swelling, rash or fever persists or worsens • symptoms do not improve in 7 do	
anker sores		Keep out of reach of children. In case of overdose, ge Control Center right away.	t medical help or contact a Poison
lentures		Directions Adults and children 2 years of age application tip • use up to 4 times daily or as directed by of age should be supervised in the use of this product chi	and older: • apply to affected area using a dentist or doctor • children under 12 years idren under 2 years of age: do not use
	N.	Other information • do not use if package has been	opened + store at 20-25°C (68-77"F)
	St-	Inactive ingredients benzyl slootol, D&C yellow o methyloaraben, polyethylene glycol, propylene glycol, sodum	o. 10, flavor, FDBC blue no. 1, FDBC red no. 40, saccharin, water
14	200	*This product is not manufactured or d Healthcare, owner of the registered tr	
0.5 FL 07		BISTRIBUTED BY: WARNINGS AND INFORMATION. DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011 WWW.riteaid.com MADE IN CANADA SATISFACTION GURRANTEE: If you're not satisfied, we'll happly refund your money.	

# RITE AID MAXIMUM STRENGTH

benzocaine liquid

Product Info								
Product Type		HUMAN OTC DRUG	ltem Code (	Code (Source)		NDC:11822-0345		
Route of Admin	Ite of Administration ORAL							
Active Ingred	ient/Active	Moiety						
Ingredient Name						Strength		
BENZOCAINE (UN	II: U3RSY48JW5)	(BENZOCAINE - UNII:U3RSY4	·8JW5)	BENZOCAINE		20 g in 100 g		
Inactive Ingre	edients							
		Ingredient Name				Strength		
POLYETHYLENE G								
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)								
SACCHARIN SODIUM (UNII: SB8ZUX40TY)								
METHYLPARABEN (UNII: A2I8C7HI9T)								
BENZYL ALCOHOL (UNII: LKG8494WBH)								
D&C RED NO. 40 (UNII: WZ B9127XOA)								
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)								
FD&C BLUE NO. 1	<b>l</b> (UNII: H3R47K3							
FD&C BLUE NO. 1 WATER (UNII: 0590	L (UNII: H3R47K3 QF0KO0R)							
FD&C BLUE NO. 1 WATER (UNII: 0590 Product Char	L (UNII: H3R47K3 QF0KOOR) acteristics			Score				
FD&C BLUE NO. 1 WATER (UNII: 0590 Product Char Color Shape	L (UNII: H3R47K3 QF0KOOR) acteristics	TBD)		Score Size				
FD&C BLUE NO. 1 WATER (UNII: 0590 Product Char Color	L (UNII: H3R47K3 QF0KOOR) acteristics	TBD)			Code			
FD&C BLUE NO. 1 WATER (UNII: 0590 <b>Product Char</b> Color Shape	L (UNII: H3R47K3 QF0KO0R) <b>acteristics</b> orange (dark c	TBD)		Size	Code			
FD&C BLUE NO. 1 WATER (UNII: 0590 <b>Product Char</b> Color Shape Flavor Contains	L (UNII: H3R47K3 QF0KO0R) <b>acteristics</b> orange (dark c	TBD)		Size	Code			
FD&C BLUE NO. 1 WATER (UNII: 0590 Product Char Color Shape Flavor Contains Packaging	L (UNII: H3R47K3 QF0KO0R) acteristics orange (dark c MINT (Mint)	TBD) orange/red to sI brown)	Ma	Size Imprint		rketing End		
FD&C BLUE NO. 1 WATER (UNII: 0590 Product Char Color Shape Flavor Contains Packaging # Item Code	L (UNII: H3R47K3 QF0KO0R) acteristics orange (dark c MINT (Mint)	TBD) brange/red to sI brown) ckage Description	Ma 01/01/	Size Imprint rketing Start Date		rketing End Date		
FD&C BLUE NO. 1 WATER (UNII: 0590 Product Char Color Shape Flavor Contains Packaging # item Code 1 NDC:11822- 0345-7 1 NDC:11822-	L (UNII: H3R47K3 QF0KO0R) acteristics orange (dark c MINT (Mint) Pa 1 in 1 CARTON 14.7 g in 1 BO	TBD) brange/red to sI brown) ckage Description	01/01,	Size Imprint rketing Start Date				
FD&C BLUE NO. 1 WATER (UNII: 0590 Product Char Color Shape Flavor Contains Packaging # Item Code 1 NDC:11822- 0345-7	L (UNII: H3R47K3 QF0KO0R) acteristics orange (dark c MINT (Mint) Pa 1 in 1 CARTON	TBD) brange/red to sI brown) ckage Description	01/01,	Size Imprint rketing Start Date				
FD&C BLUE NO. 1 WATER (UNII: 0590 Product Char Color Shape Flavor Contains Packaging # item Code 1 NDC:11822- 0345-7 1 NDC:11822-	L (UNII: H3R47K3 QF0KO0R) acteristics orange (dark c MINT (Mint) 1 in 1 CARTON 14.7 g in 1 BO Product	range/red to sl brown) ckage Description	01/01,	Size Imprint rketing Start Date				
FD&C BLUE NO. 1 WATER (UNII: 0590 Product Char Color Shape Flavor Contains Packaging # Item Code 1 NDC:11822- 0345-7 1 NDC:11822-	L (UNII: H3R47K3 QFOKOOR) acteristics orange (dark c MINT (Mint) Pa 1 in 1 CARTON 14.7 g in 1 BO Product	range/red to sl brown) ckage Description	ation	Size Imprint rketing Start Date	Ma			

Labeler - Rite Aid (014578892)

Establishment						
Name	Address	ID/FEI	<b>Business Operations</b>			
hk Kolmar Canada, inc		243501959	manufacture(11822-0345)			

Revised: 3/2024

Rite Aid