

ANGINACID- apis mellifica, baryum muriaticum, belladonna, calcium iodatum, hepar sulphuris calcareum, kalium bichromicum, lachesis mutus, mercurius corrosivus, phytolacca decandra, teucrium marum verum liquid

Seroyal USA

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

ANGINACID

Active ingredients

Each drop contains:

Apis mellifica (Honeybee) 4X

Baryum muriaticum (Barium chloride) 6X

Belladonna (Deadly nightshade) Whole Plant 4X (1 x 10⁻⁶% alkaloids, calculated)

Calcium iodatum (Calcium iodide) 4X

Hepar sulphuris calcareum (Crude calcium sulfide) 12X

Kalium bichromicum (Potassium bichromate) 5X

Lachesis mutus (Bushmaster) Venom 12X

Mercurius corrosivus (Mercury (II) chloride) 8X

Phytolacca decandra (Pokeweed) Root 4X

Teucrium marum verum (Cat thyme) Aerial Parts 6X

Uses

For the temporary relief of symptoms associated with minor local inflammation.

Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Other information

Do not use if seal is missing or broken.

Store in a cool, dry place.

Inactive ingredients

Ethanol (beet), purified water

Directions

To be taken ten minutes away from food.

Invert bottle and shake lightly allowing drops to fall directly under the tongue or into ¼ oz of water.

Hold contents for about 20 seconds and swallow.

To promote drop flow, invert bottle and shake before each use.

Dosage frequency may be increased up to six times daily depending on the severity of symptoms.

Adults and adolescents (12 years and older)

Take 10 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

Uses

For the temporary relief of symptoms associated with minor local inflammation.

Directions

To be taken ten minutes away from food.

Invert bottle and shake lightly allowing drops to fall directly under the tongue or into $\frac{1}{4}$ oz of water.

Hold contents for about 20 seconds and swallow.

To promote drop flow, invert bottle and shake before each use.

Dosage frequency may be increased up to six times daily depending on the severity of symptoms.

Adults and adolescents (12 years and older)

Take 10 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.



vanocomplex

1

ANGINACID

Homeopathic Preparation

NDC 62106-2024-0

NDC 62106-2024-0



vanocomplex

1

ANGINACID

Homeopathic Preparation

For the temporary relief of symptoms associated with minor local inflammation.



Contains 31% Alcohol
1.7 fl oz (50 mL)



Made in Belgium by UNDA
Dist. by Seroyal USA
Pittsburgh, PA 15275
1-888-737-6925

V1.0

BARCODE LOCATION
883196 32840

Drug Facts

Active Ingredients Purpose

Each drop contains:

Apis mellifica (Honeybee) 4X Stiffness

Baryum muriaticum
(Barium chloride) 6X Chills

Belladonna (Deadly nightshade)

Whole Plant 4X (1 x 10⁻⁶%
alkaloids, calculated) Pain

Calcium iodatum
(Calcium iodide) 4X Fever

Hepar sulphuris calcareum
(Crude calcium sulfide) 12X Profuse
sweating

Kalium bichromicum
(Potassium bichromate) 5X Weakness

Lachesis mutus (Bushmaster)

Venom 12X Redness

Mercurius corrosivus
(Mercury (II) chloride) 8X External pain

Phytolacca decandra
(Pokeweed) Root 4X Aching

Teucrium marum verum
(Cat thyme) Aerial Parts 6X Itch

X is a homeopathic dilution; see
www.seroyal.com/homeopathics for details.

→

Uses

For the temporary relief of symptoms associated with minor local inflammation.

Product 'Uses' are based on Homeopathic Materia Medica and have not been clinically tested. These 'Uses' have not been evaluated by the Food and Drug Administration.

Drug Facts (continued)

Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ To be taken ten minutes away from food.

■ Invert bottle and shake lightly allowing drops to fall directly under the tongue or into ¼ oz of water.

■ Hold contents for about 20 seconds and swallow.

■ To promote drop flow, invert bottle and shake before each use.

■ Dosage frequency may be increased up to six times daily depending on the severity of symptoms.

Adults and adolescents (12 years and older)

Take 10 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

Other information

■ Do not use if seal is missing or broken.
■ Store in a cool, dry place.

Inactive ingredients

Ethanol (beet), purified water

ETU.3524 11.15

Lot

Exp.

NDC 62106-2024-0

UNDA

vanocomplex

1

ANGINACID

Homeopathic Preparation

For the temporary relief of symptoms associated with minor local inflammation.

Contains 31% Alcohol

1.7 fl oz (50 ml)

ANGINACID

apis mellifica, baryum muriaticum, belladonna, calcium iodatum, hepar sulphuris calcareum, kalium bichromicum, lachesis mutus, mercurius corrosivus, phytolacca decandra, teucrium marum verum liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62106-2024
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	4 [hp_X] in 50 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	12 [hp_X] in 50 mL
MERCURIC CHLORIDE (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	8 [hp_X] in 50 mL
POTASSIUM DICHROMATE (UNII: T4423S18FM) (DICHROMATE ION - UNII:9LKY4BFN2V)	POTASSIUM DICHROMATE	5 [hp_X] in 50 mL
TEUCRIUM MARUM (UNII: 10464S0TAA) (TEUCRIUM MARUM - UNII:10464S0TAA)	TEUCRIUM MARUM	6 [hp_X] in 50 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	4 [hp_X] in 50 mL
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	4 [hp_X] in 50 mL
BARIUM CHLORIDE (UNII: 0VK51DA1T2) (BARIUM CATION - UNII:V645272HLN)	BARIUM CHLORIDE	6 [hp_X] in 50 mL
CALCIUM IODIDE (UNII: 8EK9QEE2H) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM IODIDE	4 [hp_X] in 50 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62106-2024-0	1 in 1 CARTON	06/02/2016	
1		50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/02/2016	

Labeler - Seroyal USA (018361118)**Establishment**

Name	Address	ID/FEI	Business Operations
Unda SA		400346069	manufacture(62106-2024)

Revised: 6/2016

Seroyal USA