

**COUGH RELIEF NIGHTTIME- dextromethorphan hbr, doxylamine succinate liquid**  
**Best Choice (Valu Merchandisers Company)**

-----  
**Drug Facts**

**Active ingredients (in each 30 mL)**

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

**Purposes**

Cough suppressant

Antihistamine

**Uses**

- temporarily relieves cold symptoms
  - cough due to minor throat and bronchial irritation
  - runny nose and sneezing

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking**

- sedatives or tranquilizers

**When using this product**

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

- alcohol, sedatives and tranquilizers may increase drowsiness

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 4 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- mL= milliliter
- keep dosing cup with product
- take only as directed
- adults and children 12 years and over: 30 mL every 6 hours
- children under 12 years of age: do not use

**Other information**

- **each 30 mL contains:** sodium 29 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients**

alcohol, citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

**Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

**Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® NYQUIL® COUGH

**NIGHTTIME**

**COUGH RELIEF**

**MULTI-SYMPTOM RELIEF**

DEXTROMETHORPHAN HBr 30 mg....COUGH SUPPRESSANT

DOXYLAMINE SUCCINATE 12.5 mg....ANTIHISTAMINE

**RELIEVES**

- COUGH
- SNEEZING
- RUNNY NOSE

FOR AGES 12 YEARS AND OVER

ALCOHOL 10 %

ALL NIGHT COUGH RELIEF

CHERRY FLAVOR

FL OZ (mL)

\*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® and NyQuil® are registered trademarks of the Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING**

**PROUDLY DISTRIBUTED BY:**

**VALU MERCHANDISERS, CO.**

**5000 KANSAS AVE**

**KANSAS CITY, KS 66106**

**[www.bestchoicebrand.com](http://www.bestchoicebrand.com)**

**Product Label**

#### Drug Facts (continued)

**Directions** ■ do not take more than 4 doses in any 24-hour period  
■ measure only with dosing cup provided. Do not use any other dosing device. ■ keep dosing cup with product ■ take only as directed  
■ mL = milliliter ■ adults and children 12 years and over: 30 mL every 6 hours ■ children under 12 years of age: do not use

**Other information** ■ each 30 mL contains: sodium 29 mg  
■ store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** alcohol, citric acid, FD&C blue #1, FD&C red #40, flavors, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

#### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® and NyQuil® are registered trademarks of The Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.**

**Best Choice,**  
100% Guaranteed  
www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:  
VALU MERCHANDISERS, CO.  
5000 KANSAS AVE  
KANSAS CITY, KS 66106



PLD-A410A  
LB005314  
**PARENTS:**  
Learn about teen medicine online  
www.StopMedicineAbuse.org

COMPARE TO THE ACTIVE INGREDIENTS  
IN VICKS® NYQUIL® COUGH\*

**Best  
Choice®**

## NIGHTTIME COUGH RELIEF



DEXTROMETHORPHAN HBr 30 mg.....COUGH SUPPRESSANT  
DOXYLAMINE SUCCINATE 12.5 mg.....ANTIHISTAMINE

RELIEVES  
· COUGH  
· SNEEZING  
· RUNNY NOSE

FOR AGES  
12 YEARS  
AND OVER

**CHERRY FLAVOR**

**ALCOHOL 10%**

**8 FL OZ (237 mL)**

**ALL NIGHT COUGH RELIEF**

#### Drug Facts

##### Active ingredients (in each 30 mL)

Dextromethorphan HBr 30 mg.....Cough suppressant  
Doxylamine succinate 12.5 mg.....Antihistamine

##### Purposes

**Uses** ■ temporarily relieves cold symptoms ■ cough due to minor throat and bronchial irritation ■ runny nose and sneezing

##### Warnings

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** ■ glaucoma ■ cough that occurs with too much phlegm (mucus) ■ a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema ■ trouble urinating due to enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product** ■ excitability may occur, especially in children ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### BEST CHOICE Nighttime Cough Relief

## COUGH RELIEF NIGHTTIME

dextromethorphan hbr, doxylamine succinate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-499
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

### Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-499-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/31/2018	

**Labeler -** Best Choice (Valu Merchandisers Company) (868703513)

Revised: 2/2024

Best Choice (Valu Merchandisers Company)