

PAIN AND FEVER RELIEF CHILDRENS STRENGTH- acetaminophen tablet, chewable
Scrips America

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

RapiMed 44-643

Active ingredient (in each tablet)

Acetaminophen 80 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - flu
 - sore throat
 - toothache
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **do not give more than directed (see overdose warning)**
- **this product does not contain directions or complete warnings for adult use**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew before swallowing; this product will soften in mouth for ease of chewing
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	2
36-47	4-5	3
48-59	6-8	4
60-71	9-10	5
72-95	11	6

*or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- protect from light
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, corn starch, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Questions or comments?

call 1-800-957-7622

Principal display panel

RapiMed™

Melts in Your Child's Mouth

NDC 51208-001-30

Children's Strength
For Children Ages 2-6

***Pain &
Fever Relief***

ACETAMINOPHEN-80 mg each

- Pain Reliever/Fever Reducer
- Contains no Aspirin
- Melts in Your Child's Mouth

30 Quick Dissolving Tablets

WILD CHERRY FLAVOR

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

Manufactured
in the United
States of America

Distributed by: Scrips America Inc.
Tysons Corner, VA 22102
Telephone: 1-800-596-4874
Website: www.rapimeds.com
Email: wecare@rapimeds.com

50844 ORG111364301

RapiMed™

Melts in Your Child's Mouth

Children's Strength
For Children Ages 2-6

Pain & Fever Relief

ACETAMINOPHEN-80 mg each

RapiMed™
Melts in Your Child's Mouth

NDC 51208-001-30

Children's Strength
For Children Ages 2-6

Pain & Fever Relief

ACETAMINOPHEN-80 mg each

- Pain Reliever/Fever Reducer
- Contains no Aspirin
- Melts in Your Child's Mouth



30 Quick Dissolving Tablets

Manufactured
in the United
States of America



Scripps
AMERICA

Distributed by Scripps America Inc.
Trenton, NJ 08646
Telephone: 1-800-558-4874
Website: www.rapimed.com
Email: wccare@rapimed.com

TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING.



No print/No varnish
Lot & Exp. date

5084 DRG11364301

Questions or comments? call 1-800-957-7622

Inactive ingredients citric acid, corn starch, croscollon, D&B red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrate, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucrose

- see end flap for expiration date and lot number
- avoid high humidity ■ protect from light
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Drug Facts (continued)

complete warnings for adult use

■ find the right dose on chart below. If possible, use weight to dose, otherwise, use age.

■ chew before swallowing; this product will soften in mouth for ease of chewing

■ repeat dose every 4 hours while symptoms last

■ do not give for more than 5 times in 24 hours

■ do not use if your child is allergic to acetaminophen or any of the inactive ingredients in this product

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ Ask a doctor before use if your child has liver disease.

■ Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- or as directed by a doctor

Weight (lb)	Age (yr)	Dose (tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	2
36-47	4-5	3
48-59	6-8	4
60-71	9-10	5
72-95	11	6

B-1823-643-01
DRG11364301

GLUED-SEAL, NO PRINT AREA

LEBG718N3

GLUED-SEAL, NO PRINT AREA

Drug Facts Active ingredient (in each tablet) Acetaminophen 80 mg	Purpose Pain reliever/fever reducer
Uses temporarily relieves minor aches and pains due to: ■ headache ■ flu ■ sore throat ■ toothache ■ the common cold temporarily reduces fever	Directions do not give more than directed (see overdose warning) this product does not contain directions or
Warnings Liver warnings: This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the	Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.
Drug Facts (continued) ■ redness or swelling is present These could be signs of a serious condition. Keep out of reach of children.	

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION



Scrips America 44-643

PAIN AND FEVER RELIEF CHILDRENS STRENGTH

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51208-001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	80 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	13mm
Flavor	CHERRY (Wild Cherry)	Imprint Code	44;643
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51208-001-30	5 in 1 CARTON	03/18/2014	06/02/2020
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	03/18/2014	06/02/2020

Labeler - ScripsAmerica (842014177)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(51208-001)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(51208-001)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(51208-001)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(51208-001)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(51208-001)

Revised: 6/2018

ScripsAmerica