

GENTLE STOOL SOFTENER- docusate sodium capsule, liquid filled
RITE AID CORPORATION

Gentle Stool Softener

Drug Facts

Active Ingredient (in each tablet)

Docusate sodium 100 mg

Purpose

Stool softener

Uses

• relieves occasional constipation (irregularity) • generally produces bowel movement in 12-72 hours

Warnings

Do not use if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have • fever • mucus in the stool

Ask a doctor or pharmacist before use if you are if you have

• stomach pain • nausea • vomiting • noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if • you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition • you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

• take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults & children 12 years of age & over
children 2 to under 12 years of age
children under 2 years of age

take 1-3 softgels daily
take 1 softgel daily
ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) • Keep tightly closed

Inactive ingredients

FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol-400, povidone, propylene glycol, purified water, sorbitol solution, titanium dioxide

Questions or comments?

1-888-333-9792

Principal Display

NDC 11822-1574-5

STOOL SOFTENER

DOCUSATE SODIUM 100 mg

STOOL SOFTENER LAXATIVE

Stimulant free
Constipation relief

50

LIQUID GELS

DO NOT USE IF CAPTOPIN IS OPENED OR SAFETY SEAL UNDER CAP IS DAMAGED OR MISSING

READ AND KEEP CAPTOPIN FOR COMPLETE INSTRUCTIONS AND INFORMATION

Drug Facts

Active ingredient (in each liquid-filled capsule): Pepsone Docusate sodium 100 mg.....Stool softener inactive

Uses: relieves occasional constipation (irregularity) in generally produces bowel movement in 12 to 72 hours

Warnings:
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions: Take with a glass of water

adults and children 12 years of age and over	1 to 3 capsules daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	1 capsule daily
children under 2 years of age	ask a doctor

Other information:
Each capsule contains sodium 6 mg. May Low Sodium
Store at 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F) to protect from excessive humidity

Questions or comments? 1-888-333-9792

DISTRIBUTED BY:
RITE AID
200 NEUBERRY COMMONS
ETTERS, PA 17319
www.riteaid.com
MADE IN INDIA

SATISFACTION GUARANTEE:
If you're not satisfied, we'll happily refund your money.

Lot: _____
Exp: _____
ORR 11/22

FREE FROM

**GLUTEN FREE
SOY FREE**

Compare to the active ingredient in
Dulcolax® Stool Softener†

NDC 11822-1574-5

STOOL SOFTENER

DOCUSATE SODIUM 100 mg

STOOL SOFTENER LAXATIVE

STOOL SOFTENER

DOCUSATE SODIUM 100 mg

STOOL SOFTENER LAXATIVE

Stimulant free
Constipation relief

ACTUAL SIZE

50

LIQUID GELS

STOOL SOFTENER

DOCUSATE SODIUM 100 mg

STOOL SOFTENER LAXATIVE

Stimulant free
Constipation relief

ACTUAL SIZE



50
LIQUID GELS



ORG 11/22

**SATISFACTION
GUARANTEE**
If you're not satisfied, we'll
happily refund your money.

This product is not manufactured or distributed by Sanofi-Aventis Deutschland GmbH, owner
of the registered trademark Dulcolax.[®]
DISTRIBUTED BY: RITE AID,
200 NEUMBERY COMMONS
LETTERS, PA 17319
www.riteaid.com
MADE IN INDIA

Drug Facts (continued)
Other information ■ Use as directed. Store at 20-25°C (68-77°F). ■ Protect from excessive humidity.
Inactive ingredients ■ FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, polyethylene glycol, purified water, sorbitol solution, titanium dioxide.
Questions or comments? 1-800-333-7772

Drug Facts
Active ingredient (in each liquid-filled capsule)
Docosate sodium 100 mg
Purpose
Stool softener laxative
Uses
■ Relieves occasional constipation (irregularity)
■ Generally produces bowel movement in 12 to 72 hours
Warnings
Do not use if you are presently taking mineral oil
Ask a doctor before use if you have
■ Stomach pain, nausea or vomiting
■ Noticed a sudden change in bowel habits that lasts more than 2 weeks
Stop use and ask a doctor if
■ You have rectal bleeding or no bowel movement after using this product. These could be signs of a serious
condition.
■ You need to use a laxative for more than 1 week
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
Directions
■ Take with a glass of water
adults and children 12 years of age and over
1 to 3 capsules daily. This dose may be taken
as a single daily dose or in divided doses.
children 2 to under 12 years of age
1 capsule daily
ask a doctor
children under 2 years of age

**DO NOT USE IF CARTON IS OPENED OR SAFETY
SEAL UNDER CAP IS BROKEN OR MISSING.
READ AND KEEP CARTON FOR COMPLETE
WARNINGS AND INFORMATION**



LOT:
EXP:

GENTLE STOOL SOFTENER

docosate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-1574
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII: M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KOOR)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	10mm
Flavor		Imprint Code	100
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1574-5	1 in 1 CARTON	11/07/2022	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	11/07/2022	

Labeler - RITE AID CORPORATION (014578892)

Revised: 12/2023

RITE AID CORPORATION