

VCF CONTRACEPTIVE PRE-FILLED APPLICATORS- nonoxynol-9 gel, metered APOTHECUS PHARMACEUTICAL CORP

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

VCF® CONTRACEPTIVE GEL PRE-FILLED APPLICATORS

Drug Facts

Active Ingredient

Nonoxynol-9, (4%)

Purpose

Vaginal Contraceptive

Use

- for the prevention of pregnancy
- with condom or alone

Warnings

For Vaginal Use Only

Not for rectal (anal) use.

Sexually Transmitted Disease (STDs) alert

This product does **not** protect against HIV (AIDS) or other STDs and may increase the risk of getting HIV from an infected partner.

Do not use if you or your sex partner has HIV/AIDS. If you do not know if you or your sex partner is infected, choose another form of birth control

Stop use and ask a doctor if you or your partner get burning, itching, a rash, or other irritation of the vagina or penis.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For maximum protection against unwanted pregnancy, follow the enclosed directions exactly.
- Insert one applicatorful into the vagina prior to intercourse (see complete, illustrated directions on package insert).
- Each applicatorful is effective immediately and up to one hour after application.

- An additional applicatorful is required prior to each act of intercourse, regardless of time since last application.

Other Information

- When used correctly every time you have sex, latex condoms greatly reduce, but do not eliminate, the risk of catching or spreading HIV, the virus that causes AIDS.
- Use a latex condom without nonoxynol-9 if you or your sex partner has HIV/AIDS, multiple sex partners, or other HIV risk factors.
- VCF[®] is tested by independent laboratories for determination of sperm inactivating qualities, using the I.P.P.F. agreed protocol
- Store at room temperature, 59° - 86° F (15° - 30° C).
Avoid exposure to extremes of hot and cold.

Inactive Ingredients

purified water, propylene glycol, CMC 7MF, sorbitol solution, PVP K 30, simethicone, lactic acid, methyl paraben, potassium sorbate, sodium benzoate, trisodium EDTA

Questions?

If you have any questions, call our toll-free line at 1-800-879-2393 between 9:00AM and 5:00PM EST, Monday through Friday.

Distributed By:
Apothecus Pharmaceutical Corp.
Oyster Bay, NY 11771

PRINCIPAL DISPLAY PANEL - 2.55 g Applicator Box

New!

**Compare To
CONCEPTROL[®]!**

VCF[®]

Vaginal
Contraceptive
Gel

FOR PREVENTION OF PREGNANCY

Pre-Filled Applicators

- Safe and effective
- Hormone free
- Easy to use

***Contains the Spermicide
Doctors Recommend Most***

PRE-FILLED APPLICATORS
NET WT. 0.09 oz. (2.55g) EACH

VCF[®]

Vaginal Contraceptive Gel

New!

**Compare To
CONCEPTROL[®]!**

New!

**Compare To
CONCEPTROL[®]!**

VCF[®]

Vaginal Contraceptive Gel

FOR PREVENTION OF PREGNANCY

Pre-Filled Applicators



- Safe and effective
- Hormone free
- Easy to use

*Contains the Spermicide
Doctors Recommend Most*

10 PRE-FILLED APPLICATORS
NET WT. 0.09 oz. (2.55g) EACH

VCF[®]

Vaginal Contraceptive Gel

FOR PREVENTION OF PREGNANCY

Pre-Filled Applicators



- Safe and effective
- Hormone free
- Easy to use

*Contains the Spermicide
Doctors Recommend Most*

10 PRE-FILLED APPLICATORS
NET WT. 0.09 oz. (2.55g) EACH






Visit us at our website www.apothecus.com

Distributed By:
Apothecus Pharmaceutical Corp.
Oyster Bay, NY 11771

Conceptrol is a registered trademark of
Revive Personal Products Company.

- Safe and effective
- Hormone free
- Easy to use

VCF[®]
Vaginal
Contraceptive
Gel



Drug Facts

Active Ingredient

Nonoxynol-9, (4%) Vaginal Contraceptive

Purpose

Use

- for the prevention of pregnancy
- with condom or abstinence

Warnings

For Vaginal Use Only

Not for rectal (anal) use.

Sexually Transmitted Disease (STDs) alert:

This product does **not** protect against HIV (AIDS) or other STDs and may increase the risk of getting HIV from an infected partner.

Do not use if you or your sex partner has HIV/AIDS. If you do not know if you or your sex partner is infected, choose another form of birth control.

Stop use and ask a doctor if you or your partner get burning, itching, a rash, or other irritation of the vagina or penis.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions

- For maximum protection against unwanted pregnancy, follow the enclosed directions exactly.
- Insert one applicatorful into the vagina prior to intercourse (see complete, illustrated directions on package insert).
- Each applicatorful is effective immediately and up to one hour after application.
- An additional applicatorful is required prior to each act of intercourse, regardless of time since last application.

Other Information

- When used correctly every time you have sex, latex condoms greatly reduce, but do not eliminate, the risk of catching or spreading HIV, the virus that causes AIDS.
- Use a latex condom with out nonoxynol-9 if you or your sex partner has HIV/AIDS, multiple sex partners, or other HIV risk factors.
- VCF[®] is tested by independent laboratories for determination of sperm inactivating qualities, using the I.P.P.F. agreed protocol.
- Store at room temperature, 59° - 86° F (15° - 30° C).
Avoid exposure to extremes of hot and cold.

SPARE OUT/
NON-VARNISH AREA



VCF CONTRACEPTIVE PRE-FILLED APPLICATORS

nonoxynol-9 gel, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52925-512
Route of Administration	VAGINAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T) (NONOXYNOL-9 - UNII:48Q180SH9T)	NONOXYNOL-9	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Sorbitol (UNII: 506T60A25R)	
Povidone K30 (UNII: U725QWY32X)	
Lactic Acid, Unspecified Form (UNII: 33X04XA5AT)	
Methylparaben (UNII: A218C7HI9T)	
Potassium Sorbate (UNII: 1VPU26JZZ4)	
Edetate Trisodium (UNII: 420IP921MB)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52925-512-10	10 in 1 BOX	06/01/2014	
1		2.55 g in 1 APPLICATOR; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
2	NDC:52925-512-25	250 in 1 CARTON	06/01/2014	
2		2.55 g in 1 APPLICATOR; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part333A	06/01/2014	

Labeler - APOTHECUS PHARMACEUTICAL CORP (119263747)

Revised: 1/2023

APOTHECUS PHARMACEUTICAL CORP