

GERI DRYL- diphenhydramine hcl liquid
GERI-CARE PHARMACEUTICALS, CORP

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredient (in each 5 mL teaspoonful)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
 - runny nose
 - itchy nose or throat
 - sneezing
 - itchy, watery eyes
- Temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- with any other product containing diphenhydramine, including one used on the skin
- to make a child sleepy

Ask a doctor before use if you have

- a breathing problem such as chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- be careful when driving motor vehicle or operating machinery
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.


Directions

- do not exceed recommended dose
- take every 4 to 6 hours as needed, or as directed by a doctor
- do not take more than 6 doses in 24 hours
- adults and children 12 years and over: 10 to 20 mL (2 to 4 teaspoonful)
- children under 12 years: consult a doctor

Inactive ingredients: Artificial and natural cherry flavor, citric acid, FD&C #40, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose and sucrose.

Questions or comments? 1-800-540-3765

NDC 57896-980-16





GERI-DRYL



Liquid Allergy Relief
Antihistamine

Diphenhydramine HCl 12.5 mg/ 5 mL

Compare to the active ingredient in
Benadryl® Allergy Liquid*

Relieves:

 **Sneezing**
 **Runny Nose**

 **Itchy, Watery Eyes**
 **Itchy Throat**

Alcohol Free Cherry Flavor

16 FL OZ (473 mL)

Drug Facts	
Active ingredient (in each 5 mL teaspoonful) Diphenhydramine HCl 12.5mg.....	Purpose Antihistamine
Uses • Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • runny nose • itchy nose or throat • sneezing • itchy, watery eyes • Temporarily relieves these symptoms due to the common cold: • runny nose • sneezing	
Warnings Do not use • with any other product containing diphenhydramine, including one used on the skin • to make a child sleepy	
Ask a doctor before use if you have • a breathing problem such as chronic bronchitis or emphysema • trouble urinating due to enlarged prostate gland • glaucoma	
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.	
When using this product • excitability may occur, especially in children • marked drowsiness may occur • be careful when driving a motor vehicle or operating machinery • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness	

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • do not exceed recommended dose
• take every 4 to 6 hours as needed, or as directed by a doctor
• do not take more than 6 doses in 24 hours
• adults and children 12 years and over: 10 to 20 mL (2 to 4 teaspoonful)
• children under 12 years: consult a doctor

Other information
TAMPER EVIDENT: Do not use if aluminum foil seal over bottle opening is torn, broken, or missing.
• store at room temperature 15°C-30°C (59°F-86°F)
• do not freeze • protect from light
• Pharmacist: Preserve and dispense in a tight, light-resistant container with a child resistant cap as defined in the USP.


Inactive ingredients: Artificial and natural cherry flavor, citric acid, FD&C Red #40, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose, and sucrose.

Questions or comments? 1-800-540-3765

* This product is not manufactured or distributed by the owner of the registered trademark Benadryl®.

Dist. by:
GERI-CARE
Pharmaceutical Corp.
1650 63rd Street
Brooklyn, NY 11204

Code: L-24
REV 0719



3 57896 78016 6

Lot#
Exp. Date:

GERI DRYL

diphenhydramine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-980
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-980-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/01/2019	

Labeler - GERI-CARE PHARMACEUTICALS, CORP (611196254)

Revised: 3/2021

GERI-CARE PHARMACEUTICALS, CORP