

MYCO IMMUNO NOSODE- du huo (angelica pubescens), angelica archangelica, kali muriaticum, radix sileris (saposhnikovia divaricata), yucca filamentosa, achyranthes bidentata, angelica sinensis, ligusticum porteri, panax ginseng, rhus tox, hydrastis canadensis, uncaria tomentosa, cartilago suis, hordeum vulgare, oxalicum acidum, arnica montana, latroductus mactans, magnesia phosphorica, manganum metallicum, borrelia burgdorferi, babesia microti spray

Nutritional Specialties, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Du Huo (Angelica Pubescens) 2X, Angelica Archangelica 3X, Kali Muriaticum 3X, Radix Sileris (Saposhnikovia Divaricata) 3X, Yucca Filamentosa 3X, Achyranthes Bidentata 4X, Angelica Sinensis 4X, Ligusticum Porteri 4X, Panax Ginseng 4X, Rhus Tox 5X, Hydrastis Canadensis 6X, Uncaria Tomentosa 6X, Cartilago Suis 6X, 12X, Hordeum Vulgare 8X, Oxalicum Acidum 8X, 12X, Arnica Montana 8X, 100X, 1000X, Latroductus Mactans 10X, Magnesia Phosphorica 12X, Manganum Metallicum 12X, Borrelia Burgdorferi 15X, 30X, 60X, 100X, Babesia Microti 16X, 30X, 60X.

PURPOSE:

Aids in boosting the host resistance and providing temporary relief of illness, joint pains and fatigue from tick bites.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Professional Use Only

If pregnant or breast-feeding, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening

KEEP OUT OF REACH OF CHILDREN:

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

INDICATIONS:

Aids in boosting the host resistance and providing temporary relief of illness, joint pains and fatigue from tick bites.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Alcohol USP 20%, Purified Water USP.

QUESTIONS:

**MANUFACTURED EXCLUSIVELY FOR
NUTRITIONAL SPECIALTIES, INC.**

PO BOX 97227

PITTSBURG, PA 15229

www.phpltd.com

PACKAGE LABEL DISPLAY:

Professional

Health Products

HOMEOPATHIC

NDC 83027-0008-1

MYCO-IMMUNO

NOSODE

2 FL. OZ (60 ml)

Professional Use Only

WARNINGS: If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening.

¹ Claims based on traditional homeopathic practice; not accepted medical evidence. Not FDA evaluated.



NDC 83027-0008-1

MYCO-IMMUNO NOSODE

C128 (reorder code)

Active Ingredients: Du Huo (Angelica Pubescens) 2x. Angelica Archangelica 3x. Kali Muriaticum 3x. Radix Sileris (Saposhnikovia divaricata) 3x. Yucca Filamentosa 3x. Achyranthos Bidentata 4x. Angelica Sinensis 4x. Ligusticum Porteri 4x. Panax Ginseng 4x. Rhus Tox 5x. Hydrastis Canadensis 6x. Uncaria Tomentosa 6x. Cartilago Suis 6x, 12x. Hordeum Vulgare 8x. Oxalicum Acidum 8x, 12x. Arnica Montana 8x, 100x, 1000x. Latrodectus Mactans 10x. Magnesia Phosphorica 12x. Manganum Metallicum 12x. Borrelia Burgdorferi 15x, 30x, 60x, 100x. Babesia Microti 16x, 30x, 60x.

Inactive Ingredients: Alcohol USP 20%, Purified Water USP.

2 FL. OZ. (60 ml)

Indication: Aids in boosting the host resistance and providing temporary relief of illness, joint pains and fatigue from tick bites.¹

Directions For Use: Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

PHPP MANUFACTURED EXCLUSIVELY FOR NUTRITIONAL SPECIALTIES, INC. PO BOX 97227 PITTSBURGH, PA 15229 www.phpltd.com rev. 1.1

MYCO IMMUNO NOSODE

du huo (angelica pubescens), angelica archangelica, kali muriaticum, radix sileris (saposhnikovia divaricata), yucca filamentosa, achyranthos bidentata, angelica sinensis, ligusticum porteri, panax ginseng, rhus tox, hydrastis canadensis, uncaria tomentosa, cartilago suis, hordeum vulgare, oxalicum acidum, arnica montana, latrodectus mactans, magnesia phosphorica, manganum metallicum, borrelia burgdorferi, babesia microti spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83027-0008
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ANGELICA PUBESCENS ROOT (UNII: 0MF1EI01KJ) (ANGELICA PUBESCENS ROOT - UNII:0MF1EI01KJ)	ANGELICA PUBESCENS ROOT	2 [hp_X] in 1 mL
ANGELICA ARCHANGELICA ROOT (UNII: DTN01M69SN) (ANGELICA ARCHANGELICA ROOT - UNII:DTN01M69SN)	ANGELICA ARCHANGELICA ROOT	3 [hp_X] in 1 mL
POTASSIUM CHLORIDE (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CATION	3 [hp_X] in 1 mL
SAPOSHNIKOVIA DIVARICATA ROOT (UNII: 8H84LFK2QD) (SAPOSHNIKOVIA DIVARICATA ROOT - UNII:8H84LFK2QD)	SAPOSHNIKOVIA DIVARICATA ROOT	3 [hp_X] in 1 mL
YUCCA FILAMENTOSA WHOLE (UNII: T6VR38UJ9I) (YUCCA FILAMENTOSA - UNII:T6VR38UJ9I)	YUCCA FILAMENTOSA WHOLE	3 [hp_X] in 1 mL
ACHYRANTHOS BIDENTATA ROOT (UNII: 5QIU26R6P1) (ACHYRANTHOS BIDENTATA ROOT - UNII:5QIU26R6P1)	ACHYRANTHOS BIDENTATA ROOT	4 [hp_X] in 1 mL
ANGELICA SINENSIS ROOT (UNII: B66F4574UG) (ANGELICA SINENSIS ROOT - UNII:B66F4574UG)	ANGELICA SINENSIS ROOT	4 [hp_X] in 1 mL
LIGUSTICUM PORTERI ROOT (UNII: 81FGO4H42J) (LIGUSTICUM PORTERI ROOT - UNII:81FGO4H42J)	LIGUSTICUM PORTERI ROOT	4 [hp_X] in 1 mL
ASIAN GINSENG (UNII: CUQ3A77YXI) (ASIAN GINSENG - UNII:CUQ3A77YXI)	ASIAN GINSENG	4 [hp_X] in 1 mL
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	5 [hp_X] in 1 mL

GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	6 [hp_X] in 1 mL
UNCARIA TOMENTOSA ROOT (UNII: 9IGG929A0H) (UNCARIA TOMENTOSA ROOT - UNII:9IGG929A0H)	UNCARIA TOMENTOSA ROOT	6 [hp_X] in 1 mL
SUS SCROFA CARTILAGE (UNII: 73ECW5WG2F) (SUS SCROFA CARTILAGE - UNII:73ECW5WG2F)	SUS SCROFA CARTILAGE	6 [hp_X] in 1 mL
BARLEY (UNII: 5PWM7YLI7R) (BARLEY - UNII:5PWM7YLI7R)	BARLEY	8 [hp_X] in 1 mL
OXALIC ACID DIHYDRATE (UNII: 0K2L2IJ59O) (OXALIC ACID - UNII:9E7R5L6H31)	OXALIC ACID DIHYDRATE	8 [hp_X] in 1 mL
ARNICA MONTANA WHOLE (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W)	ARNICA MONTANA WHOLE	8 [hp_X] in 1 mL
LATRODECTUS MACTANS (UNII: XJJ7QA858R) (LATRODECTUS MACTANS - UNII:XJJ7QA858R)	LATRODECTUS MACTANS	10 [hp_X] in 1 mL
MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	12 [hp_X] in 1 mL
MANGANESE (UNII: 42Z2K6ZL8P) (MANGANESE - UNII:42Z2K6ZL8P)	MANGANESE	12 [hp_X] in 1 mL
BORRELIA BURGENDORFERI (UNII: 0J8NV9V5Q8) (BORRELIA BURGENDORFERI - UNII:0J8NV9V5Q8)	BORRELIA BURGENDORFERI	15 [hp_X] in 1 mL
BABESIA MICROTI (UNII: 1948X6KEG3) (BABESIA MICROTI - UNII:1948X6KEG3)	BABESIA MICROTI	16 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0008-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/17/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/17/2023	

Labeler - Nutritional Specialties, Inc. (032744609)