

**DOLCE AND GABBANA EVERLAST FOUNDATION SPF 20 39N DEEP- octisalate, octocrylene, titanium dioxide, zinc oxide emulsion
Dolce & Gabbana Beauty S.R.L**

Dolce & Gabbana Everlast Foundation SPF 20 - 39N Deep

Drug Facts

Active ingredients

Octisalate 3.5%

Octocrylene 5%

Titanium dioxide 0.5%

Zinc Oxide 1.88%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure

- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUIOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUIOXANE, PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL; +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Package Labeling:



ALL DAY SHINE CONTROL*
WATERPROOF*

83% AGREE IT IS MOISTURIZING FOR 24H**
83% AGREE IT HAS A BLURRING AND
SMOOTHING EFFECT**



With Italian Prickly Pear,
known to enhance the
appearance of skin firmness



With Sicilian Avocado,
to support deep
hydration



With Italian Pomegranate, to help
shield the skin barrier from
environmental aggressors

Non-comedogenic*
Dermatologically tested

* Clinical/Instrumental test
** Self evaluation test

DOLCE & GABBANA

EVERLAST FOUNDATION

24H FULL COVERAGE
3D MATTE NO TRANSFER
SUNSCREEN BROAD SPECTRUM SPF 20

FOND DE TEINT COUVRANCE TOTALE 24H
MAT 3D SANS TRANSFERT
PROTECTION SOLAIRE
LARGE SPECTRE FPS 20

MADE IN ITALY

27ml e 0.91 FL.OZ.

DOLCEGABBANA.COM/BEAUTY

DISTRIBUTED BY
DOLCE & GABBANA BEAUTY S.R.L.
VIA CARLO GOLDONI 10- MILANO - ITALY
IN USA: 3915 BISCAYNE BLVD
SUITE 401 MIAMI, FLORIDA 33137-3737
REGULATORY.US.BEAUTY@DOLCEGABBANA.IT

Info-médicament

Ingrédients actifs

Ingrédients actifs	Utilité
Octisalate 3,5%.....	Ecran Solaire
Octocrylene/Octocrylène 5%.....	Ecran Solaire
Titanium dioxide 0,5%.....	Ecran Solaire
Zinc oxide 1,88%.....	Ecran Solaire

Usages • Prévient les coups de soleil • Si utilisé comme indiqué avec d'autres mesures de protection solaire (voir les instructions) diminue le risque de cancer de la peau et de vieillissement prématuré de la peau causé par le soleil.

Mises en garde
À usage externe uniquement.

Ne pas utiliser sur une peau abîmée ou en cas de lésion cutanée.

Lors de l'utilisation de ce produit, tenir à l'écart des yeux. Rincer à l'eau en cas de contact.

En cas d'éruption cutanée, cesser l'utilisation et consulter un médecin.

Garder hors de la portée des enfants. En cas d'ingestion, demander de l'aide médicale ou contacter immédiatement un centre antipoison.

Mode d'emploi

• Appliquer généreusement 15 minutes avant l'exposition au soleil. • Réappliquer au moins toutes les 2 heures • Utiliser une protection solaire résistante à l'eau en cas de baignade ou de transpiration.

• **Mesures de protection solaire**: Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Pour réduire ce risque, utilisez régulièrement une protection solaire avec un indice de protection FPS 15 ou plus à large spectre, et d'autres mesures de protection solaire, notamment:

• En limitant le temps passé au soleil, en particulier entre 10h et 14h • En portant des vêtements à manches longues, des pantalons, des chapeaux et des lunettes de soleil • Pour les enfants de moins de 6 mois: demander l'avis d'un médecin

BIEN AGITER AVANT EMPLOI

Autres renseignements

Garder le produit dans cet emballage à l'abri de la chaleur excessive et de la lumière directe du soleil.

Ingrédients inactifs

WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE/ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUOXANE, PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL, +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Drug Facts

Active ingredients

Active ingredients	Purpose
Octisalate 3,5%.....	Sunscreen
Octocrylene 5%.....	Sunscreen
Titanium dioxide 0,5%.....	Sunscreen
Zinc Oxide 1,88%.....	Sunscreen

Uses • Helps prevent sunburn • If used directed with others sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Apply generously 15 minutes before sun exposure
• Reapply at least every 2 hours
• Use a water resistant sunscreen if swimming or sweating

• **Sun Protection Measures**: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:

• Limit time in the sun, especially from 10 a.m. - 2 p.m.
• Wear long-sleeved shirts, pants, hats, and sunglasses

• Children under 6 months of age: ask a doctor


SHAKE WELL BEFORE USE

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE/ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUOXANE, PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL, +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)




8054754402216

Ref: P3DV1M40

FRONT

BACK



Package Labeling:Tester



ALL DAY SHINE CONTROL*
WATERPROOF*

83% AGREE IT IS MOISTURIZING FOR 24H**
83% AGREE IT HAS A BLURRING AND
SMOOTHING EFFECT**



With Italian Prickly Pear,
known to enhance the
appearance of skin firmness



With Sicilian Avocado,
to support deep
hydration



With Italian Pomegranate, to help
shield the skin barrier from
environmental aggressors

Non-comedogenic*
Dermatologically tested

* Clinical/Instrumental test
** Self evaluation test

DOLCE & GABBANA

TESTER
NOT FOR SALE

DOLCEGABBANA.COM/BEAUTY

DISTRIBUTED BY
DOLCE & GABBANA BEAUTY S.R.L.
VIA CARLO GOLDONI 10- MILANO - ITALY
IN USA: 3915 BISCAYNE BLVD
SUITE 401 MIAMI, FLORIDA 33137-3737
REGULATORY.US.BEAUTY@DOLCEGABBANA.IT

EVERLAST FOUNDATION

24H FULL COVERAGE
3D MATTE NO TRANSFER
SUNSCREEN BROAD SPECTRUM SPF 20

FOND DE TEINT COUVRANCE TOTALE 24H
MAT 3D SANS TRANSFERT
PROTECTION SOLAIRE
LARGE SPECTRE FPS 20

MADE IN ITALY

27ml e 0.91 FL.OZ.



8054754402612

Ref. P3DV8M39

Info-médicament

Ingrédients actifs	Utilité
Octisalate 3,5%.....	Écran Solaire
Octocrylene/Octocrylène 5%.....	Écran Solaire
Titanium dioxide 0,5%.....	Écran Solaire
Zinc oxide 1,88%.....	Écran Solaire

Usages •Prévient les coups de soleil •Si utilisé comme indiqué avec d'autres mesures de protection solaire (voir les instructions) diminue le risque de cancer de la peau et de vieillissement prématuré de la peau causé par le soleil.

Mises en garde
À usage externe uniquement.
Ne pas utiliser sur une peau abîmée ou en cas de lésion cutanée.

Lors de l'utilisation de ce produit, tenir à l'écart des yeux. Rincer à l'eau en cas de contact.

En cas d'éruption cutanée, cesser l'utilisation et consulter un médecin.

Garder hors de la portée des enfants.
En cas d'ingestion, demander de l'aide médicale ou contacter immédiatement un centre antipoison.

Mode d'emploi
• Appliquer généreusement 15 minutes avant l'exposition au soleil. • Réappliquer au moins toutes les 2 heures • Utiliser une protection solaire résistante à l'eau en cas de baignade ou de transpiration.

• Mesures de protection solaire: Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Pour réduire ce risque, utilisez régulièrement une protection solaire avec un indice de protection FPS 15 ou plus à large spectre, et d'autres mesures de protection solaire, notamment:
• En limitant le temps passé au soleil, en particulier entre 10h et 14h • En portant des vêtements à manches longues, des pantalons, des chapeaux et des lunettes de soleil • Pour les enfants de moins de 6 mois: demander l'avis d'un médecin

Bien agiter avant emploi
Autres renseignements
Garder le produit dans cet emballage à l'abri de la chaleur excessive et de la lumière directe du soleil.

Ingrédients inactifs
WATEREAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXY-SILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUOXANE, PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL, +- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Drug Facts

Active ingredients	Purpose
Octisalate 3,5%.....	Sunscreen
Octocrylene 5%.....	Sunscreen
Titanium dioxide 0,5%.....	Sunscreen
Zinc Oxide 1,88%.....	Sunscreen

Uses • Helps prevent sunburn • If uses directed with others sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply generously 15 minutes before sun exposure
• Reapply at least every 2 hours
• Use a water resistant sunscreen if swimming or sweating

• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
• Limit time in the sun, especially from 10 a.m. - 2 p.m.
• Wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: ask a doctor
SHAKE WELL BEFORE USE

Other information
Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
WATEREAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXY-SILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUOXANE, PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL, +- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

DOLCE AND GABBANA EVERLAST FOUNDATION SPF 20 39N DEEP
octisalate, octocrylene, titanium dioxide, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84003-039
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	35 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	18.8 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER (UNII: 965K72OQXO)	
CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
AVOCADO (UNII: SDS87L369F)	
POMEGRANATE FRUIT RIND (UNII: RS999V57DU)	
OPUNTIA TUNA FRUIT (UNII: 75UY509K9B)	
TOCOPHEROL (UNII: R0ZB2556P8)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84003-039-00	1 in 1 CARTON	05/01/2024	
1		27 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:84003-039-01	1 in 1 CARTON	05/01/2024	
2		27 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug M020

05/01/2024

Labeler - Dolce & Gabbana Beauty S.R.L (442254105)

Revised: 1/2024

Dolce & Gabbana Beauty S.R.L