

MEDICHOICE OF HYDROGEN PEROXIDE 3 10 VOLUME- hydrogen peroxide liquid
Owens & Minor Distribution, Inc.

MediChoice Solution of Hydrogen Peroxide 3% USP 10 Volume

Drug Facts

Active ingredient

Hydrogen Peroxide (stabilized) 3%

Purpose

First aid antiseptic/Oral debriding agent

Uses

• first aid to help prevent the risk of infection in minor cuts, scrapes and burns • aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use

• in the eyes or apply over large areas of the body • longer than 1 week

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

• the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic: • clean the affected area • apply a small amount of product on the area 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry

first Oral debriding agent (oral rinse): adults and children 2 years of age and over: • mix with an equal amount of water • swish around in the mouth over the affected area for at least 1 minute and then spit out • use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor • children under 12 years of age should be supervised in the use of this product • children under 2 years of age: consult a dentist or doctor

Other information

Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

**MediChoice Solution of Hydrogen Peroxide 3% USP 10 Volume 4 Fl.Oz./118mL
(39892-0700-1)**

MEDIChoice®

NDC 39892-0700-1

**SOLUTION OF
HYDROGEN PEROXIDE
3% USP 10 VOLUME**

3%

**FIRST AID ANTISEPTIC
Made in USA** 

SEALED FOR YOUR PROTECTION
IF SEAL IS BROKEN OR MISSING
DO NOT USE



4 FL. OZ. (118 ml)

Distributed by Owens & Minor
9120 Lockwood Boulevard
Mechanicsville, VA 23116

1-07-F0010029C

Reorder: HP0304

Drug Facts

| Active ingredient | Purpose |
|--|---|
| Hydrogen Peroxide (stabilized) 3%..... | First aid antiseptic/Oral debriding agent |

Uses • first aid to help prevent the risk of infection in minor cuts, scrapes and burns
• aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings For external use only

Do not use • in the eyes or apply over large areas of the body • longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if • the condition persists or gets worse
• sore mouth symptoms do not improve in 7 days
• irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic:

- clean the affected area
- apply a small amount of product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Oral debriding agent (oral rinse):

- adults and children 2 years of age and over:
 - mix with an equal amount of water
 - swish around in the mouth over the affected area for at least 1 minute and then spit out
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other information Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

MediChoice Solution of Hydrogen Peroxide 3% USP 10 Volume 8 Fl.Oz/237mL (39892-0700-2)

MEDI CHOICE®

NDC 39892-0700-2

**SOLUTION OF
HYDROGEN PEROXIDE
3% USP 10 VOLUME**

3%

FIRST AID ANTISEPTIC

Made in USA 

SEALED FOR YOUR PROTECTION
IF SEAL IS BROKEN OR MISSING
DO NOT USE



8 FL. OZ. (237 ml)

Distributed by Owens & Minor
9120 Lockwood Boulevard
Mechanicsville, VA 23116

1-07-D0011029C

Reorder: HP0308

Drug Facts

| Active ingredient | Purpose |
|--|---|
| Hydrogen Peroxide (stabilized) 3%..... | First aid antiseptic/Oral debriding agent |

Uses • first aid to help prevent the risk of infection in minor cuts, scrapes and burns
• aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings For external use only

Do not use • in the eyes or apply over large areas of the body • longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if • the condition persists or gets worse
• sore mouth symptoms do not improve in 7 days
• irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic:

- clean the affected area
- apply a small amount of product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Oral debriding agent (oral rinse):

- adults and children 2 years of age and over:
 - mix with an equal amount of water
 - swish around in the mouth over the affected area for at least 1 minute and then spit out
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other information Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

MediChoice Solution of Hydrogen Peroxide 3% USP 10 Volume 16 Fl.Oz./473mL (39892-0700-3)

MEDICHOICE®

NSN 6505-00-153-8480
NDC 39892-0700-3

SOLUTION OF HYDROGEN PEROXIDE 3% USP 10 VOLUME

3%

FIRST AID ANTISEPTIC

Made in USA 

TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.



16 FL. OZ. (473 ml)

Distributed by Owens & Minor
9120 Lockwood Boulevard
Mechanicsville, VA 23116

1-07-D0012029C

Reorder: HP0316

Drug Facts

| Active ingredient | Purpose |
|--|---|
| Hydrogen Peroxide (stabilized) 3%..... | First aid antiseptic/Oral debriding agent |

Uses • first aid to help prevent the risk of infection in minor cuts, scrapes and burns
• aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings For external use only

Do not use • in the eyes or apply over large areas of the body • longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if • the condition persists or gets worse
• sore mouth symptoms do not improve in 7 days
• irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic:

- clean the affected area
- apply a small amount of product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Oral debriding agent (oral rinse):

- adults and children 2 years of age and over:
 - mix with an equal amount of water
 - swish around in the mouth over the affected area for at least 1 minute and then spit out
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other information Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

MEDICHOICE OF HYDROGEN PEROXIDE 3 10 VOLUME

hydrogen peroxide liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:39892-0700 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V) | HYDROGEN PEROXIDE | 30 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:39892-0700-1 | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/20/2019 | |
| 2 | NDC:39892-0700-2 | 237 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/20/2019 | |
| 3 | NDC:39892-0700-3 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/20/2019 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M003 | 03/20/2019 | |

Labeler - Owens & Minor Distribution, Inc. (847412269)

Revised: 12/2023

Owens & Minor Distribution, Inc.