

ALLERGY RELIEF- chlorpheniramine maleate tablet
Topco Associates, LLC

TopCare 44-194

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

to make a child sleepy.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor

adults and children 12 years and over	1 tablet. Do not exceed 6 tablets in 24 hours.
children 6 to under 12 years	1/2 tablet (break tablet in half). Do not exceed 3 whole tablets in 24 hours.
children under 6 years	do not use

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments?

1-888-423-0139

Principal Display Panel

**+TopCare
Health®**

NDC 36800-694-08

Allergy Relief

CHLORPHENIRAMINE MALEATE 4 mg - ANTIHISTAMINE

Relieves:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat

**4
HOUR**

24 TABLETS

actual
size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR
SHOWS ANY SIGNS OF TAMPERING**

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

©TOPCO LNKA1220 QUESTIONS? 1-888-423-0139

topcare@topco.com www.topcarebrand.com

50844 ORG041919408

+TopCare
health®

Allergy Relief

24 TABLETS

CHLORPHENIRAMINE MALEATE 4 mg - ANTIHISTAMINE

+TopCare
health®

NDC 36800-694-08

Allergy Relief

CHLORPHENIRAMINE MALEATE 4 mg - ANTIHISTAMINE



RELIEVES:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat

24 TABLETS

actual
size



Allergy Relief
CHLORPHENIRAMINE MALEATE 4 mg - ANTIHISTAMINE

+TopCare
health®

24 TABLETS

Do not print Area
Lot & Exp Date ONLY



This TopCare® product is laboratory
tested to guarantee its highest quality.
Your total satisfaction is guaranteed.



Scan here for more information
or call 1-888-423-0139



B-1910-194-08-R
0R6041919408

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO LNK41220 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com
TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR
SHOWS ANY SIGNS OF TAMPERING
50844 0R6041919408

Questions or comments? 1-888-423-0139

Inactive ingredients corn starch, D&C yellow #10
microcrystalline cellulose
aluminum lake, lactose anhydrous, magnesium stearate,

■ protect from excessive moisture
■ see end flap for expiration date and lot number
(59°-86°F)
■ store at 25°C (77°F); excursions permitted between 15°-30°C

Other information
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS
OPENED OR BLISTER IS TORN OR BROKEN
excursions permitted between 15°-30°C

Directions
■ take every 4 to 6 hours, or as directed by a doctor
adults and children 12 years and over 1 tablet. Do not exceed
6 tablets in 24 hours.
children 6 to under 12 years 1/2 tablet (break tablet
in half). Do not exceed 3
whole tablets in 24
hours.
children under 6
do not use

Drug Facts (continued)

help or contact a Poison Control Center right away.
Keep out of reach of children. In case of overdose, get medical
use.

Warnings
Do not use to make a child sleepy.
Ask a doctor before use if you have ■ a breathing problem
such as emphysema or chronic bronchitis
■ difficulty in urination due to enlargement of the prostate
gland ■ glaucoma
Ask a doctor or pharmacist before use if you are taking
sedatives or tranquilizers.

When using this product
■ avoid alcoholic beverages
■ drowsiness may occur
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ use caution when driving a motor vehicle or operating
machinery ■ excitability may occur, especially in children

Uses
temporarily relieves these symptoms due to hay fever
or other upper respiratory allergies:
■ runny nose
■ itchy, watery eyes
■ sneezing
■ itching of the nose or throat

Active ingredient (in each tablet)
Chlorpheniramine maleate 4 mg.
Antihistamine

Purpose
Chlorpheniramine maleate 4 mg.
Antihistamine

**KEEP OUTER PACKAGE FOR
COMPLETE PRODUCT INFORMATION**

ALLERGY RELIEF

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-694
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	yellow	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	44;194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-694-08	2 in 1 CARTON	12/19/1992	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/19/1992	

Labeler - Topco Associates, LLC (006935977)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(36800-694)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(36800-694) , pack(36800-694)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(36800-694)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(36800-694)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(36800-694)

Revised: 3/2024

Topco Associates, LLC