

**CAREONE TRIPLE ANTIBIOTIC - bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment**

**American Sales Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CAREONE™**

**Triple Antibiotic Ointment**

***Drug Facts***

<b><i>Active ingredients (each gram contains)</i></b>	<b><i>Purpose</i></b>
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 5,000 units	First aid antibiotic

**Uses**

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week

**Ask a doctor before use**

- on deep or puncture wounds, animal bites, or serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Other information**

- store at controlled room temperature
- see carton or tube crimp for lot number and expiration date

**Inactive ingredient**

white petrolatum

DISTRIBUTED BY: American Sales Company  
4201 Walden Avenue, Lancaster, NY 14086

**PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton**

***TRIPLE ANTIBIOTIC OINTMENT***

***FIRST AID ANTIBIOTIC OINTMENT***

***0.5 oz***

***(14.2 g)***

***Helps Prevent Infection in Minor Cuts, Scrapes, and Burns.***

Compare to the Active Ingredients in Neosporin®\*

# CAREONE™

ORIGINAL STRENGTH

## TRIPLE ANTIBIOTIC OINTMENT

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns.

LPK-63933-1  
0410-1  
M276

## TRIPLE ANTIBIOTIC OINTMENT



FIRST AID ANTIBIOTIC OINTMENT

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns.

0.5 oz  
(14.2 g)

CAREONE™  
TRIPLE ANTIBIOTIC OINTMENT

DISTRIBUTED BY: American Sales Company  
4201 Walden Avenue, Lancaster, NY 14086  
© 2010 S&S BRANDS, INC.  
www.Care1.info

Made in Canada

Quality guaranteed or your money back.



T27

\*The products not manufactured or distributed by Pfizer Inc. or its affiliates, owner of the registered trademark Neosporin®

### Drug Facts

**Active Ingredients (each gram contains)**  
 Bacitracin zinc 400 units  
 Neomycin sulfate 3.5 mg  
 Polymyxin B sulfate 5,000 units  
 First aid antibiotic  
 First aid antibiotic

**Uses**  
 First aid to help prevent infection in • minor cuts • scrapes • burns

**Warnings For external use only**  
 Do not use • in the eyes  
 • if you are allergic to any of the ingredients • longer than 1 week  
 Ask a doctor before use • on deep or puncture wounds, animal bites, or serious burns  
 Stop use and ask a doctor if  
 • condition persists or gets worse  
 • a rash or other allergic reaction develops  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 • Clean the affected area and dry thoroughly  
 • apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
 • may be covered with a sterile bandage

**Other Information**  
 • store at controlled room temperature  
 • see carton or tube comp for lot number and expiration date

**Inactive ingredient** white petrolatum

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41520-016
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Bacitracin Zinc</b> (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	400 [iU] in 1 g
<b>Neomycin Sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
<b>Polymyxin B Sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	5000 [iU] in 1 g

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>petrolatum</b> (UNII: 4T6H12BN9U)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:41520-016-01	1 in 1 CARTON		
1		14.2 g in 1 TUBE		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH FINAL	part333B	12/14/1995	

**Labeler** - American Sales Company (809183973)

**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41520-016)

Revised: 4/2013

American Sales Company