

**COVERGIRL ADVANCED RADIANCE AGE DEFYING MAKEUP PLUS SUNSCREEN
SPF 10 (ALL SHADES)- octinoxate and titanium dioxide liquid
Noxell**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Covergirl Advanced Radiance ®

Age Defying Makeup + Sunscreen SPF 10 (All shades)

Drug Facts

Active Ingredients

Octinoxate 2%
Titanium Dioxide 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating
- children under 6 months: ask a doctor.

Other information

- protect this product from excessive heat and direct sun

Inactive ingredients

Cyclopentasiloxane, water/eau, glycerin, dimethicone crosspolymer, sodium chloride, niacinamide, diethylhexyl carbonate, talc, peg/ppg-18/18 dimethicone, dimethicone, panthenol, tocopheryl acetate, methicone, aluminum hydroxide, benzyl alcohol, ethylparaben, allantoin, hydrogen dimethicone, peg-10 dimethicone crosspolymer, methylparaben, disodium edta, propylparaben, fragrance/parfum, camellia sinensis leaf extract, titanium dioxide, iron oxides

Questions?

Call 1-800-426-8374

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton

105

ivory

OLAY[®]

INGREDIENTS

COVERGIRL

ADVANCED RADIANCE[®]

age defying

makeup

+ sunscreen

SPF 10

DIN 02267543

30 ml (1 fl oz)

AGE DEFYING

MAKE-UP + SUNSCREEN

BROAD SPECTRUM SPF 10

DÉFI AU TEMPS

FOND DE TEINT +

ÉCRAN SOLAIRE

SPF 10 À LARGE SPECTRE

ADVANCED[®]
RADIANCE

105

ivory
ivoire



COVERGIRL[®]



DIN 02267543

30 ml (1 fl oz)

105 ivory/ivoire

**Drug Facts/
Renseignements**

**ADVANCED[®]
RADIANCE[®]**

**AGE DEFYING MAKEUP + SUNSCREEN |
BROAD SPECTRUM SPF 40**

**Renseignements
sur le produit**

BROAD SPECTRUM SPF 10
DÉFI AU TEMPS FOND DE TEINT +
ÉCRAN SOLAIRE FPS 10 À LARGE SPECTRE

**Active Ingredients/
Ingrédients actifs**

Purpose/Fonction

Octinoxate 2%
Titanium Dioxide 5%] Sunscreen/Écran solaire

Uses/Action ■ helps prevent sunburn ■ aide à prévenir les coups de soleil

Warnings/Mise en garde

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging ■ **For external use only** ■ **Do not use** on damaged or broken skin ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If product is swallowed, get medical help or contact Poison Control Center right away. /

Avertissement – cancer de la peau/vieillessement de la peau : S'exposer au soleil augmente les risques de cancer de la peau et de vieillissement prématuré de la peau. Il a été démontré que ce produit aide seulement à prévenir les coups de soleil, et **non** le cancer de la peau ni le vieillissement prématuré de la peau. ■ **Réservé à l'usage externe** ■ **Ne pas utiliser** sur une peau abîmée ou éraflée ■ Éviter tout contact avec les yeux **lors de l'utilisation de ce produit.** Rincer à l'eau pour enlever le produit. ■ En cas d'éruption cutanée, **cesser l'usage et consulter un médecin.** ■ **Tenir hors de la portée des enfants.** En cas d'ingestion, consulter immédiatement un médecin ou appeler un centre antipoison.

Directions/Mode d'emploi ■ apply liberally 15 minutes before sun exposure ■ reapply at least every 2 hours ■ use water resistant sunscreen if swimming or sweating ■ children under 6 months: ask a doctor. / ■ appliquer généreusement 15 minutes avant l'exposition au soleil ■ réappliquer au moins toutes les 2 heures ■ utiliser un écran solaire aquarésistant si vous vous baignez ou transpirez ■ pour les enfants de moins de 6 mois : consulter un médecin


Other information/Autres renseignements ■ protect this product from excessive heat and direct sun /
■ protéger ce produit de la chaleur extrême et de la

lumière directe du soleil

Inactive ingredients/Ingrédients inactifs

Cyclopentasiloxane, water/eau, glycerin, dimethicone crosspolymer, sodium chloride, niacinamide, diethylhexyl carbonate, talc, peg/ppg-18/18 dimethicone, dimethicone, panthenol, tocopheryl acetate, methicone, aluminum hydroxide, benzyl alcohol, ethylparaben, allantoin, hydrogen dimethicone, peg-10 dimethicone crosspolymer, methylparaben, disodium edta, propylparaben, fragrance/parfum, camellia sinensis leaf extract, titanium dioxide, iron oxides

Questions? Call/Composez le 1-800-426-8374



1-800-4COVER4 covergirl.com

90965486

MADE IN USA OF US & IMPORTED PARTS/FAIT AUX É.-U. À PARTIR DE PIÈCES IMPORTÉES ET DE PIÈCES FABRIQUÉES AUX É.-U.
HFC PRESTIGE INTERNATIONAL CANADA INC. MISSISSAUGA, ON L5R 3M3
COTY US LLC, NEW YORK, NY 10118

COVERGIRL ADVANCED RADIANCE AGE DEFYING MAKEUP PLUS SUNSCREEN SPF 10 (ALL SHADES)

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:22700-098
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	20 mg in 1 mL

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
NIACINAMIDE (UNII: 25X5118RD4)	
DIETHYLHEXYL CARBONATE (UNII: YCD5000Z6L)	
TALC (UNII: 7SEV7J4R1U)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PANTHENOL (UNII: WW9CM0O67Z)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
ETHYLPARABEN (UNII: 14255EXE39)	
ALLANTOIN (UNII: 344S277G0Z)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22700-098-30	1 in 1 CARTON	08/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/01/2012	

Labeler - Noxell (003082997)

Establishment

Name	Address	ID/FEI	Business Operations
Noxell		003082997	manufacture(22700-098) , pack(22700-098)

Revised: 1/2023

Noxell