

MAGNESIUM CITRATE- magnesium citrate liquid QUALITY CHOICE (Chain Drug Marketing Association)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Magnesium citrate 1.745g per fl. oz.

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Do not use

laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- a sodium restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 1 week

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug.

When using this product

- do not exceed the maximum recommended daily dosage in a 24 hour period

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	1/2 bottle to 1 bottle (10 fl oz)
children 6 to 11 years of age	1/3 bottle to 1/2 bottle
children under 6 years of age	consult a doctor

Other information

- **each fluid ounce contains:** magnesium 280 mg, sodium 37 mg
- store between 46-86°F (8-30°C). Do not refrigerate
- protect from excessive heat and freezing
- discard unused product within 24 hours of opening bottle

Inactive ingredients

citric acid, flavors, purified water, saccharin sodium, sodium bicarbonate

Questions or comments?

Call **1-248-449-9300 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Oral Solution

Magnesium Citrate

Saline Laxative

For Relief of Occasional Constipation

Dye-Free

Sugar-Free

Grape Flavor

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.


Distributed by C.D.M.A., Inc.©

43157 W9 Mile Rd

Novi, MI 48375

www.qualitychoice.com

Package Label



NDC 63868-944-10

Oral Solution
Magnesium Citrate
Saline Laxative

For Relief of Occasional Constipation

Dye-Free
Sugar-Free

Grape Flavor

10 fl oz (296 mL)

Drug Facts

Active ingredient (in each fl oz)
Magnesium citrate 1.745g.....

Purpose
Saline laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 1/2 to 6 hours

Warnings
Do not use laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have
■ kidney disease ■ a magnesium restricted diet
■ a sodium restricted diet ■ stomach pain, nausea, or vomiting
■ noticed a sudden change in bowel habits that lasts more than 1 week

Ask a doctor or pharmacist before use if you are presently taking a prescription drug.

When using this product, do not exceed the maximum recommended daily dosage in a 24 hour period.

Stop use and ask a doctor if you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶

Drug Facts (continued)

Directions
■ drink a full glass (8 ounces) of liquid with each dose
■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	1/2 bottle to 1 bottle (10 fl oz)
children 6 to 11 years of age	1/3 bottle to 1/2 bottle
children under 6 years of age	consult a doctor

Other information
■ each fluid ounce contains: magnesium 280 mg, sodium 37 mg
■ store between 46-86°F (8-30°C). Do not refrigerate.
■ protect from excessive heat and freezing
■ discard unused product within 24 hours of opening bottle

Inactive ingredients citric acid, flavor, purified water, saccharin sodium, sodium bicarbonate

Questions or comments?
Call 1-248-449-9300 Monday-Friday 9AM-5PM EST

PLD-A274D
LB005803

6 35515 99658 8

TAMPER EVIDENT: DO NOT USE IF BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

QUALITY CHOICE Magnesium Citrate Grape Flavor

MAGNESIUM CITRATE

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-944
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM ANHYDROUS (UNII: I4807BK602)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-944-10	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/30/2018	04/30/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	04/30/2018	04/30/2024

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)