

**MEDIPLAST- salicylic acid plaster**  
**Medline Industries, LP**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**410 Mediplast Corn, Callus & Wart Remover**

***Active ingredient***

40% Salicylic Acid

***Purpose***

Corn, Callus, and Wart Remover

***Uses***

- for the removal of corns and calluses
- Relieves pain by removing corns and calluses
- for the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface
- for the removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

***Warnings***

**For external use only.** This product contains natural rubber, which may cause allergic reactions.

**Keep this and all drugs out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control center immediately.

**Stop using this product and see your doctor if**

- discomfort persists for more than 72 hours

**Do Not Use**

- if you are diabetic or have poor blood circulation
- on irritated skin or on any area that is infected or reddened
- on moles, birthmarks, or warts with hair growing from them, genital warts, warts on the face, warts on mucous membranes such as warts inside the mouth, nose, anus, genitals or lips.

***Directions***

- Wash affected area. May soak corn, callus or wart in warm water for 5 minutes. Dry area thoroughly. Cut pad to fit corn, callus or wart. Apply medicated pad to area. Remove medicated pad after 48 hours. Repeat procedure every 48 hours for up to 14 days for corn/callus removal and up to 12 weeks for warts, until the problem has cleared.

***Inactive ingredients***

O-Cresol, Lanolin, Myroxylon pereirae (Balsam Peru), Phenol, Talc, Terpineol

Bandage: Flannel (99.7% cotton), Colophonium, Rubber Latex, 0.3% Polyurethane

**Manufacturing Information**

Manufactured for:

Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 USA

Made in USA

[www.curad.com](http://www.curad.com)

1-800-633-5463

REF: CUR01496

V2 RE22PCC

**Package Labels**



**Drug Facts**

**Active ingredient** 40% Salicylic acid **Purpose** Corn, callus and wart remover




**Uses** ■ for the removal of corns and calluses ■ relieves pain by removing corns and calluses ■ for the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface ■ for the removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

**Warnings**  
For external use only.  
Keep this and all drugs out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.  
Stop using this product and see your doctor if discomfort persists for more than 72 hours.

**Directions**  
■ if you are diabetic or have poor blood circulation ■ on irritated skin or on any area that is infected or reddened ■ on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face, warts on mucous membranes such as inside the mouth, nose, anus, genitals or lips.

**Directions** ■ wash affected area, may soak corn, callus or wart in warm water for 5 minutes. ■ dry area thoroughly. Cut pad to fit corn, callus or wart ■ apply medicated pad to area ■ remove medicated pad after 48 hours ■ repeat procedure every 48 hours for up to 14 days for corn/callus removal and up to 12 weeks for warts, until the problem has cleared.

**Inactive ingredients** colophonium, lanolin, myristicin peruvian (balsam peru), o-cresol, phenol, 0.9% polyurethane, rubber latex, talc, tearproof bandage: Resin (99.7% cotton)



# MEDIPLAST

salicylic acid plaster

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53329-410
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PHENOL</b> (UNII: 339NCG44TV)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>NATURAL LATEX RUBBER</b> (UNII: 2LQ0UUW8IN)	
<b>BALSAM PERU</b> (UNII: 8P5F881OCY)	
<b>ROSIN</b> (UNII: 88S87KL877)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

**TERPINEOL** (UNII: R53Q4ZWC99)

**ORTHOCHRESOL** (UNII: YW84DH5I7U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-410-59	25 in 1 BOX	08/01/2008	
1		1 in 1 PACKET		
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		
2	NDC:53329-410-09	1 in 1 PACKET	08/01/2008	
2		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358F	08/01/2008	

**Labeler** - Medline Industries, LP (025460908)

Revised: 9/2022

Medline Industries, LP