GUAIFENESIN AND CODEINE PHOSPHATE- guaifenesin and codeine phosphate solution A-S Medication Solutions

Guaifenesin and Codeine Phosphate

Drug Facts

| Active ingredients in each 5 m | L (teaspoonful) Purposes |
|--------------------------------|--------------------------|
| Codeine Phosphate, USP 10 mg | Cough Suppressan |
| Guaifenesin, USP 100 mg | Expectorant |

Uses

- temporarily relieves cough due to minor throat and bronchial irritations as may occur with the common cold or inhaled irritants
- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive

Warnings

Do not use

• in adults and children who have a chronic pulmonary disease or shortness of breath, or children who are taking other drugs, unless directed by a doctor.

Ask a doctor before use if you have

- a cough with too much phlegm (mucus)
- a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives, tranquilizers and drugs used for depression, especially monoamine oxidase inhibitors (MAOIs). These combinations may cause greater sedation (drowsiness) than is caused by the product used alone.

Stop use and ask a doctor if

- cough lasts for more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These can be signs of a serious condition.
- may cause or aggravate constipation

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

• Use of codeine-containing preparation is not recommended for children under 2

Directions

- take every 4 hours
- do not exceed 6 doses in 24 hours
- a special measuring device should be used to give an accurate dose of this product to children under 6 years of age
- giving a higher dose than recommended by a doctor can result in serious side effects for a child

adults and children 12 years and over10 mL (2 teaspoonfuls)children 6 to under 12 years of age5 mL (1 teaspoonful)children under 6 years of ageConsult a doctor

Other information

- Sodium Content: 5 mg/5 mL
- Tamper evident: Do not use if seal under cap is broken or missing
- Keep container closed and store away from heat
- Store at 20°- 25°C (68°-77°F)

Inactive ingredients

Citric acid, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, FD&C Yellow No. 6, flavor, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin and sorbitol.

Questions or comments?

Call 1-800-845-8210 or visit paipharma.com

Serious side effects associated with use of this product may be reported to this number.

HOW SUPPLIED

Product: 50090-1428

NDC: 50090-1428-0 118 mL in a BOTTLE

Guaifenesin and Codeine Phosphate



GUAIFENESIN AND CODEINE PHOSPHATE

guaifenesin and codeine phosphate solution

| Product Information | | | | | |
|---|-------------------|--------------------------------------|--|--|-------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) NDC:5009 0775) | | | 1428(NDC:0121- |
| Route of Administration | ORAL | DEA Schedule CV | | | |
| | | | | | |
| Active Ingredient/Active | Moiety | | | | |
| Ingredient Name Basis of Strength | | | | | Strength |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) GUAIFENESIN | | | | | 100 mg in 5 mL |
| CODEINE PHOSPHATE (UNII: GSL05Y1MN6) (CODEINE ANHYDROUS - CODEINE UNII:UX6OWY2V7J) PHOSPHATE | | | | | 10 mg in 5 m |
| Inactive Ingredients | | | | | |
| | Ingredient | Name | | | Strength |
| SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR) | | | | | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | | | | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3 | | | | | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | E195A0) | | | | |
| MENTHOL, UNSPECIFIED FORM | (UNII) 17T10FIP34 | 2) | | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | | | |
| WATER (UNII: 059QF0K00R) | | | | | |
| SODIUM BENZOATE (UNII: OJ245F | E5EU) | | | | |
| ANHYDROUS CITRIC ACID (UNII:) | XF417D3PSL) | | | | |
| | | | | | |
| SACCHARIN SODIUM (UNII: SB8Z | UX40TY) | | | | |

| P | roduct Chara | acteristics | | | | |
|----------|-----------------------|---|--------------------------------|------------|-------------------------|-----------------------|
| Co | olor | | red Score | | | |
| Shape | | | Size | | | |
| Flavor | | CHERRY | Imprint Code | | | |
| Contains | | | | | | |
| | | | | | | |
| D | | | | | | |
| Pa | ackaging | | | | | |
| # | ltem Code | Pa | Package Description | | Marketing Start Date | Marketing End Date |
| 1 | NDC:50090- 1428-0 | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | | 11/28/2014 | | |
| | | | | | | |
| | | | | | | |
| Μ | larketing | Informat | ion | | | |
| | Marketing Category | Applica | tion Number or Mon Citation | ograph | Marketing Start Date | Marketing End Date |
| ОТ | C Monograph Dru | ug M012 | | | 10/01/2006 | |
| | | | | | | |

Labeler - A-S Medication Solutions (830016429)

| Establishment | | | | | | |
|--------------------------|---------|-----------|----------------------------|--|--|--|
| Name | Address | ID/FEI | Business Operations | | | |
| A-S Medication Solutions | | 830016429 | RELABEL(50090-1428) | | | |

Revised: 2/2024

A-S Medication Solutions