

**SIGNATURE SERIES ENRICHED FOAM ALCOHOL HAND SANITIZER-
alcohol liquid
Cintas Corporation**

Signature Series® Enriched Foam Alcohol Hand Sanitizer

Drug Facts

Active Ingredient

Alcohol Denat. 75% (v/v)

Purpose

Antiseptic cleanser

Use

To decrease potentially harmful germs on skin.

Warnings

- **Flammable.** Keep away from fire or flame.
- **For external use only.**
- **When using this product** avoid contact with eyes. In case of eye contact, flush with water.
- **Stop use and ask a doctor** if irritation of redness develops or if condition persists for more than 72 hours.
- **Keep out of reach of children.**
- **If swallowed**, do not induce vomiting, get medical attention.

Read material safety data sheet before using product

Directions

- Apply generously to hands. Rub hands together. Allow hands to dry. Repeat daily as necessary.

Inactive Ingredients

Water (Aqua), PEG-6 Caprylic Glycerides, Sodium Lactate, PEG-14M, Silica, Disodium Lauriminodipropionate Tocopheryl Phosphates, Phenoxyethanol, Benzoic Acid, Dehydroacetic Acid, PEG/PPG-25/25 Dimethicone, Shea Butteramidopropyl Betaine, Hexylene Glycol, Sodium Citrate, Lactic Acid

Questions?

1-800-347-9800 Mon.-Fri., 8 AM-5 PM EST.

PRINCIPAL DISPLAY PANEL - 500 mL Pouch Box

Rubbermaid®
Commercial Products

Enriched Foam Alcohol Hand Sanitizer

500 mL (16.9 FL. OZ. U.S.)

HAND SANITIZER

CiNTAS®
Signature Series®



Enriched Foam Alcohol Hand Sanitizer

Drug Facts	
Active Ingredient	Purpose
Alcohol Derat. 75% (v/v).....	Antiseptic cleanser
Use: To decrease potentially harmful germs on skin.	
Warnings	
<ul style="list-style-type: none"> • Flammable. Keep away from fire or flame. • For external use only. • When using this product avoid contact with eyes. In case of eye contact, flush with water. • Stop use and ask a doctor if irritation of redness develops or if condition persists for more than 72 hours. • Keep out of reach of children. • If swallowed, do not induce vomiting, get medical attention. 	
Read material safety data sheet before using product	
Directions	
• Apply generously to hands. Rub hands together. Allow hands to dry. Repeat daily as necessary.	
Inactive Ingredients: Water (Aqua), PEG-6 Caprylic Glycerides, Sodium Lactate, PEG-14M, Silica, Disodium Lauriminodipropionate Tocopheryl Phosphates, Phenoxyethanol, Benzoic Acid, Dehydroacetic Acid, PEG/PPG-2.5/2.5 Dimethicone, Shea Butteramidopropyl Betaine, Hexylene Glycol, Sodium Citrate, Lactic Acid	
Questions? 1-800-347-9800 Mon.–Fri., 8 AM–5 PM EST.	

Manufactured for: Cintas Corp, Mason, OH U.S.A. 45040
 By: NWL Netherlands Production B.V. | Amperestraat 12 |
 2181 Hillegom | The Netherlands
 For Commercial Use

Imported into Canada by
 Radiant Global Logistics (Canada) Inc.
 4-3520 Laird Rd.
 Mississauga, Ontario, Canada L5L 5Z7

CINTAS#300472099ONS

500 mL (16.9 FL. OZ. U.S.)

NPN 00000000
 2136178 V1-05-2020

HAND SANITIZER

CINTAS®


Signature Series®

Signature Series®

CINTAS®

DÉSINFECTION DES MAINS

Savons-mousse assainissant à l'alcool enrichi



Information sur le médicament

Ingédient actif
Alcohol Denat. 75% (v/v).....Epierruse antiseptique

Utilité

Usage: Diminuer la présence de microbes potentiellement dangereux sur la peau.

Mise en garde

- Inflammable. Tenir éloigné du feu ou des flammes.
- Pour usage externe seulement.
- Lorsque vous utilisez ce produit éviter tout contact avec les yeux. En cas de contact avec les yeux, rincer à grande eau.
- Arrêter l'utilisation et consulter un médecin si une irritation ou une rougeur se développe, ou si un état indésirable persiste au-delà de 73 heures.
- Garder hors de la portée des enfants.
- En cas d'ingestion, ne pas faire vomir. Contacter un médecin.

Mode d'emploi

- Appliquer généreusement sur les mains. Frotter les mains. Laisser sécher. Répéter quotidiennement au besoin.

Ingédients inactifs: Eau (Aqua), PEG-6 Caprylic/Capric Glycerides, Sodium Lactate, PEG-14M, Silica, Disodium Laurimidopropionate Tocopheryl Phosphates, Phenoxyethanol, Benzoic Acid, Dehydroacetic Acid, PEG/PPG-25/25 Dimethicone, Shea Butteramidopropyl Betaine, Hexylene Glycol, Sodium Citrate, Lactic Acid.

Questions? 1.800.347.9800
du lundi au vendredi, de 8 h à 17 h HNE.

Importé au Canada par
Radiant Global Logistics (Canada) Inc.
4-3520 Laird Rd.
Mississauga, Ontario, Canada L5L 5Z7
NPN 00000000
21361 78 VI-05-2020

Fabriqué pour: Cintas Corp, Mason, OH U.S.A. 45040
Par: NWL Netherlands Production B.V. | Amperstraat 12 |
2181 Hillegom | The Netherlands
Pour usage commercial
CINTAS#3004720990NS

500 mL (16.9 FL. OZ. U.S.)

SIGNATURE SERIES ENRICHED FOAM ALCOHOL HAND SANITIZER			
alcohol liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42961-017
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	75 mL in 100 mL	

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CAPRYLOCAPROYL POLYOXYLGLYCERIDES 6 (UNII: GO50W2HWO8)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
POLYETHYLENE OXIDE 600000 (UNII: 2126FD486L)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DISODIUM LAURIMINODIPROPIONATE TOCOPHERYL PHOSPHATES (UNII: 0K5Y9U1P6M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
PEG/PPG-25/25 DIMETHICONE (UNII: ND6MYD0T84)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42961-017-01	4 in 1 BOX	05/08/2020	
1		500 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M004	05/08/2020	

Labeler - Cintas Corporation (056481716)

Registrant - Rubbermaid Commercial Products LLC (049924368)

Establishment

Name	Address	ID/FEI	Business Operations
NWL Netherlands Services B.V.		494692088	MANUFACTURE(42961-017)

Revised: 12/2023

Cintas Corporation