

KROGER ALLERGY RELIEF- chlophedianol hydrochloride, pyrilamine maleate liquid
THE KROGER CO

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Kroger Allergy Relief

Drug Facts

Active ingredients

(in each 30 mL (2 TBSP))

Chlophedianol HCl 25 mg

Pyrilamine Maleate 50 mg

Purpose

Cough suppressant

Antihistamine

Uses

Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- cough due to minor throat and bronchial irritation
- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes

Warnings

Do not exceed recommended dosage.

Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- a cough that occurs with too much phlegm (mucus)
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- a sodium restricted diet

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if:

- nervousness, dizziness or sleeplessness occurs

- symptoms do not improve within 7 days, tends to recur, or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **Do not exceed recommended dosage.**
- Do not take more than 4 doses in any 24-hr period.
- Use enclosed dose cup
- Keep dosage cup with product
- TBSP=tablespoon
- mL=milliliter
- Adults and children 12 years and over: 30 mL (2 TBSP) every 6-8 hours
- Children under 12: do not use

Other information

- each 30 mL (2 TBSP) contains: **Sodium 13 mg**
- tamper evident: Do not use if foil seal under cap is broken or missing
- read all product information before using
- store at 68° to 86°F (20° to 30°C).
- avoid excessive heat and humidity

Inactive ingredients

Anhydrous citric acid, glycerin, propylene glycol, purified water, sodium citrate, sodium saccharin, sorbitol.

Questions or comments?

1-800-632-6900

KROGER ALLERGY RELIEF 8 fl oz (237 mL) Bottle Label



NDC 30142-773-08

FOR AGES 12+

Allergy Relief

DYE-FREE

SUGAR-FREE

Chlophedianol HCl 25mg - Cough Suppressant
Pyrilamine Maleate 50mg - Antihistamine

Relieves:

- Sneezing
- Runny Nose
- Cough
- Watery Eyes
- Itchy Nose & Throat

**LASTS
UP TO
8
HOURS**



Gluten Free
Alcohol Free
Decongestant Free



8 FL OZ (237 mL)

Drug Facts

Active ingredients Purpose (in each 30 mL (2 TBSP))

Chlophedianol HCl 25 mg
..... Cough suppressant
Pyrilamine Maleate 50 mg
..... Antihistamine

Uses

Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- cough due to minor throat and bronchial irritation
- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes

Warnings

Do not exceed recommended dosage.

Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- a cough that occurs with too much phlegm (mucus)
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to

Drug Facts (continued)

enlargement of the prostate gland

- a sodium restricted diet

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if:

- nervousness, dizziness or sleeplessness occurs
- symptoms do not improve within 7 days, tends to recur, or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **Do not exceed recommended dosage.**
- Do not take more than 4 doses in any 24-hour period.
- Use enclosed dose cup
- Keep dosage cup with product
- TBSP = tablespoon,
- mL = milliliter
- Adults and children 12 years and over: 30 mL (2 TBSP) every 6-8 hours
- Children under 12: do not use

Other information

- each 30 mL (2 TBSP) contains: **Sodium 13 mg.**
- tamper evident: Do not use if foil seal under cap is broken or missing.
- read all product information before using
- store at 68 to 86°F (20 to 30°C).
- avoid excessive heat and humidity

LIFT HERE FOR COMPLETE
DRUG FACT INFORMATION

Drug Facts (continued)

Inactive ingredients

Anhydrous citric acid, glycerin, propylene glycol, purified water, sodium citrate, sodium saccharin, sorbitol

Questions or comments?

1-800-632-6900

Rev. 07/15

Tamper evident: do not use if foil seal under cap is broken or missing

Do not take more than directed

Do not exceed 4 doses in any 24-hour period

Adults and children 12 years and over: 30 mL (2 TBSP) every 6-8 hours

Children under 12: do not use

Use enclosed dose cup

DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202

QUALITY GUARANTEE
www.kroger.com



KEEP LEAFLET AFTER OPENING

KROGER ALLERGY RELIEF

chlorthalidon hydrochloride, pyrilamine maleate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30 142-773
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	50 mg in 30 mL
CHLORPHEDIANOL HYDROCHLORIDE (UNII: 69QQ58998Y) (CHLORPHEDIANOL - UNII:42C50P12AP)	CHLORPHEDIANOL HYDROCHLORIDE	25 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	

WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30 142-773-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/07/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/07/2016	

Labeler - THE KROGER CO (006999528)

Revised: 6/2016

THE KROGER CO