

**BLADDER URINARY- apis mellifica, berberis vulgaris, cantharis, coccus cacti, echinacea (angustifolia), equisetum hyemale, nux vomica, rubia tinctorum, sarsaparilla, staphysagria, thuja occidentalis, zingiber officinale liquid
Liddell Laboratories, Inc.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

(in each drop): 8.33% of Apis Mellifica 200C, Berberis Vulgaris 6X, Cantharis 200C, Coccus Cacti 3X, Echinacea (Angustifolia) 1X, Equisetum Hyemale 6X, Nux Vomica 30C, Rubia Tinctorum 1X, Sarsaparilla (Smilax Regelii) 6X, Staphysagria 12C, Thuja Occidentalis 200C, Zingiber Officinale 6X.

USES:

May temporarily relieve these urinary symptoms:

- burning sensation
- frequent need to urinate
- painful urination**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Do not use if you have ever has an allergic reaction to this product or any of its ingredients.

Stop use and ask a doctor if symptoms persist for more than 3 days, are severe, or you experience fever, chills, back pain or bloody urine.

You may have a serious condition that requires professional treatment.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

DIRECTIONS:

Adults and children over 12: Spray twice under the tongue three times per day.

For severe symptoms, dosage may be taken up to six times the first day. Continue dosage for fourteen days after symptoms have subsided.

Children 12 and under: Consult a doctor prior to use.

INDICATIONS:

May temporarily relieve these urinary symptoms:

- burning sensation
- frequent need to urinate
- painful urination**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Organic alcohol 20% v/v, Purified Water.

QUESTIONS:

DIST. BY

LIDDELL LABORATORIES INC.

201 APPLE BLVD.

WOODBINE, IA 51579

WWW.LIDDELL.NET

1-800-460-7733

PACKAGE LABEL DISPLAY:

ORAL SPRAYS

LIDDELL

LABORATORIES

EST 1994

04 BI+

Bladder +

Urinary

May relieve urinary symptoms:

burning, frequent + painful
urination.

HOMEOPATHIC

DOCTOR FORMULATED

Readily absorbed. Safe.


No known side effects. Easy to use.

1.0 FL OZ. (30ml)

INDICATIONS May temporarily relieve these urinary symptoms: burning sensation and frequent and painful urination. **

DIRECTIONS *Adults & children over 12:* Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day. Continue dosage for fourteen days after symptoms have subsided. *Children 12 and under:* Consult a doctor prior to use.

WARNINGS See box. Do not use if **TAMPER EVIDENT** seal around neck of bottle is missing or broken.



ACTIVE INGREDIENTS (in each spray) 8.33% of Apis mel 200C, Berber vulgar 6X, Cantharis 200C, Coccus 3X, Echinacea 1X, Equisetum hyem 6X, Nux vom 30C, Rubia 1X, Sarsaparilla 6X, Staphysag 12C, Thuja occ 200C, Zingiber 6X. **INACTIVE INGREDIENTS** Organic alcohol 20% v/v, Purified water.

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DIST. BY LIDDELL LABORATORIES INC.
WOODBINE, IA 51 579
WWW.LIDDELL.NET 1-800-460-7733

LOT: XXXXXX EXP: MM/YY

Drug Facts
(continued)

Directions Children 12 and under: Consult a doctor prior to use.

Other information
Store at room temperature.

Inactive ingredients
Organic alcohol 20% v/v, Purified water.

Questions or comments?
1-800-460-7733
www.liddell.net

ESTABLISHED 1994
LIDDELL
LABORATORIES™

Do not use if **TAMPER EVIDENT** seal around neck of bottle is missing or broken.

*Homeopathic guide at www.liddell.net

BI⁺
Bladder + Urinary

Liddell's Bladder + Urinary formulation may aid in the temporary relief of urinary symptoms and may aid in lessening further occurrences of urinary discomfort.

ORAL SPRAYS
LIDDELL®
~ LABORATORIES ~

EST. 1994

04

BI⁺

Bladder + Urinary

May relieve urinary symptoms: burning, frequent + painful urination.

HOMEOPATHIC

DOCTOR FORMULATED
Readily absorbed. Safe.
No known side effects. Easy to use.

1.0 FL. OZ. (30 ml) 20% organic alcohol

SPRAY YOUR WAY TO HEALTH®

Oral sprays, a Liddell® innovation, are the modern and better way to deliver medication. Here's why:


- FAST ABSORPTION
- EASY TO SWALLOW
- ACCURATE-DOSE SPRAY PUMP
- CONVENIENT
- NO KNOWN NEGATIVE SIDE EFFECTS
- NO KNOWN CONTRAINDICATIONS
- NO KNOWN DRUG INTERACTIONS

Money Back Guarantee
No questions asked!
For details, visit:
liddell.net/shipping-returns

***Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.*

DIST. BY
LIDDELL LABORATORIES INC.
201 APPLE BLVD.
WOODBINE, IA 51579
WWW.LIDDELL.NET
1-800-460-7733

MADE IN THE USA



Drug Facts

Active ingredients Purposes
(in each spray)
8.33% of Apis mel 200C, Berber vulg 6X, Cantharis 200C, Coccus 3X, Echinacea 1X, Equisetum hyem 6X, Nux vom 30C, Rubia 1X, Sarsaparilla 6X, Staphysag 12C, Thuja occ 200C, Zingiber 6X.

(Symptom relief for urinary discomfort**)

Uses May temporarily relieve these urinary symptoms:

- burning sensation
- frequent need to urinate
- painful urination**

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Stop use and ask a doctor if symptoms persist for more than 3 days, are severe, or you experience fever, chills, back pain or bloody urine. You may have a serious condition that requires professional treatment.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Directions

<i>Adults and children over 12</i>	Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day. Continue dosage for fourteen days after symptoms have subsided. →
------------------------------------	---

BLADDER URINARY

apis mellifica, berberis vulgaris, cantharis, coccus cacti, echinacea (angustifolia), equisetum hyemale, nux vomica, rubia tinctorum, sarsaparilla, staphysagria, thuja occidentalis, zingiber officinale liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50845-0244
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	200 [hp_C] in 1 mL
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	6 [hp_X] in 1 mL
LYTTA VESICATORIA (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)	LYTTA VESICATORIA	200 [hp_C] in 1 mL
PROTORTONIA CACTI (UNII: LZB7TFX1LT) (PROTORTONIA CACTI - UNII:LZB7TFX1LT)	PROTORTONIA CACTI	3 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA -	ECHINACEA	1 [hp_X]

UNII:VB06AV5US8)	ANGUSTIFOLIA	in 1 mL
EQUISETUM HYEMALE (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	6 [hp_X] in 1 mL
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	30 [hp_C] in 1 mL
RUBIA TINCTORUM ROOT (UNII: 0SVP95L23G) (RUBIA TINCTORUM ROOT - UNII:0SVP95L23G)	RUBIA TINCTORUM ROOT	1 [hp_X] in 1 mL
SMILAX ORNATA ROOT (UNII: 2H1576D5WG) (SARSAPARILLA - UNII:2H1576D5WG)	SMILAX ORNATA ROOT	6 [hp_X] in 1 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	12 [hp_C] in 1 mL
THUJA OCCIDENTALIS LEAF (UNII: 0T0DQN8786) (THUJA OCCIDENTALIS LEAF - UNII:0T0DQN8786)	THUJA OCCIDENTALIS LEAF	200 [hp_C] in 1 mL
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	6 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50845-0244-1	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/30/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/30/2019	

Labeler - Liddell Laboratories, Inc. (832264241)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(50845-0244) , api manufacture(50845-0244) , label(50845-0244) , pack(50845-0244)