

ENCORE ACTIVATOR- chlorus acid solution
ABS Global Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Danger

Causes serious eye damage.

Wear eye protection/ face protection.

DIRECTIONS FOR USE

Mix Directions: Measure equal volumes of Encore Pre/Post & Encore Activator into clean containers. Mix until color is uniform. Mix a significant quantity for one milking and then discard the remainder.

IMPORTANT: Do not add mixed Encore Pre/Post & Encore Activator RTU (ready-to-use) to any other teat dip or other product. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Encore Pre/Post & Encore Activator RTU. Use of a complete udder health program including both pre- and post-dipping may aid reducing the spread of organisms which cause mastitis.

DIRECTIONS FOR TEAT DIPPING

Pre-Milking: Prepare teats prior to milking with appropriate pre-dip or udder wash. Teats should then be dried thoroughly with a single-service towel before attaching the milking unit.

Post-Milking: Immediately after milking, use Encore Pre/Post & Encore Activator RTU at full strength. Apply product to teats 2/3 their length in Encore Pre/Post & Encore Activator RTU teat dip. Allow to air dry. Do not wipe. Always use fresh, full-strength Encore

Pre/Post & Encore Activator RTU teat dip. If the product in the teat dip cup becomes visibly dirty, discard and replenish with fresh product. Do not reuse or return unused product to the original container. Do not turn cows into freezing weather until Encore Pre/Post & Encore Activator RTU teat dip is completely dry.

NOTE: In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Principal display panel and representative label

ENCORE

Activator

Unique Component For Use Only With Encore Pre/Post

Activator – For use exclusively with Encore Pre/Post

An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Stabilized Sodium Salt of Chlorous Acid.....0.54%

INERT INGREDIENTS.....99.46%

TOTAL:.....100.00%

630065456.8 L (15 US GAL)

Distributed by:

ABS Global, Inc. • P.O. Box 459

DeForest, Wisconsin USA 53532

www.absglobal.com

Manufactured by:

Ecolab Inc. • 1 Ecolab Place •

St. Paul, MN 55102 USA •

tel. 1 800 392 3392

© 2018 Ecolab USA Inc • All rights reserved

Made in U.S.A.

www.ecolab.com • 753802/5301/1118

ENCORE™



Activator

Unique Component For Use Only With Encore Pre/Post

Activator – For use exclusively with Encore Pre/Post

An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Stabilized Sodium Salt of Chlorous Acid 0.54%

INERT INGREDIENTS 99.46%

TOTAL 100.00%

Componente exclusivo para usarse solamente con Encore Pre/Post

Activator – Para usarse exclusivamente con Encore Pre/Post

Una ayuda para reducir la diseminación de organismos que pueden causar mastitis.

INGREDIENTE ACTIVOS:

Sal estabilizada del ácido cloroso 0,54%

INGREDIENTES INERTES 99,46%

TOTAL 100,00%

6300654
56.8 L (15 US GAL)

s e r v i c e
s c i e n c e
s u c c e s s



KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE

Danger

Causes serious eye damage.

Wear eye protection/ face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026.
If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

DIRECTIONS FOR USE

Mix Directions: Measure equal volumes of *Encore Pre/Post* & *Encore Activator* into clean containers. Mix until color is uniform. Mix a significant quantity for one milking and then discard the remainder.

IMPORTANT: Do not add mixed *Encore Pre/Post* & *Encore Activator* RTU (ready-to-use) to any other test dip or other product. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for *Encore Pre/Post* & *Encore Activator* RTU. Use of a complete udder health program including both pre- and post-dipping may aid reducing the spread of organisms which cause mastitis.

DIRECTIONS FOR TEAT DIPPING

Pre-Milking: Prepare teats prior to milking with appropriate pre-dip or udder wash. Teats should then be dried thoroughly with a single-service towel before attaching the milking unit.

Post-Milking: Immediately after milking, use *Encore Pre/Post* & *Encore Activator* RTU at full strength. Apply product to teats 2/3 their length in *Encore Pre/Post* & *Encore Activator* RTU test dip. Allow to air dry. Do not wipe. Always use fresh, full-strength *Encore Pre/Post* & *Encore Activator* RTU test dip. If the product in the test dip cup becomes visibly dirty, discard and replenish with fresh product. Do not reuse or return unused product to the original container. Do not turn cows into freezing weather until *Encore Pre/Post* & *Encore Activator* RTU test dip is completely dry.

NOTE: In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

MANTÉNGALO ALEJADO DEL ALCANCE
DE LOS NIÑOS
NO ES PARA USO HUMANO

Peligro

Provoca lesiones oculares graves.

Usar equipo de protección para los ojos/la cara.

EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA o a un médico.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD:

1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

INSTRUCCIONES DE USO

Mezcla: Mezcle dos cantidades iguales de *Encore Pre/Post* y *Encore Activator* en unos recipientes limpios. Mezcle hasta que el color se vea uniforme. Mezcle una cantidad apropiada para una ordeña y luego, tire el resto.

IMPORTANTE: No agregue *Encore Pre/Post* y *Encore Activator* RTU (Listo para usarse) a ningún otro sellador de pezones o a otros productos. Si lo transfiere de este recipiente a otro, verifique que el otro esté minuciosamente limpio y que tenga la etiqueta de *Encore Pre/Post* y *Encore Activator* RTU. El uso de un programa completo para el cuidado de ubres incluyendo el pre y postsellado puede reducir la diseminación de organismos que causan la mastitis.

INSTRUCCIONES PARA EL SELLADO DE PEZONES

Pre ordeño: Antes de ordeñar, prepare los pezones con el pre-sellado adecuado o con un lavado de ubres. Antes de colocar la unidad ordeñadora, seque completamente los pezones utilizando una toalla desechable.

Post ordeño: Inmediatamente después de la ordeña, use *Encore Pre/Post* y *Encore Activator* RTU sin diluir. Aplique el producto sumergiendo las 2/3 partes de los pezones en el sellador de pezones *Encore Pre/Post* & *Encore Activator* RTU. Deje secar al aire. No lo limpie. Siempre use el sellador de pezones *Encore Pre/Post* & *Encore Activator* RTU cuando está fresco y sin diluir. Si el producto en la copa de sellado se ve sucio, tirelo y vuelva a llenar con producto fresco. No vuelva a usar el producto residual ni lo devuelva al recipiente original. No saque las vacas a la intemperie helada hasta que el sellador de pezones *Encore Pre/Post* & *Encore Activator* RTU se haya secado completamente.

NOTA: En caso de irritación o agrietamiento, consulte con un médico veterinario para que examine o trate el caso

Distributed by:
ABS Global, Inc. - P.O. Box 459
DeForest, Wisconsin USA 53532
www.absglobal.com

Manufactured by:
Ecolab Inc. - 1 Ecolab Place -
St. Paul, MN 55102 USA -
tel. 1 800 392 3392
© 2018 Ecolab USA Inc - All rights reserved
Made in U.S.A.
www.ecolab.com - 753802/5301/1118

ENCORE ACTIVATOR

chlorus acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59282-108
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLOROUS ACID (UNII: 7JRT833T5M) (CHLOROUS ACID - UNII: 7JRT833T5M)	CHLOROUS ACID	5.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59282-108-17	56780 mL in 1 DRUM		
2	NDC:59282-108-21	208200 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/30/2000	

Labeler - ABS Global Inc. (835053570)

Revised: 10/2021

ABS Global Inc.