

SODIUM BICARBONATE- sodium bicarbonate tablet
Marlex Pharmaceuticals Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sodium Bicarbonate Tablets

SODIUM BICARBONATE - sodium bicarbonate tablet

Marlex Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA; however, they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sodium Bicarbonate

Active ingredient (in each tablet)

Sodium bicarbonate 10 gr (650 mg)

Sodium bicarbonate 5gr (325 mg)

Purpose

Antacid

Uses

Relieves

- acid indigestion heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have

a sodium restricted diet

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if

symptoms last more than 2 weeks

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- do not use the maximum dosage for more than 2 weeks
- dissolve tablets completely in water prior to use

325mg,

- **adults 60 years of age and over:** 2-8 tablets every 4 hours, not more than 24 tablets in 24 hours
- **adults under 60 years of age:** 2-8 tablets every 4 hours, not more than 48 tablets in 24 hours

650mg,

- **adults 60 years of age and over:** 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours
- **adults under 60 years of age:** 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

Other information

- **each tablet contains:** sodium 89mg (**325mg**)
- **store at room temperature 15°-30°C (59°-86°F) in well-closed containers as defined in the USP**

sodium 178 mg (**650mg**)

Inactive ingredients

Pregelatinized starch, NF and mineral oil, USP

Questions or comments?

Call toll free 1-888-266-8818

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

PRINCIPAL DISPLAY PANEL

NDC 10135-684-10

Marlex Pharmaceuticals, Inc.

Sodium Bicarbonate

Sodium Bicarbonate 5 gr (325 mg) Antacid

1000 Tablets

Drug Facts

Active ingredient (in each tablet)	Purpose
Sodium Bicarbonate 5 gr (325 mg)	Antacid

Uses
■ relieves ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms

Warnings
Do not use this product if you are on a sodium-restricted diet unless directed by a doctor. Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24 hour period nor use maximum dosage for more than 2 weeks, except under the advice and supervision of a physician. As with any drug, if you are pregnant or nursing a baby, seek advice of a health professional before using this product.
Stomach Warning: TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL TABLET IS COMPLETELY DISSOLVED IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK Consult a doctor if severe stomach pain occurs after taking this product.
Drug Interaction Precaution: Ask a physician or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs
KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately

Directions
Adults: Take 1 tablet, dissolved in a glass of water, as needed. Maximum daily dose for adults up to 60 years of age is 24 tablets. Maximum daily dose for adults 60 years of age and older is 12 tablets. Dissolve completely in water before drinking.
DO NOT EXCEED RECOMMENDED DOSE Not recommended for children.

Other information ■ each tablet contains: sodium 89mg (3.87mg) ■ store at room temperature 15°-30°C (59-86°F) in a well-closed container as defined in the USP

Inactive ingredients Pregelatinized starch, NF and mineral oil, USP

Questions or comments? Call toll free 1-888-266-8818

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING.

Manufactured/Distributed by:
Marlex Pharmaceuticals, Inc. New Castle, DE 19720
Rev. 03/20 GP

6
10135 68410
3

PRINCIPAL DISPLAY PANEL

NDC 10135-685-10

Marlex Pharmaceuticals, Inc.

Sodium Bicarbonate

Sodium Bicarbonate 10gr (650 mg) Antacid

1000 Tablets

NDC 10135-0685-10

MARLEX
PHARMACEUTICALS, INC.

Sodium Bicarbonate Antacid

650 mg
(10 Grains)

1000 TABLETS

Drug Facts

Active ingredient (in each tablet) Sodium Bicarbonate 10 gr (650 mg)	Purpose Antacid
Uses relieves acid indigestion heartburn sour stomach upset stomach associated with these symptoms	
Warnings Do not use this product if you are on a sodium-restricted diet unless directed by a doctor. Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24 hour period nor use maximum dosage for more than 2 weeks, except under the advice and supervision of a physician. As with any drug, if you are pregnant or nursing a baby, seek advice of a health professional before using this product. Stomach Warning: TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL TABLET IS COMPLETELY DISSOLVED IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK Consult a doctor if severe stomach pain occurs after taking this product. Drug Interaction Precaution: Ask a physician or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs	
KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately	
Directions Adults: Take 1 tablet, dissolved in a glass of water, as needed. Maximum daily dose for adults up to 60 years of age is 24 tablets. Maximum daily dose for adults 60 years of age or older is 12 tablets. Dissolve completely in water before drinking. DO NOT EXCEED RECOMMENDED DOSE Not recommended for children.	
Other information each tablet contains: sodium 178 mg (7.74 meq) store at room temperature 15°-30°C (59-86°F) in a well-closed container as defined in the USP	
Inactive ingredients Pregelatinized starch, NF and mineral oil, USP	
Questions or comments? Call toll free 1-888-266-8818	

Manufactured (or Distributed) by:
Marlex Pharmaceuticals, Inc. New Castle, DE 19720
Rev. 03/20/09

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING.

SODIUM BICARBONATE

sodium bicarbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10135-684
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4MONH37)	SODIUM BICARBONATE	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
MINERAL OIL (UNII: T5L8T28FGP)	

Product Characteristics

Color	WHITE	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	G57
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10135-684-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	03/01/2020	

SODIUM BICARBONATE

sodium bicarbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10135-685
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM BICARBONATE	650 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
MINERAL OIL (UNII: T5L8T28FGP)	

Product Characteristics

Color	WHITE	Score	2 pieces
Shape	ROUND	Size	11mm
Flavor		Imprint Code	G35
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10135-685-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	03/01/2020	

Labeler - Marlex Pharmaceuticals Inc (782540215)

Revised: 5/2020

Marlex Pharmaceuticals Inc