

**LOTRIMIN ULTRA JOCK ITCH ANTIFUNGAL- butenafine hydrochloride cream**  
**Bayer HealthCare LLC.**

-----  
**Lotrimin Ultra<sup>®</sup> Jock Itch**

**Antifungal**

***Drug Facts***

**Active ingredient**

Butenafine hydrochloride 1%

**Purpose**

Antifungal

**Uses**

- cures most jock itch
- relieves itching, burning, cracking, and scaling which accompany this condition

**Warnings**

**For external use only**

**Do not use**

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

**When using this product** do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if** too much irritation occurs or irritation gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over:
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - apply once a day to affected skin for 2 weeks or as directed by a doctor
  - wash hands after each use
- children under 12 years: ask a doctor

**Other information**

- do not use if seal on tube is broken or not visible
- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

benzyl alcohol, cetyl alcohol, diethanolamine, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, white petrolatum

**Questions:?**

1-800-360-3226

Distributed by MSD Consumer Care, Inc., PO Box 377, Memphis, TN 38151 USA, a subsidiary of Merck & Co., Inc., Whitehouse Station, NJ USA.

**PRINCIPAL DISPLAY PANEL - 12g Tube Carton**

**LOTRIMIN ULTRA<sup>®</sup>**

**butenafine hydrochloride cream 1% ANTIFUNGAL NET WT 12g (0.42 OZ)**

Contains the Drug: BUTENAFINE HYDROCHLORIDE

**LOTTRIMIN ULTRA**

**PRESCRIPTION STRENGTH**

**Relieves:** ☒ Itching ☒ Burning ☒ Chafing

**Clinically Proven to Cure Most Jock Itch**

NDC 11523-7155-1

**LOTTRIMIN ULTRA**

butenafine hydrochloride cream 1%

ANTIFUNGAL

**LOTTRIMIN ULTRA**

butenafine hydrochloride cream 1% ANTIFUNGAL NET WT 12g (0.42 OZ)



1655



1655

S-07-07



Recycle

Questions? 1-866-360-3226 or visit us at [www.lotrimin.com](http://www.lotrimin.com)

**PRESCRIPTION STRENGTH**

**LOTTRIMIN ULTRA**

Questions? 1-866-360-3226 or visit us at [www.lotrimin.com](http://www.lotrimin.com) © Copyright & Distributed by MSD Consumer Care, Inc., PO Box 377, Memphis, TN 38151 USA, a subsidiary of Merck & Co., Inc., Whitehouse Station, NJ USA. All rights reserved. Product of Japan. 36491-00

**Do not use** ■ on nails or scalp ■ in or near the mouth or the eyes ■ for vaginal yeast infections

**When using this product** do not get into the eyes. If eye contact occurs, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if too much irritation occurs or irritation gets worse.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**


- adults and children 12 years and over:
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- apply once a day to affected skin for 2 weeks or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor

**Other information**

- do not use if seal on tube is broken or not visible
- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

benzyl alcohol, cetyl alcohol, diethanolamine, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, white petrolatum



LOTRIMIN ULTRA JOCK ITCH ANTIFUNGAL

butenafine hydrochloride cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-7155
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
BUTENAFINE HYDROCHLORIDE (UNII: R8XA2029ZI) (BUTENAFINE - UNII:91Y494NLOX)		BUTENAFINE HYDROCHLORIDE	10 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)			
CETYL ALCOHOL (UNII: 936JST6JCN)			
DIETHANOLAMINE (UNII: AZE05TDV2V)			
GLYCERIN (UNII: PDC6A3C0OX)			
CETETH-23 (UNII: 495CTZ441V)			
PROPYLENE GLYCOL DICAPRYLATE (UNII: 581437HWX2)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
PETROLATUM (UNII: 4T6H12BN9U)			
Product Characteristics			
Color	white (White to off-white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-7155-1	1 in 1 CARTON	02/22/2002	09/01/2017
1		12 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11523-7155-2	1 in 1 CARTON	02/22/2002	09/01/2017
2		15 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021307	09/23/1993	

**Labeler** - Bayer HealthCare LLC. (112117283)

Revised: 2/2017

Bayer HealthCare LLC.