

OXYGEN- oxygen gas
Technical Gas Products, Inc.

Oxygen Label

REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

CONTENTS: Other

31 Liters 41 Liters

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL

O2 SAFE SOLUTIONS

Your Partner in Respiratory Care

O2 Safe Solutions


Technical Gas Products

101 N Plains Industrial Rd, Bldg 1B

Wallingford, CT 06492

1-800-847-0745

Label # 4.3 R2



OXYGEN, COMPRESSED USP

UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

PRODUCED BY AIR LIQUEFACTION

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

Contents Size

113 Liters M4

165 Liters M6

255 Liters C

425 Liters D

680 Liters E

6900 Liters H

Liters Other

O2 SAFE SOLUTIONS

Your Partner in Respiratory Care

O2 Safe Solutions

Technical Gas Products

101 N Plains Industrial Rd, Bldg 1B

Wallingford, CT 06492

1-800-847-0745

Label # 4.2 R2

**OXYGEN,
COMPRESSED
USP
UN1072**



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **it only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the *Federal Food, Drug and Cosmetic Act.*

PRODUCED BY AIR LIQUEFACTION

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

Contents	Size
113 Liters	<input type="checkbox"/> M4
165 Liters	<input type="checkbox"/> M6
255 Liters	<input type="checkbox"/> C
425 Liters	<input type="checkbox"/> D
680 Liters	<input type="checkbox"/> E
6900 Liters	<input type="checkbox"/> H
____ Liters	<input type="checkbox"/> Other



O2 Safe Solutions
Technical Gas Products
101 N Plains Industrial Rd, Bldg 1B
Wallingford, CT 06492
1-800-847-0745
Label # 4.2 R2



OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65010-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	999 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65010-001-01	31 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
2	NDC:65010-001-02	41 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
3	NDC:65010-001-03	45 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
4	NDC:65010-001-04	400 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
5	NDC:65010-001-05	425 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	
6	NDC:65010-001-06	600 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1993	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206023	01/01/1993	

Labeler - Technical Gas Products, Inc. (039279323)**Establishment**

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		017284347	repack(65010-001)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		019105992	repack(65010-001)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		022917832	repack(65010-001)

Establishment

Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		039279323	repack(65010-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		040257804	repack(65010-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		079264127	repack(65010-001)

Establishment			
Name	Address	ID/FEI	Business Operations
TECHNICAL GAS PRODUCTS, INC		081083853	repack(65010-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		790261478	repack(65010-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Technical Gas Products, Inc.		965346203	repack(65010-001)

Revised: 12/2021

Technical Gas Products, Inc.