

CHEEZHENG PAIN RELIEF CREAM- menthol cream
Tibet Cheezheng Tibetan Medicine Co. Ltd

Cheezheng Pain Relief Cream

Active ingredients

Menthol 5%.....Topical analgesic

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a doctor before use.

Directions

- Adults and children over 12 years: apply generously to affected area
- Massage into painful area until thoroughly absorbed into skin
- Apply to affected area not more than 3 to 4 times daily
- Children under 12 years of age: ask a doctor.

Inactive ingredients

Aconitum pendulum radix, Ascorbic acid, Butylparaben, Carbomer homopolymer, Dimethicone, Ethylparaben, Methyl salicylate, Oxytropis falcatae herba, Pegoxol-7 stearate, Phyllanthus emblica fructus, Propylene glycol, Rheum pumilum Radix et Rhizoma, Stearyl alcohol, Styrax tonkinensis resin, Terminalia bellirica fructus, Terminalia chebula fructus, Tinospora sinensis caulis, Trolamine, Water

Questions?

1-888-915-6789

Purpose

Topical analgesic

Do not use

- Do not use 1 hour prior to bathing or within 30 minutes after bathing
- Do not apply to irritated skin, wounds, or damaged skin, or if excessive irritation develops

When using this product

- Avoid contact with eyes/mucous membranes
- Use only as directed
- Do not bandage tightly or use with a heating pad
- Do not use 1 hour prior to bathing or within 30 minutes after bathing
- Do not apply to irritated skin, wounds, or damaged skin, or if excessive irritation develops

Stop use and ask a doctor if

- Condition worsens
- Excessive skin irritation occurs
- Redness is present
- Symptoms or pains persist for more than 7 days or clear up and occur again within a few days

Uses

For the temporary relief of minor aches and pains of muscles and joint associated with:

arthritis

strains

simple backache

sprains

Warnings

For external use only

Cheezheng Pain Relief Cream PDP

海外版消痛乳膏
-双语版



海外版消痛乳膏
-双语版 (内袋)



Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ACONITUM PENDULUM ROOT (UNII: 427F13FDK8)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ETHYLPARABEN (UNII: 14255EXE39)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
OXYTROPIS FALCATA WHOLE (UNII: 7276D7W5GN)	
PEGOXOL 7 STEARATE (UNII: 3EW5AXE5X5)	
PHYLLANTHUS EMBLICA FRUIT (UNII: YLX4CW2576)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
RHEUM PUMILUM WHOLE (UNII: FWU5Q7925N)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
STYRAX TONKINENSIS RESIN (UNII: QB299X2IBD)	
TERMINALIA CHEBULA FRUIT (UNII: S8R4V700NK)	
TERMINALIA BELLIRICA FRUIT (UNII: DYY1OQ3CMP)	
TINOSPORA SINENSIS STEM (UNII: 4Z8JF5074P)	
TROLAMINE (UNII: 9O3K93S3TK)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66506-184-01	1 in 1 PACKAGE	05/27/2024	
1	NDC:66506-184-02	20 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:66506-184-03	1 in 1 PACKAGE	05/27/2024	
2	NDC:66506-184-04	20 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/27/2024	

Labeler - Tibet Cheezheng Tibetan Medicine Co. Ltd (529074851)

Revised: 6/2024

Tibet Cheezheng Tibetan Medicine Co. Ltd