

**ACETAMINOPHEN- acetaminophen tablet, coated**  
**COSTCO WHOLESALE CORPORATION**

-----  
**Kirkland 44-519-Acetaminophen**

***Active ingredient (in each gelcap)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - backache
  - the common cold
  - muscular aches
  - headache
  - toothache
  - minor pain of arthritis
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to acetaminophen or any of the inactive ingredients in this product
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 gelcaps every 6 hours while symptoms last
  - do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
  - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package
- avoid high humidity

**Inactive ingredients**

croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

**Principal Display Panel**

**KIRKLAND**

*Signature*

**COMPARE TO  
EXTRA STRENGTH TYLENOL®  
RAPID RELEASE**  
*active ingredient\**

NDC 63981-019-05  
ITM. / ART. 355476

**EXTRA STRENGTH  
ACETAMINOPHEN  
GELCAPS, 500 mg**

*Pain Reliever/Fever Reducer*

*Temporarily Relieves:*

- *Headache*
- *Minor Pain of Arthritis*
- *Muscular Aches*
- *Backaches*

*Actual  
Size*

*400  
Gelcaps  
500 mg EACH*

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® Rapid Release.

50844      REV0322R51905

Manufactured by: LNK INTERNATIONAL, INC., 60 Arkay Drive, Hauppauge, NY 11788  
USA 1-800-426-9391

Distributed by: Costco Wholesale Corporation, 999 Lake Drive, Issaquah, WA 98027  
USA

www.costco.com      22V13038a

No Print / No Varnish Area  
Lot # and Exp. Info

**Drug Facts (continued)**

■ fever gets worse or lasts more than 3 days    ■ redness or swelling is present  
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a  
Poison Control Center right away. Prompt medical attention is critical for adults as  
well as for children even if you do not notice any signs or symptoms.

**Directions**    ■ do not take more than directed  
■ adults and children 12 years and over  
■ take 2 gelcaps every 6 hours while symptoms last  
■ do not take more than 6 gelcaps in 24 hours, unless directed by a doctor  
■ do not take for more than 10 days unless directed by a doctor  
■ children under 12 years: ask a doctor

**Other information**  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ use by expiration date on package    ■ avoid high humidity

**Inactive ingredients**    croscarmellose sodium, D&C red #33, FD&C blue #1,  
FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black,  
iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized  
starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

Manufactured by: LINK INTERNATIONAL, INC., 60 Arkay Drive, Hauppauge, NY 11788 USA, 1-800-426-9391  
Distributed by: Costco Wholesale Corporation, 999 Lake Drive, Issaquah, WA 98027 USA  
www.costco.com    22913003a

ITM / ART: 96619 355476



0 96619 35547 1

**KIRKLAND**  
*Signature*

COMPARE TO  
**EXTRA STRENGTH TYLENOL®**  
**RAPID RELEASE**  
active ingredient\*

NDC 63981-019-05  
ITM. / ART. 355476

**EXTRA STRENGTH**  
**ACETAMINOPHEN**  
**GELCAPS, 500 mg**

**Pain Reliever/Fever Reducer**

Temporarily Relieves:

- Headache
- Minor Pain of Arthritis
- Muscular Aches
- Backaches



**400**  
Gelcaps  
Actual Size    **500 mg EACH**

**Drug Facts**    TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Active ingredient (in each gelcap)**    **Purpose**  
Acetaminophen 500 mg ..... Pain reliever/fever reducer

**Uses**    ■ temporarily relieves minor aches and pains due to:  
■ backache    ■ the common cold    ■ muscular aches    ■ headache  
■ toothache    ■ minor pain of arthritis    ■ premenstrual and menstrual cramps  
■ temporarily reduces fever

**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if  
you take    ■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may  
include:    ■ skin reddening    ■ blisters    ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**    ■ with any other drug containing acetaminophen (prescription or  
nonprescription). If you are not sure whether a drug contains acetaminophen, ask a  
doctor or pharmacist.  
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug  
warfarin.**

**Stop use and ask a doctor if**  
■ pain gets worse or lasts more than 10 days    ■ new symptoms occur

\*This product is not manufactured or distributed by Johnson & Johnson Corporation,  
owner of the registered trademark Extra Strength Tylenol® Rapid Release.  
50844    REV0322R51905

**Kirkland 44-519**

## ACETAMINOPHEN

acetaminophen tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63981-019
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	red, blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	L;5
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63981-019-05	400 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/12/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/12/2022	

**Labeler** - COSTCO WHOLESALE CORPORATION (103391843)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(63981-019) , pack(63981-019)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63981-019)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(63981-019)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(63981-019)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(63981-019)