

**ANTI-DIARRHEAL- loperamide hydrochloride capsule, liquid filled**  
**The Kroger Co.**

-----  
**Drug Facts**

**Active ingredient (in each capsule)**

Loperamide HCl 2 mg

**Purpose**

Anti-diarrheal

**Use**

controls symptoms of diarrhea, including Travelers' Diarrhea

**Warnings**

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

**Heart alert:** Taking more than directed can cause serious heart problems or death.

**Do not use**

- if you have bloody or black stool
- in children under 12 years of age

**Ask a doctor before use if you have**

- fever
- mucus in the stool
- a history of liver disease

**Ask a doctor or pharmacist before use if you are**

taking antibiotics.

**When using this product**

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- **not for use in children under 12 years of age**
- adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

**Other information**

- store at 20°-25°C (68°-77°F). Protect from light.
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

**Inactive ingredients**

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water.

**Questions or comments?**

**1-800-632-6900**

**Principal Display Panel**

COMPARE TO the active ingredient of IMODIUM® A-D \*See side panel

Anti-Diarrheal

Loperamide HCl

Soft Gelatin Capsules 2 mg

CONTROLS THE SYMPTOMS OF DIARRHEA

Suitable for Adults and Children 12 Years and Over

SOFTGELS\*\*

\*\*each Liquid-Filled Capsule Contains 2 mg Loperamide HCl

\*Imodium® A-D is a registered trademark of McNeil Consumer & Specialty Pharmaceuticals, Fort Washington, PA 19034, McNeil Consumer & Specialty Pharmaceuticals is not affiliated with The Kroger Co. or this product

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

www.kroger.com

**Product Label**

COMPARE TO the active ingredient of **IMODIUM® A-D** \*See side panel  
NDC 30142-520-72



## Anti-Diarrheal

Loperamide HCl  
Soft Gelatin Capsules, 2 mg

**CONTROLS THE SYMPTOMS OF DIARRHEA**

Suitable for Adults and Children 12 Years and Over



**72 SOFTGELS\*\***  
\*\*Each Liquid-Filled Capsule Contains 2 mg Loperamide HCl



actual size

COMPARE TO the active ingredient of **IMODIUM® A-D** \*See side panel  
NDC 30142-520-72



## Anti-Diarrheal

Loperamide HCl  
Soft Gelatin Capsules, 2 mg

**CONTROLS THE SYMPTOMS OF DIARRHEA**

Suitable for Adults and Children 12 Years and Over



**72 SOFTGELS\*\***  
\*\*Each Liquid-Filled Capsule Contains 2 mg Loperamide HCl



actual size

**Drug Facts**

Active ingredient (in each capsule)	Purpose
Loperamide HCl 2 mg	Anti-diarrheal

**Use** Controls symptoms of diarrhea, including Travelers' Diarrhea.

**Warnings**  
**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.  
**Heart alert:** Taking more than directed can cause serious heart problems or death.  
**Do not use**

- if you have bloody or black stool
- in children under 12 years of age

**Ask a doctor before use if you have**

- fever
- mucus in the stool
- a history of liver disease

**Ask a doctor or pharmacist before use if you are taking antibiotics.**

**When using this product** tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- not for use in children under 12 years of age
- adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

**Other information**

- store at 20°-25°C (68°-77°F). Protect from light.
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

**Inactive ingredients**  
butylated hydroxyanisole, edible ink, FD&C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxy 40 hydrogenated castor oil, purified water

**Questions or comments?**  
1-800-632-6900

\*Imodium® A-D is a registered trademark of McNeil Consumer & Specialty Pharmaceuticals, Fort Washington, PA 19034. McNeil Consumer & Specialty Pharmaceuticals is not affiliated with The Kroger Co. or this product.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202  
QUALITY GUARANTEE  
www.kroger.com



0 41260 38004 4

REV # 9/16      PLD-A45J      FC003886

Lot No.:  
Exp. Date:

**KROGER Anti-Diarrheal**

**ANTI-DIARRHEAL**

loperamide hydrochloride capsule, liquid filled

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-520
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4I)		LOPERAMIDE HYDROCHLORIDE	2 mg	
Inactive Ingredients				
Ingredient Name			Strength	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
GLYCERYL MONOCAPRYLATE (UNII: TM2TZD4G4A)				
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)				
WATER (UNII: 059QF0KO0R)				
Product Characteristics				
Color	blue	Score	no score	
Shape	CAPSULE	Size	10mm	
Flavor		Imprint Code	P13	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-520-24	24 in 1 CARTON	12/31/2016	05/30/2025
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:30142-520-72	72 in 1 CARTON	12/31/2016	05/30/2025
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA021855	12/31/2016	05/30/2025	

**Labeler** - The Kroger Co. (006999528)

Revised: 11/2022

The Kroger Co.