

TRIPLE ANTIBIOTIC - bacitracin zinc, neomycin sulfate, polymyxin b ointment
Valu Merchandisers, Co.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Bacitracin Zinc 400 units

Neomycin Sulfate 3.5mg

Polymyxin B Sulfate 5,000 units

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Ask a doctor before use if you have

- serious burns
- deep or puncture wounds
- animal bites

When using this product

- do not use in the eyes
- do not apply over large areas of the body

Stop use and ask a doctor if

- you need to use more than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week or clear up and occur again within a few days.
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Do not use

if you are allergic to any of the ingredients

Directions

- adults and children 2 years of age or older:
 - ◦ clean the affected area
 - ◦ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - ◦ may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 59° to 77°F

Inactive ingredients

Cetyl alcohol, Glycerin, Light mineral oil, Steareth-2, Squalane, Stearic acid, Tocopheryl acetate, White petrolatum

Package label panel

Triple Antibiotic Ointment

COMPARE TO
THE ACTIVE
INGREDIENT IN
NEOSPORIN® OINTMENT

SOOTHING
OINTMENT



ANTIBIOTIC OINTMENT

Polymyxin B Sulfate-Bacitracin Zinc-Neomycin Sulfate
FIRST AID ANTIBIOTIC OINTMENT

FIRST AID TO HELP PREVENT INFECTION IN:
• MINOR CUTS • SCRAPES • BURNS

REGULAR STRENGTH

ANTIBIOTIC OINTMENT

Polymyxin B Sulfate-Bacitracin Zinc-Neomycin Sulfate
FIRST AID ANTIBIOTIC OINTMENT

NET WT. 1 OZ (28.4 g)

29-26831BC3



www.awgbrands.com

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
9225 INDIAN CREEK PARKWAY
OVERLAND PARK, KS 66210
Made in Korea

BEST CHOICE



Drug Facts

Active ingredients (in each gram)
Bacitracin Zinc 400 units.....First aid antibiotic
Neomycin Sulfate 3.5mg.....First aid antibiotic
Polymyxin B Sulfate 5,000 units.....First aid antibiotic

Uses First aid to help prevent infection in minor:
■ cuts ■ scrapes ■ burns

Warnings
For external use only
Do not use
If you are allergic to any of the ingredients
Ask a doctor before use if you have
■ serious burns ■ deep or puncture wounds
■ animal bites

When using this product
■ do not use in the eyes
■ do not apply over large areas of the body
Stop use and ask a doctor if
■ you need to use more than 1 week
■ condition persists or gets worse
■ symptoms persist for more than 1 week or clear
up and occur again within a few days
■ rash or other allergic reaction develops

Other information ■ store at 59° to 77°F

Inactive ingredients
cetyl alcohol, glycerin, light mineral oil, stearyl-2,
stearic acid, squarane, tocopheryl acetate, and white
petroleum

Questions or comments?
call toll free: 1-800-883-0085

*The product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Original Neosporin®

Drug Facts (continued)
Purpose
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ adults and children 2 years of age and older:
■ clean the affected area
■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
■ may be covered with a sterile bandage
■ children under 2 years of age: ask a doctor

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b ointment

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63941-314 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|--------------------|
| BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I) | BACITRACIN ZINC | 400 [USPU] in 1 g |
| NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297) | NEOMYCIN SULFATE | 3.5 mg in 1 g |
| POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K) | POLYMYXIN B SULFATE | 5000 [USPU] in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| CETYL ALCOHOL (UNII: 936JST6JCN) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| LIGHT MINERAL OIL (UNII: N6K5787QVP) | |
| STEARETH-2 (UNII: V56DFE46J5) | |
| SQUALANE (UNII: GW89575KF9) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| .ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------------|-----------------------------|---------------------------|
| 1 | NDC:63941-314-01 | 1 in 1 BOX | | |
| 1 | | 28 g in 1 TUBE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC monograph final | part333B | 07/16/2012 | |

Labeler - Valu Merchandisers, Co. (868703513)

Revised: 7/2012

Valu Merchandisers, Co.