

**ORAJEL COLD SORE MOISTURELOCK- benzocaine cream**  
**Church & Dwight Co., Inc.**

-----  
**Orajel Cold Sore Moisturelock**

Allantoin 0.5%

Benzocaine 20%

Camphor 3%

Dimethicone 2%

Menthol 1%

White petrolatum 64%

Allantoin - Skin protectant

Benzocaine - Topical anesthetic

Camphor - Topical analgesic

Dimethicone - Skin protectant

Menthol - Topical analgesic

White petrolatum - Skin protectant

**Uses** • temporarily relieves pain and dryness; softens crusts (scabs) associated with • cold sores • fever blisters

**For external use only.**

**Allergy alert:** do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

**Do not use** • more than directed • for more than 7 days unless directed by a physician

**When using this product** • do not get into eyes

**Stop use and ask a physician if** • conditions worsens • symptoms do not improve in 7 days • symptoms clear up and occur again within a few days • swelling, rash or fever develops • irritation, pain or redness persists or worsens

**Keep out of reach of children.** In case of overdose or allergic reaction, get medical help or contact Poison Control Center right away.

**Directions**

• squeeze tube to dispense • blend well until green tint disappears • rub in gently

Adults and children 2 years of age and older | Apply to affected area not more than 3 to 4 times daily

Children under 12 years of age | Should be supervised in the use of this product

Children under 2 years of age | Ask a physician

Other information • do not use if the package is torn, cut or otherwise damaged • store at 15-30°C (59-86°) under dry conditions • this is a personal care item and should be used by one individual only

**Inactive Ingredients** caprylic/capric triglyceride, Prunella vulgaris leaf extract, propylene glycol, water, tocopheryl acetate, retinyl palmitate, Zea mays (corn) oil, tocopherol, cholecalciferol, titanium dioxide, yellow 5 lake, iron oxides, blue 1 lake

**Questions or comments** call us at 800 952 5080 Monday through Friday 9 to 5 ET or visit [www.oraljel.com](http://www.oraljel.com)

**Orajel**

**Instan Pain Relief**

**FOR COLD SORES**

**MOISTURELOCK FORMULA**

Helps Speed Healing

**Treats 6 Symptoms:**

- 1 Pain
- 2 Itching
- 3 Redness
- 4 Scabbing
- 5 Cracking
- 6 Dryness

**PLUS**

Helps Minimize Appearance of Cold Sores

Topical Anesthetic/Topical

Analgesic/Skin Protectant

NET WT 0.105 OZ (3g)

17

**MAXIMUM  
STRENGTH  
BENZOCAINE**

**Orajel™**

*Instant  
Pain Relief*

**COLDSORE**

*Symptom Treatment*

**MoistureLock Cream**


**TREATS**



**HELPS**

**Pain  
Itching  
Dryness**

**Protect  
Chapped Lips  
Soften  
Scabs  
Mask  
Redness**



TOPICAL ANESTHETIC/TOPICAL  
ANALGESIC/SPIN PROTECTANT

**NET WT 0.105 OZ (3g)**

0.672

**Drug Facts**

**Active ingredients**

Allantoin 0.5%  
Benzocaine 20%  
Camphor 3%  
Dimethicone 2%  
Menthol 1%  
White petrolatum 64%

**Purpose**

Skin protectant  
Topical anesthetic  
Topical analgesic  
Skin protectant  
Topical analgesic  
Skin protectant

**Uses** ■ temporarily relieves pain and dryness; softens crusts (scabs) associated with ■ cold sores ■ fever blisters

**Warnings**

For external use only.

**Methemoglobinemia warning:** Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: ■ pale, gray, or blue colored skin (cyanosis) ■ headache ■ rapid heart rate ■ shortness of breath ■ dizziness or lightheadedness ■ fatigue or lack of energy

**Allergy alert:** do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

**Do not use** ■ more than directed ■ for more than 7 days unless directed by a physician ■ for teething ■ in children under 2 years of age

**When using this product** ■ do not get into eyes

**Stop use and ask a physician** if ■ condition worsens ■ symptoms do not improve in 7 days ■ symptoms clear up and occur again within a few days ■ swelling, rash or fever develops ■ irritation, pain or redness persists or worsens

**Keep out of reach of children.** In case of overdose or allergic reaction, get medical help or contact Poison Control Center right away

**Directions** ■ squeeze tube to dispense ■ blend well until green tint disappears ■ rub in gently

Adults and children 2 years of age and older Apply to affected area not more than 3 to 4 times daily

Children between 2 and 12 years of age Ask a doctor before use. Should be supervised in the use of this product

Children under 2 years of age Do not use

**Other information** ■ do not use if the package is torn, cut or otherwise damaged ■ store at 15-30°C (59-86°F) under dry conditions ■ this is a personal care item and should be used by one individual only

**Inactive ingredients** caprylic/capric triglyceride, Prunella vulgaris leaf extract, propylene glycol, water, tocopheryl acetate, retinyl palmitate, Zea mays (corn) oil, tocopherol, cholecalciferol, titanium dioxide, yellow 5 lake, Iron oxides, blue 1 lake

**Questions?** call us at 1-800-952-5880 M-F 9am-5pm ET

Church & Dwight Co., Inc., Ewing, NJ 08628 USA  
OJBC-99882-04 72013503



**Orajel Cold Sore MoistureLock**

benzocaine cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10237-761
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g
<b>ALLANTOIN</b> (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	5 mg in 1 g
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	30 mg in 1 g
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 1 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 mg in 1 g
<b>PETROLATUM</b> (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	640 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>PRUNELLA VULGARIS LEAF</b> (UNII: 2LW0610U4O)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>CORN OIL</b> (UNII: 8470G57WFM)	
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	

### Product Characteristics

<b>Color</b>	green	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-761-01	1 in 1 CARTON	07/01/2016	
1		3 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	07/01/2016	

**Labeler** - Church & Dwight Co., Inc. (001211952)

Revised: 11/2024

Church & Dwight Co., Inc.