

RED-KOTE VETERINARY SCARLET RED OIL - phenol, scarlet red liquid
H. W. Naylor Company Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

RED-KOTE® WOUND DRESSING

Active Ingredients

Phenol 3.25%, Biebrich Scarlet Red .23%

Purpose

Superficial Wounds, Cuts, Lacerations, Slow Healing Ulcers, Abrasions, Burns, Chafes.

Directions

PAINT IT ON HORSES • DOGS

Thoroughly clean and dry wound area. Apply RED-KOTE morning and night or as required.

Thoroughly cleanse and sanitize dauber after each use.

Keep wound clean and dry.

Safety

CAUTION: In case of serious burns, deep or puncture wounds, consult veterinarian.

If redness, irritation or swelling persists or increases, discontinue use and consult veterinarian.

Avoid contact with eyes or mucous membranes.

Do not apply to large areas of broken skin.

Do not use on cats.

Prevent dog from licking treated area.

DO NOT USE ON FOOD-PRODUCING ANIMALS.

FOR EXTERNAL ANIMAL USE ONLY.

KEEP FROM REACH OF CHILDREN

Other Ingredients

Vegetable Oil Base, Isopropyl Alcohol

Questions?

www.drnaylor.com

Principal Display Panels

Dr. Naylor®

RED-KOTE® VETERINARY SCARLET RED OIL

Antiseptic Wound Dressing

Non-Drying Softening

Four Fluid Ozs. (118 grams)

H.W. NAYLOR CO., INC.

www.drnaylor.com

Morris N.Y. 13808

U.S.A.

Made in U.S.A.

SP5032

**ADHERES • PROTECTS
FIGHTS INFECTION**

Lot - 10-10

Exp. 11-14

**PAINT IT ON
HORSES - DOGS**

**Superficial Wounds,
Cuts, Lacerations,
Slow Healing Ulcers,
Abrasions, Burns,
Chafes.**

DIRECTIONS:
Thoroughly clean and
dry wound area. Apply
RED-KOTE morning
and night or as required.
Thoroughly cleanse
and sanitize dauber
after each use. Keep
wound clean and dry.

**ADHERES • PROTECTS
FIGHTS INFECTION**

Dr. Naylor®

RED-KOTE®
VETERINARY
SCARLET RED OIL
**Antiseptic
Wound Dressing
Non-Drying Softening**

Active Ingredients: Phenol 3.25%,
Biebrich Scarlet Red .23%. In a
soothing, softening vegetable oil base.
Isopropyl alcohol 6.2% by volume.

Four Fluid Ozs. (118 ml)
H.W. NAYLOR CO., INC.
www.drnaylor.com
Morris N.Y. 13808
U.S.A.

CAUTION:
In case of serious burns,
deep or puncture wounds,
consult veterinarian. If
redness, irritation or
swelling persists or
increases, discontinue use
and consult veterinarian.
Avoid contact with eyes
or mucous membranes.
Do not apply to large
areas of broken skin. Do
not use on cats. Prevent
dog from licking treated
area.

**DO NOT USE ON
FOOD-PRODUCING
ANIMALS**

**FOR EXTERNAL
ANIMAL USE ONLY-
KEEP FROM REACH
OF CHILDREN**

Made in U.S.A.

Lot - 10-10
Exp. 11-14

SP5032

RED-KOTE VETERINARY SCARLET RED OIL

phenol, scarlet red liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:15878-213
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Phenol (UNII: 339NCG44TV) (Phenol - UNII:339NCG44TV)	Phenol	37.9 mg in 1000 mL
Scarlet Red (UNII: I35E9QU96C) (Scarlet Red - UNII:I35E9QU96C)	Scarlet Red	2.4 mg in 1000 mL

Inactive Ingredients

Ingredient Name	Strength
Linseed Oil (UNII: 84XB4DV00W)	
Castor Oil (UNII: D5340Y2I9G)	
Isopropyl Alcohol (UNII: ND2M416302)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15878-213-11	118 mL in 1 BOTTLE, PUMP		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/1964	

Labeler - H. W. Naylor Company Inc. (002080190)

Establishment

Name	Address	ID/FEI	Business Operations
H. W. Naylor Company Inc.		002080190	manufacture, api manufacture

Revised: 6/2015

H. W. Naylor Company Inc.