

**BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid
bandage liquid
CVS Pharmacy**

CVS Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic

Topical analgesic

Uses

- first aid to prevent bacterial contamination in minor cuts, scrapes and burns
- for the temporary relief of pain

Warnings

For external use only.

Flammable:

Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs

- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- ***cap bottle tightly***
- store between 20° to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

CVS Health

Liquid Bandage for:

- Paper cuts
- Blisters
- Chapped & cracked fingertips
- Shaving nicks
- Hangnails
- Help in preventing the formation of calluses

Package Contains One Bottle

0.3 FL OZ (9mL)



Compare to
New-Skin®
NDC 59779-385-03

Liquid bandage for:

- Paper cuts
- Blisters
- Chapped & cracked fingertips
- Shaving nicks
- Hangnails
- Help in preventing the formation of calluses



Package Contains One Bottle 0.3 FL OZ (9 mL)

Use CVS Health™ Liquid Bandage for: Paper cuts, blisters, chapped & cracked fingertips, shaving nicks, hangnails & help in preventing the formation of calluses

Used by:
Bowlers, golfers, tennis players, fishermen, musicians, runners, hikers & dancers

53-033CV-A01



Compare to New-Skin®

Liquid Bandage

FOR SMALL CUTS & WOUNDS

Liquid Bandage

FOR SMALL CUTS & WOUNDS

TOPICAL ANALGESIC & ANTISEPTIC SEALS TO PROTECT

- Prevents infection
- Invisible & flexible
- Easy to use

0.3 FL OZ (9 mL)



* This product is not manufactured or distributed by Moberg Pharma North America LLC, owner of the registered trademark New-Skin®.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2019 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

Made in the U.S.A. with U.S. and Imported parts
V-18372



#336846

FPO 85%

UPC# 050428437933

X XXXXXX XXXXXX X

Care: Wipe top of bottle clean after each use.

Questions? Call 1-866-964-0939

Inactive ingredients nitrocellulose, SD alcohol 40, benzethonium chloride, benzocaine, benzyl alcohol, castor oil, ethyl acetate, liquid bandage and quickly wipe off.

Other information ■ cap bottle tightly ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more may be applied for extra protection ■ children under 2 years of age; consult a doctor ■ apply a small amount on the area 1 to 3 times daily and let dry ■ a second coating ■ clean affected area

Directions ■ for adults and children 2 years of age and older ■ clean affected area ■ apply a small amount on the area 1 to 3 times daily and let dry ■ a second coating ■ may be applied for extra protection ■ children under 2 years of age; consult a doctor

Warnings ■ for external use only. ■ Flammable; keep away from fire or flame.

Do not use ■ in the eyes ■ over large areas of the body ■ longer than 1 week unless directed by a doctor

Ask a doctor before use if you have ■ deep or puncture wounds ■ deep cuts ■ animal bites ■ serious burns

When using this product ■ avoid contact with eyes

Stop use and ask a doctor if ■ condition persists or gets worse ■ infection occurs ■ symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

Directions ■ for adults and children 2 years of age and older ■ clean affected area ■ apply a small amount on the area 1 to 3 times daily and let dry ■ a second coating ■ may be applied for extra protection ■ children under 2 years of age; consult a doctor


Other information ■ cap bottle tightly ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more may be applied for extra protection ■ children under 2 years of age; consult a doctor

Liquid Bandage and quickly wipe off.

Inactive ingredients nitrocellulose, SD alcohol 40, benzethonium chloride, benzocaine, benzyl alcohol, castor oil, ethyl acetate, liquid bandage and quickly wipe off.

Questions? Call 1-866-964-0939

DO NOT USE IF NECKBAND IS BROKEN



BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-385
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 10 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:59779-385-03	10 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	07/10/2014	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003		07/10/2014	

Labeler - CVS Pharmacy (062312574)

Revised: 1/2024

CVS Pharmacy