COUGH SORE THROAT- bromine pellet Natural Health Supply

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Indications: To be used for acute self-limiting conditions according to standard homeopathic indications

Active Ingredient

Bromine

Directions

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

Keep Out of Reach of Children

Keep these and all medications out of the reach of children.

Warning

If pregnant or nursing, consult a practitioner before using.

Inactive Ingredients - Lactose, Sucrose

Purpose: COUGH SORE THROAT

Package Label

Est. No. 1724217

Natural Health Supply

505-474-9175

Homeopathic Medicated Pellets

Do not use if clear bottle seal is broken. Do not use if perforated cap seal is broken.

BROMIUM 30CC 7.5ML (1/4 OZ)

Lot#_			

Est. No. 1724217 Natural Health Supply 505-474-9175

Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications. Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets.

Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using. inactive Ingredients: Sucrose/Lactose

7.5ML(1/4 0Z) LOT #

Do not use if clear bottle BROMIUM 30C Sore seal S broken. Est. No. 1724217

Natural Health Supply 505-474-9175

Homeopathic Medicated Pellets


Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications.

Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets. Warning: Rose these and all medicines out of the gach of children; if pregnant or of children; if pregnant or nursing, consult a practitioner before using. Inactive Ingredients: Sucrose/

1.875 ml (1/16 oz.)

LOT #

Do not use if perforated cap seal is broken.



COUGH SORE THROAT

bromine pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64117-212	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BROMINE (UNII: SBV4XY874G) (BROMINE - UNII:SBV4XY874G)	BROMINE	30 [hp_C] in 1 mL

Inactive Ingredients				
Ingredient Name	Strength			
LACTOSE (UNII: J2B2A4N98G)				
SUCROSE (UNII: C151H8 M554)				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64117-212- 01	1.875 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	
2	NDC:64117-212- 02	7.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/04/1998		

Labeler - Natural Health Supply (018504618)

Registrant - Natural Health Supply (018504618)

Establishment					
Name	Address	ID/FEI	Business Operations		
Natural Health Supply		0 18 50 46 18	manufacture(64117-212)		

Revised: 12/2020 Natural Health Supply