

**PEPCID COMPLETE- famotidine, calcium carbonate, and magnesium hydroxide tablet, chewable**  
Kenvue Brands LLC

-----  
**Pepcid® Complete**

**Drug Facts**

<b>Active ingredients (in each chewable tablet)</b>	<b>Purposes</b>
Famotidine 10 mg	Acid reducer
Calcium carbonate 800 mg	Antacid
Magnesium hydroxide 165 mg	Antacid

**Use**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert**

Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- adults and children 12 years and over:
  - **do not swallow tablet whole: chew completely**
  - to relieve symptoms, **chew** 1 tablet before swallowing
  - do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

### **Other information**

- **each tablet contains:** calcium 320 mg, magnesium 70 mg
- contains FD&C yellow no. 5 (tartrazine) as a color additive
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture
- **do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing**

### **Inactive ingredients**

cellulose acetate, corn starch, corn syrup solids, crospovidone, dextrose excipient, FD&C yellow no. 5 aluminum lake (tartrazine), FD&C yellow no. 6 aluminum lake, flavors, gum arabic, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, maltodextrin, mineral oil, sucralose, triacetin

### **Questions or comments?**

call **1-800-755-4008** (toll-free) or **215-273-8755** (collect)

### **PRINCIPAL DISPLAY PANEL**

NDC 16837-246-25

DUAL ACTION

Pepcid®

Complete

Famotidine 10 mg–Acid reducer

Calcium carbonate 800 mg–Antacid

Magnesium hydroxide 165 mg-Antacid

Just One Tablet!

Relieves Heartburn Due to Acid Indigestion

Tropical Fruit Flavor

actual size

25

Chewable Tablets

NDC 16837-246-25

**DUAL ACTION**

# Pepcid Complete

Famotidine 10 mg—Acid reducer  
Calcium carbonate 800 mg—Antacid  
Magnesium hydroxide 165 mg—Antacid

**Just One Tablet!**  
Relieves Heartburn Due to Acid Indigestion  
Tropical Fruit Flavor

**25 Chewable Tablets**

actual size

**For Complete Directions and Warnings**

**Do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing**

**Drug Facts**

Active ingredients (in each chewable tablet)	Purposes
Famotidine 10 mg.....	Acid reducer
Calcium carbonate 800 mg.....	Antacid
Magnesium hydroxide 165 mg.....	Antacid

**Use** relieves heartburn associated with acid indigestion and sour stomach

Distributed by:  
**JOHNSON & JOHNSON CONSUMER INC.**  
McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA  
©McNeil Consumer Pharmaceuticals Co. 2023  
PEPCID® and PEPCID COMPLETE® are registered trademarks of McNeil CPC  
Pat. www.jcipcats.com

**Drug Facts (continued)**

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- stomach pain
- nausea or vomiting
- kidney disease

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.


**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years and over:
  - **do not swallow tablet whole: chew completely**
  - to relieve symptoms, **chew** 1 tablet before swallowing
  - do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor



30054346

**Drug Facts (continued)**

**Other information**

- each tablet contains: calcium 320 mg, magnesium 70 mg
- contains FD&C yellow no. 5 (tartrazine) as a color additive
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture
- do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing

**Inactive ingredients** cellulose acetate, corn starch, corn syrup solids, crospovidone, dextrose excipient, FD&C yellow no. 5 aluminum lake (tartrazine), FD&C yellow no. 6 aluminum lake, flavors, gum arabic, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, maltodextrin, mineral oil, sucralose, triacetin

**Questions or comments?**

call 1-800-755-4008 (toll-free) or 215-273-8755 (collect)

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**Pepcid Complete**

**Acid Reducer + Antacid**

Famotidine 10 mg per tablet  
Calcium carbonate 800 mg per tablet  
Magnesium hydroxide 165 mg per tablet

**25 Chewable Tablets**

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.**  
McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA  
©McNeil Consumer Pharmaceuticals Co. 2023  
PEPCID® and PEPCID COMPLETE® are registered trademarks of McNeil CPC  
Pat. www.jcipcats.com



Shown actual size

**PEPCID COMPLETE**

famotidine, calcium carbonate, and magnesium hydroxide tablet, chewable

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:16837-246
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>FAMOTIDINE</b> (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	800 mg
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)	
<b>CROSPROVIDONE (120 .MU.M)</b> (UNII: 68401960MK)	
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>CELLULOSE ACETATE</b> (UNII: 3J2P07GVB6)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	17mm
<b>Flavor</b>	FRUIT (Tropical Fruit Flavor)	<b>Imprint Code</b>	P
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16837-246-05	5 in 1 CARTON	01/01/2009	03/31/2013
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:16837-246-08	8 in 1 CARTON	01/01/2009	03/31/2012
2		1 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:16837-246-25	25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2009	
4	NDC:16837-246-26	25 in 1 TRAY	01/01/2009	04/11/2016
4		1 in 1 POUCH; Type 0: Not a Combination Product		
5	NDC:16837-	2500 in 1 TRAY	01/01/2009	03/31/2014

5	246-27	2500 in 1 TRAY	01/01/2009	05/31/2014
5		1 in 1 POUCH; Type 0: Not a Combination Product		
6	NDC:16837-246-28	2500 in 1 TRAY	01/01/2009	03/31/2013
6		1 in 1 POUCH; Type 0: Not a Combination Product		
7	NDC:16837-246-29	25 in 1 TRAY	01/01/2009	05/31/2013
7		1 in 1 POUCH; Type 0: Not a Combination Product		
8	NDC:16837-246-50	50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2009	
9	NDC:16837-246-36	1 in 1 CARTON	01/01/2009	01/24/2014
9		35 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
10	NDC:16837-246-64	65 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2009	03/24/2014

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020958	01/01/2009	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC