

**PCXX NEUTRAL RMS BUBBLEGUM- fluoride treatment rinse**  
**Ross Healthcare Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**PCXX NEUTRAL RNS BUBBLEGUM**

**PCXX NEUTRAL RMS BUBBLEGUM**

fluoride treatment rinse

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:62007-213
<b>Route of Administration</b>	TOPICAL, DENTAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SODIUM FLUORIDE</b> (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	FLUORIDE ION	20 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	0.04 mg in 1 mL

**Product Characteristics**

<b>Color</b>	pink	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:62007-213-64	1900 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/28/2019	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		04/20/2015	

**Labeler** - Ross Healthcare Inc. (064974821)**Registrant** - Ross Healthcare Inc. (064974821)