

**TUSSIN COUGH AND CHEST CONGESTION DM ADULT- dextromethorphan hbr,
guaifenesin liquid**

AAFES/Your Military Exchanges

Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with the dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL= milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

Other information

- store between 20-25°C(68-77°F). Do not refrigerate

Inactive ingredients

anhydrous citric acid, FD&C red 40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

*Compare to active ingredients of Robitussin® Peak Cold Cough & Chest Congestion DM

Adult

Tussin Cough + Chest Congestion DM

Dextromethorphan HBr

Cough Suppressant

Guaifenesin

Expectorant

Relieves:

- Cough
- Mucus

Alcohol Free

Non-Drowsy

Dosing Cup Included

For Ages 12 & Over

FL OZ (mL)

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Robitussin® Peak Cold Cough and Chest Congestion DM.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Manufactured for Your Military Ewxchanges

By: PL Developments, 11865 S Alameda St

Lynwood, CA 90262

Package Label

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Robitussin® Peak Cold Cough + Chest Congestion DM.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

PARENTS:
Learn about how medicine abuse
www.StopMedicineAbuse.org



Dosing Cup Included

"SATISFACTION GUARANTEED OR YOUR MONEY BACK."
Manufactured For Your Military Exchanges
By: PL Developments, 11865 S. Alameda St
Lynwood, CA 90262

*Compare to active ingredients in Robitussin®
Peak Cold Cough + Chest Congestion DM

**exchange
select**

**ADULT
Tussin
Cough + Chest
Congestion DM**

Dextromethorphan HBr
Cough Suppressant
Guaifenesin
Expectorant

Relieves:
• Cough
• Mucus

Non-drowsy
Alcohol Free

For Ages
12 & Over
8 fl oz (237 mL)

quality
value

*Compare to active ingredients in Robitussin®
Peak Cold Cough + Chest Congestion DM

**exchange
select**

**ADULT
Tussin
Cough + Chest
Congestion DM**

Dextromethorphan HBr
Cough Suppressant
Guaifenesin
Expectorant

Relieves:
• Cough
• Mucus

Non-drowsy
Alcohol Free

For Ages
12 & Over
8 fl oz (237 mL)

quality
value

Drug Facts	
Active ingredients (in each 10 mL)	Purposes
Dextromethorphan HBr 20 mg.....	Cough suppressant
Guaifenesin 200 mg.....	Expectorant
Uses	
<ul style="list-style-type: none"> ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes 	
Warnings	
<p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>	
Directions	
<ul style="list-style-type: none"> ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided. Do not use any other dosing device. ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age ■ adults and children 12 years and over: 10 mL every 4 hours ■ children under 12 years: do not use 	
Other information	
<ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F). Do not refrigerate. 	
Inactive ingredients citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate	
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	



PLD-1325C FC007424

Lot No.:
Exp. Date:

EXCHANGE SELECT Adult Tussin Cough and Chest Congestion DM

TUSSIN COUGH AND CHEST CONGESTION DM ADULT

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-385
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
DEXTROSE (UNII: IY9XDZ35W2)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KOOR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-385-08	1 in 1 BOX	09/30/2015	11/30/2025
1		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/30/2015	11/30/2025

Labeler - AAFES/Your Military Exchanges (001695568)