

**PAIN RELIEVER- acetaminophen tablet, film coated**  
**WAL-MART STORES INC**

-----  
**Pain Reliever**

***Drug Facts***

***Active Ingredient (in each tablet)***

Acetaminophen 325 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

• temporarily relieves minor aches and pains due to: • the common cold • headache • backache • minor pain of arthritis • toothache • muscular aches • premenstrual and menstrual cramps • temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

• more than 4,000 mg of acetaminophen in 24 hours • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product.

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** • with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has** liver disease

**Ask a doctor or pharmacist before use if the user is** taking the blood thinning drug warfarin

**Stop use and ask a doctor if** • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

**do not take more than directed (see overdose warning)**

---

adults & children 12 years & over	<ul style="list-style-type: none"><li>• take 2 tablets every 4 to 6 hours while symptoms last</li><li>• do not take more than 10 tablets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children 6 years to under 12 years	<ul style="list-style-type: none"><li>• take 1 tablet every 4 to 6 hours while symptoms last</li><li>• do not take more than 5 tablets in 24 hours</li><li>• do not use for more than 5 days unless directed by a doctor</li></ul>
children under 6 years	ask a doctor

---

### ***Other information***

- store between 20–25°C (68–77°F)

### ***Inactive ingredients***

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl pyrrolidone, pre-gelatinized starch, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-888-333-9792**

### **Principal Display Panel**

Label

NDC 79903-130-99

**equate™**

Regular Strength

**Pain Reliever**

Acetaminophen  
325 mg

**Pain Reliever/  
Fever Reducer**

**DO NOT USE WITH OTHER MEDICINES  
CONTAINING ACETAMINOPHEN**

**325  
mg**

**100  
TABLETS**

**TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

**Active ingredient (in each tablet) Purpose**

Acetaminophen 325 mg.....Pain reliever/fever reducer

**Uses** ■ temporarily relieves minor aches and pains due to:

- the common cold ■ headache ■ backache ■ minor pain of arthritis
- toothache ■ muscular aches ■ premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if ■ adult takes more than 4,000 mg of acetaminophen in 24 hours ■ child takes more than 5 doses in 24 hours, which is the maximum daily amount. ■ taken with other drugs containing acetaminophen ■ adult has 3 or more alcoholic drinks every day while using this product.

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed (see overdose warning) adults and children 12 years and over: ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor.

children 6 years to under 12 years: ■ take 1 tablet every 4 to 6 hours while symptoms last ■ do not take more than 5 tablets in 24 hours ■ do not use for more than 5 days unless directed by a doctor.

children under 6 years: ask a doctor

**Other information** ■ store between 20-25°C (68-77°F)

**Questions or comments? 1-888-287-1915**

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716  
262316


PRODUCT OF INDIA

Not For Individual Retail Sale.

LOT:

EXP:

Caton



## PAIN RELIEVER

acetaminophen tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-130
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I3O)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PYRROLIDONE</b> (UNII: KKL5D39EOL)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	S99
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-130-99	1 in 1 CARTON	06/17/2022	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/17/2022	

**Labeler** - WAL-MART STORES INC (051957769)

Revised: 12/2023

WAL-MART STORES INC