

**COLD AND HOT MEDICATED PATCH- menthol patch**  
**Universal Distribution Center LLC**

-----  
**Cold and Hot Medicated Patch**

**Drug Facts**

**Active Ingredient**

Menthol 5%

**Purpose**

Topical analgesic

**Uses**

Temporarily relieve minor pain associated with:

- arthritis • simple backache • muscle strains • bursitis • tendonitis • strains • bruises • cramps

**WARNINGS**

**For external use only.**

**When using this product** • use only as directed • do not bandage tightly or use with a heating pad

• avoid contact with eyes and mucous membranes • do not apply to wounds or damaged skin.

**Stop use and ask a doctor if** • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days • redness is present • skin irritation develops.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Adults and Children 12 years of age and older:**

- peel off protective backing and apply sticky side to affected area
- carefully remove backing from patch
- should be used up to 8 hours
- should be used no more than 3 times a day

- **children under 12 years of age:** consult a doctor

### Other information

- store at room temperature 68° to 77°F (20° to 25°C)

### Inactive ingredients

Glycerin, Sodium Polyacrylate, Dihydroxyaluminium Aminoacetate Anhydrous, Edetate Disodium, Kaolin, Carbomer, Carboxymethylcellulose Sodium, Purified Water, Tartaric Acid, POVIDONE K90, DMDM Hydantoin, Alcohol 95%, Polysorbate 80

### Compare to the active ingredient in Icy Hot® Patch

#### **EXTRA STRENGTH**

**Contains Menthol 5%**

**Works on contact for cooling pain relief**

**Pain relieving ointment on a breathable adhesive pad**

\*This product is not manufactured or distributed by Chattem Inc., owner of the registered trademark Icy Hot® Patch.

### Distributed by:


Universal Distribution Center

96 Distribution Boulevard • Edison, NJ 08817

Made in P.R.C.

### Packaging





## DRUG FACTS LABEL

Drug Facts	
<b>Active Ingredient</b>	<b>Purpose</b>
Menthol 5% .....	Topical analgesic
<b>Uses</b>	
Temporarily relieve minor pain associated with:	
• arthritis • simple backache • muscle strains • bursitis • tendonitis • strains • bruises • cramps	
<b>WARNINGS</b>	
<b>For external use only.</b>	
<b>When using this product</b> • use only as directed • do not bandage tightly or use with a heating pad • avoid contact with eyes and mucous membranes • do not apply to wounds or damaged skin.	
<b>Stop use and ask a doctor if</b> • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days • redness is present • skin irritation develops.	
<b>If pregnant or breast-feeding</b> , ask a health professional before use.	
<b>Keep out of reach of children.</b>	
If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<b>Adults and Children 12 years of age and older:</b>	
• peel off protective backing and apply sticky side to affected area	
• carefully remove backing from patch	
• should be used up to 8 hours	
• should be used no more than 3 times a day	
• <b>children under 12 years of age:</b> consult a doctor	
<b>Other information</b>	
• store at room temperature 68° to 77°F (20° to 25°C)	
<b>Inactive ingredients</b>	
Glycerin, Sodium Polyacrylate, Dihydroxyaluminium Aminoacetate Anhydrous, Edetate Disodium, Kaolin, Carbomer, Carboxymethylcellulose Sodium, Purified Water, Tartaric Acid, POVIDONE K90, DMDM Hydantoin, Alcohol 95%, Polysorbate 80	

## COLD AND HOT MEDICATED PATCH

menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52000-032
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	205.5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CARBOMER HOMOPOLYMER TYPE B (ALLYL SUCROSE CROSSLINKED)</b> (UNII: Z135WT9208)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)	
<b>ALCOHOL 95%</b> (UNII: 7528N5H79B)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52000-032-42	1 in 1 BOX	06/21/2017	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/21/2017	

**Labeler** - Universal Distribution Center LLC (019180459)

**Registrant** - Universal Distribution Center LLC (019180459)

### Establishment

Name	Address	ID/FEI	Business Operations
Koolcare Technology Co., Ltd.		602479389	manufacture(52000-032)

Revised: 6/2024

Universal Distribution Center LLC