#### MY MEDIC CALENDULA GEL- calendula officinalis flowers gel Sled Distribution, LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Calendula Gel

#### **Purpose Section**

Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises.

#### **Active Ingredients**

Calendula Officinalis Flower Extract ..... 4%

#### Indications and Usage

temporarily relieve muscle pain and stiffness due to:

- minor infuries
- overexertion
- falls
- reduces symptoms of bruising such as discoloration, pain, and swelling.

#### Keep our of Reach of Children

if swallowed, get medical help or contact a Poison Control Center right away.

#### Warning Section

Warnings

For external use only.

■ Do not use on if are allergic to Calendula or any of this product's inactive ingredients.

When using this product

■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin.

■dryness or irritation may occur

- Use on as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- conditions persist for more than 3 days or worsens
- symptons clear up and occur again within a few days.

### Storange and Handling

Store at room temperature.

#### **Dosage & Administration**

apply a thin layer of gel toaffected area as soon as possible after minor injure. Repeat 3 time a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

#### **Inactive Ingredients**

White Petroleum, Water


#### **Principal Display Panel**

## MY MEDIC"

# Calendula Gel

Anti-inflammatory ointment which reduces swelling & pain

## Topical





EXPERIENCE ELEVATED FIRST AID

Active ingredients Calendula Officinalis flower extract (4%)	Purpose Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises
reduces symptoms of	verexertion falls
Warnings For external Do not use if you are all or any of this product's in	ergic to Calendula
When using this prod avoid contact with eyes, wounds, damaged or im dryness or irritation ma use only as directed do not tightly wrap or b do not tightly wrap or b do not tightly heat or ica immediately before or	mucous membranes, itated skin y occur andage the treated area a to the treated area
Stop use and ask a do conditions persist for me symptoms clear up and few days.	ore than 3 days or worsens
Keep out of reach of a	help or contact a Poison
Directions Apply a thin area as soon as possible 3 times a day or as neede wait 5 minutes before ap	after minor injury Repeat ed. If heat or ice is applied
Other information of seal is broken.	
Inactive ingredients White Petroleum, Water	i 
MFG:	SCAN M

MADE IN CHINA www.mymedic.com DISTRIBUTED BY: SLED DISTRIBUTION LLC DBA MYMEDIC 120 North Redwood Rd. Ste. A, North Salt Lake, UT 84054



#### **MY MEDIC CALENDULA GEL** calendula officinalis flowers gel **Product Information Product Type** HUMAN OTC DRUG Item Code (Source) NDC:81417-126 **Route of Administration** TOPICAL **Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength** CALENDULA OFFICINALIS FLOWER (UNII: P0M704Y7YD) (CALENDULA CALENDULA 4 g OFFICINALIS FLOWER - UNII: P0M704Y7YD) OFFICINALIS FLOWER in 100 g

Inactive Ingre	edients				
		Strength			
WHITE PETROLAT					
WATER (UNII: 0590					
Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
<b>1</b> NDC:81417-126-01	- 3.5 g in 1 PACKAGE; Type 0: Not a Combination Product	04/07/2022			
Marketing	Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved		04/07/2022			

### Labeler - Sled Distribution, LLC (079772888)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Sled Distribution, LLC		079772888	manufacture(81417-126)		

Revised: 4/2022

Sled Distribution, LLC