

**OXYGEN- oxygen gas**  
**Star Weld**

-----  
**Oxygen Label**

PRODUCED BY AIR LIQUEFACTION

OXYGEN, COMPRESSED USP

UN1072

DO NOT REMOVE THIS PRODUCT LABEL

DANGER:

COMPRESSED, OXIDIZING GAS, MAY CAUSE OR INTENSIFY FIRE, OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Star Weld

124 Vandale Avenue

Spencer, WV 25276

304-927-2218

WARNING: HIGH PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.

NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52 C (125 F). Use in accordance with Material Safety Data Sheet (MSDS).

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

M2 34 Liters M9/C 248 Liters N 1738 Liters ML7 198 Liters

M4 113 Liters D 415 Liters M 3452 Liters M60 1738 Liters

M6 165 Liters M22 650 Liters H 7980 Liters

ML6165 Liters E 682 Liters Liters



# OXYGEN

oxygen gas

## Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:51607-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51607-001-01	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2038	
2	NDC:51607-001-02	433 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2038	
3	NDC:51607-001-03	705 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2038	
4	NDC:51607-001-04	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2038	
5	NDC:51607-001-05	3908 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2038	
6	NDC:51607-001-06	7844 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2038	
7	NDC:51607-001-07	9345 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2038	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205865	01/01/1938	

**Labeler** - Star Weld (189857428)

**Establishment**

Name	Address	ID/FEI	Business Operations
Star Weld		189857428	manufacture(51607-001)

Revised: 10/2018

Star Weld