

ALLERGY RELIEF PLUS CONGESTION- diphenhydramine hcl, phenylephrine hcl tablet, film coated
Walgreen Company

Walgreens 44-485-Allergy Relief Plus Congestion

Active ingredients (in each tablet)

Diphenhydramine HCl 25 mg
Phenylephrine HCl 10 mg

Purpose

Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - nasal congestion
 - itching of the nose or throat
 - itchy, watery eyes
- temporarily relieves these symptoms due to the common cold:
 - nasal congestion
 - runny nose
 - sneezing
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- diabetes
- thyroid disease
- heart disease
- glaucoma

- high blood pressure
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- symptoms do not improve within 7 days or are accompanied by fever
- nervousness, dizziness, or sleeplessness occur

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 1 tablet every 4 hours
 - do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

Other information

- **each tablet contains:** calcium 25 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal display panel

NDC 0363-4851-08

Walgreens

Compare to the active ingredients in
Benadryl® Allergy Plus Congestion††

WALGREENS PHARMACIST RECOMMENDED†

Allergy Relief

PLUS CONGESTION

DIPHENHYDRAMINE HCl 25 mg / ANTIHISTAMINE
PHENYLEPHRINE HCl 10 mg / NASAL DECONGESTANT

Congestion Relief

- Relief of sinus congestion & pressure, runny nose, sneezing, itchy throat & itchy, watery eyes

24

COATED

MINI

TABS

ACTUAL SIZE

**TAMPER EVIDENT: DO
NOT USE IF PACKAGE
IS OPENED OR IF
BLISTER UNIT IS TORN,
BROKEN OR SHOWS
ANY SIGNS OF
TAMPERING**

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy Plus Congestion.

DISTRIBUTED BY: **WALGREEN CO.**
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com

©2021 Walgreen Co.

50844 REV1220A48508

W3ORG0821-F2
REV1122

Do not print area
Lot and
Exp Date Only

ITEM 603348 W00000-0000-0
1 1917706812 3

B-2201-485-08-HR
REV1220A48508

Drug Facts (continued)
microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin
1-800-426-9391
(Questions or comments?)

Drug Facts (continued)
When using this product
do not exceed recommended dosage
excitability may occur, especially in children
marked drowsiness may occur
alcohol, sedatives, and tranquilizers may increase drowsiness
avoid alcoholic beverages
use caution when driving a motor vehicle or operating machinery
Stop use and ask a doctor if
symptoms do not improve within 7 days or are accompanied by fever
neurosis, dizziness, or sleeplessness occur
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions do not take more than directed
adults and children 12 years and over
take 1 tablet every 4 hours
do not take more than 6 tablets in 24 hours
children under 12 years: do not use
Other information: calcium 25 mg
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
see end flap for expiration date and lot number
Inactive ingredients croscarmellose sodium, aluminum lake, hypromellose, magnesium stearate, ▲

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy Plus Congestion.

Drug Facts
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION
Active ingredients
(in each tablet)
Diphenhydramine HCl 25 mg Antihistamine
Phenylephrine HCl 10 mg Nasal decongestant
Purpose
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
runny nose ■ sneezing ■ nasal congestion
itching of the nose or throat ■ itchy, watery eyes
temporarily relieves these symptoms due to the common cold:
runny nose ■ nasal congestion
sneezing
temporarily relieves sinus congestion and pressure
temporarily relieves sinus congestion and pressure
Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
runny nose ■ sneezing ■ nasal congestion
itching of the nose or throat ■ itchy, watery eyes
temporarily relieves these symptoms due to the common cold:
runny nose ■ nasal congestion
sneezing
temporarily relieves sinus congestion and pressure
Warnings
Do not use
if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
with any other product containing diphenhydramine, even one used on skin
Ask a doctor before use if you have
difficulty in urination due to enlargement of the prostate gland ■ diabetes ■ thyroid disease
heart disease ■ glaucoma ■ high blood pressure
a breathing problem such as emphysema or chronic bronchitis
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2021 Walgreen Co.

50644 REV1220A48508

Walgreens



Allergy Relief

Walgreens



Compare to the active ingredients in Benadryl® Allergy Plus Congestion*

NDC 0363-4851-08


Allergy Relief

PLUS CONGESTION
DIPHENHYDRAMINE HCl 25 mg / ANTIHISTAMINE
PHENYLEPHRINE HCl 10 mg / NASAL DECONGESTANT

Congestion Relief

- Relief of sinus congestion & pressure, runny nose, sneezing, itchy throat & itchy, watery eyes

24



Walgreens 44-485

ALLERGY RELIEF PLUS CONGESTION

diphenhydramine hcl, phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4851
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;485
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4851-08	2 in 1 CARTON	11/01/2021	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/01/2021	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-4851) , pack(0363-4851)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-4851)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-4851)

Revised: 2/2024

Walgreen Company