

**RECOVATONE- glycyrrhiza glabra, kali muriaticum, kali phosphoricum, iodium, zincum gluconicum, phosphorus, ascorbicum acidum, calcium gluconate, l-arginine, l-carnitine, l-ornithine, magnesia muriatica, magnesium gluconicum dihydricum, manganese gluconate, natrum muriaticum, cobalt gluconate, copper gluconate, creatine, l-glutamine, l-leucine, l-valine, potassium gluconate, selenium dioxide, adrenalinum, boron, calcarea phosphorica, ferrum sulphuricum, molybdenum, niccolum metallicum, selenium metallicum, liquid**  
**Energique, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Drug Facts:**

### **ACTIVE INGREDIENTS:**

(in each drop): 3.67% of Adrenalinum 10X, Adrenocorticotrophin 15C, Ascorbicum Acidum 6X, Boron 12X, Calcarea Phosphorica 12X, Calcium Gluconate 6X, Chromium 14X, Cobalt Gluconate 8X, Copper Gluconate 8X, Creatine 8X, Ferrous Sulphuricum 12X, L-Arginine 6X, L-Carnitine 6X, L-Glutamine 8X, L-Leucine 8X, L-Ornithine 6X, L-Valine 8X, Magnesia Muriatica 6X, Molybdenum 12X, Natrum Muriaticum 6X, Niccolum Metallicum 12X, Potassium Gluconate 8X, Selenium Metallicum 12X, Selenium Dioxide 8X, Strontium Carbonicum 12X, Vanadium Metallicum 12X, Zincum Gluconicum 8X; 0.10% of Glycyrrhiza Glabra 1X, Iodium 4X, Kali Muriaticum 2X, Kali Phosphoricum 3X, Magnesium Gluconicum Dihydricum 6X, Manganese Gluconate 6X, Phosphorus 5X, Zincum Gluconicum 4X.

### **INDICATIONS:**

May temporarily relieve symptoms associated with exertions, such as muscle pain, muscle weakness, trembling of limbs, and cramps.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **WARNINGS:**

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in a cool, dry place.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

Adults and children take four droppers full twice a day for stamina building and muscle recovery; best if taken 1/2 hour prior to workout. For more strenuous workouts, dosage may be increased to eight droppers full.

Consult a physician for use in children under 12 years of age.

**INDICATIONS:**

May temporarily relieve symptoms associated with exertions, such as muscle pain, muscle weakness, trembling of limbs, and cramps.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**INACTIVE INGREDIENTS:**

Demineralized water, 20% Ethanol.

**QUESTIONS:**

Dist. by Energique, Inc., 201 Apple Blvd.  
Woodbine, IA 51579 800.869.8078

**PACKAGE LABEL DISPLAY:**

**ENERGIQUE**

SINCE 1987

**HOMEOPATHIC REMEDY**

**RECOVATONE**

**4 fl. oz. (120 ml)**

**WARNINGS:** If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

**INDICATIONS:** May temporarily relieve symptoms associated with exertions, such as muscle pain, muscle weakness, trembling of limbs, and cramps.\*\*

**DIRECTIONS:** Adults and children take four droppers full twice a day for stamina building and muscle recovery; best if taken 1/2 hour prior to workout. For more strenuous workouts, dosage may be increased to eight droppers full. Consult a physician for use in children under 12 years of age.

LOT:



**HOMEOPATHIC REMEDY**

# RECOVATONE™

**4 fl. oz. (120 ml) 20% Ethanol**

**Active Ingredients (in each drop):**  
 3.67% of Adrenalinum 10X, Adrenocorticotrophin 15C, Ascorbic Ac 6X, Boron 12X, Calc Phos 12X, Calcium Gluconate 6X, Chromium 14X, Cobalt Gluconate 8X, Copper Gluconate 8X, Creatine 8X, Ferrum Sulph 12X, L-Arginine 6X, L-Carnitine 6X, L-Glutamine 8X, L-Leucine 8X, L-Ornithine 6X, L-Valine 8X, Mag Mur 6X, Molybdenum 12X, Nat Mur 6X, Niccolum Met 12X, Potassium Gluconate 8X, Selenium 12X, Selenium Dioxide 8X, Strontium Carb 12X, Vanadium 12X, Zinc Gluc 8X; 0.10% of Glycyrrhiza 1X, Iodium 4X, Kali Mur 2X, Kali Phos 3X, Magnesium Gluconate 6X, Manganese Gluconate 6X, Phos 5X, Zinc Gluc 4X.

**Inactive Ingredients:**  
 Demineralized water, 20% Ethanol.

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Dist. by Energique, Inc., 201 Apple Blvd. Woodbine, IA 51579 **800.869.8078**

## RECOVATONE

glycyrrhiza glabra, kali muriaticum, kali phosphoricum, iodium, zincum gluconicum, phosphorus, ascorbicum acidum, calcium gluconate, l-arginine, l-carnitine, l-ornithine, magnesia muriatica, magnesium gluconicum dihydricum, manganese gluconate, natrum muriaticum, cobalt gluconate, copper gluconate, creatine, l-glutamine, l-leucine, l-valine, potassium gluconate, selenium dioxide, adrenalinum, boron, calcarea phosphorica, ferrum sulphuricum, molybdenum, niccolum metallicum, selenium metallicum, liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:44911-0542
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GLYCYRRHIZA GLABRA</b> (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	1 [hp_X] in 1 mL
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CATION	2 [hp_X] in 1 mL
<b>DIBASIC POTASSIUM PHOSPHATE</b> (UNII: CI71S98N1Z) (PHOSPHATE ION - UNII:NK08V8K8HR)	DIBASIC POTASSIUM PHOSPHATE	3 [hp_X] in 1 mL
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	4 [hp_X] in 1 mL
<b>ZINC GLUCONATE</b> (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	4 [hp_X] in 1 mL
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	5 [hp_X] in 1 mL
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X] in 1 mL
<b>CALCIUM GLUCONATE</b> (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM GLUCONATE	6 [hp_X] in 1 mL

<b>ARGININE</b> (UNII: 94ZLA3W45F) (ARGININE - UNII:94ZLA3W45F)	ARGININE	6 [hp_X] in 1 mL
<b>CARNITINE</b> (UNII: S7UI8SM58A) (CARNITINE - UNII:S7UI8SM58A)	CARNITINE	6 [hp_X] in 1 mL
<b>ORNITHINE</b> (UNII: E524N2IXA3) (ORNITHINE - UNII:E524N2IXA3)	ORNITHINE	6 [hp_X] in 1 mL
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CATION	6 [hp_X] in 1 mL
<b>MAGNESIUM GLUCONATE</b> (UNII: T42NAD2KHC) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM GLUCONATE	6 [hp_X] in 1 mL
<b>MANGANESE GLUCONATE</b> (UNII: 9YY2F980SV) (MANGANESE CATION (2+) - UNII:H6EP7W5457)	MANGANESE GLUCONATE	6 [hp_X] in 1 mL
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	6 [hp_X] in 1 mL
<b>COBALTOUS GLUCONATE</b> (UNII: 26SK597UWV) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS GLUCONATE	8 [hp_X] in 1 mL
<b>COPPER GLUCONATE</b> (UNII: RV823G6G67) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	8 [hp_X] in 1 mL
<b>CREATINE</b> (UNII: MU72812GK0) (CREATINE - UNII:MU72812GK0)	CREATINE	8 [hp_X] in 1 mL
<b>GLUTAMINE</b> (UNII: 0RH81L854J) (GLUTAMINE - UNII:0RH81L854J)	GLUTAMINE	8 [hp_X] in 1 mL
<b>LEUCINE</b> (UNII: GMW67QNF9C) (LEUCINE - UNII:GMW67QNF9C)	LEUCINE	8 [hp_X] in 1 mL
<b>VALINE</b> (UNII: HG18B9YRS7) (VALINE - UNII:HG18B9YRS7)	VALINE	8 [hp_X] in 1 mL
<b>POTASSIUM GLUCONATE</b> (UNII: 12H3K5QKN9) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM GLUCONATE	8 [hp_X] in 1 mL
<b>SELENIUM DIOXIDE</b> (UNII: 9N3UK29E57) (SELENIUM DIOXIDE - UNII:9N3UK29E57)	SELENIUM DIOXIDE	8 [hp_X] in 1 mL
<b>EPINEPHRINE</b> (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE	10 [hp_X] in 1 mL
<b>BORON</b> (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	12 [hp_X] in 1 mL
<b>TRIBASIC CALCIUM PHOSPHATE</b> (UNII: 91D9GV0Z28) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	12 [hp_X] in 1 mL
<b>FERROUS SULFATE</b> (UNII: 39R4TAN1VT) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	12 [hp_X] in 1 mL
<b>MOLYBDENUM</b> (UNII: 81AH48963U) (MOLYBDENUM - UNII:81AH48963U)	MOLYBDENUM	12 [hp_X] in 1 mL
<b>NICKEL</b> (UNII: 7OV03QG267) (NICKEL - UNII:7OV03QG267)	NICKEL	12 [hp_X] in 1 mL
<b>SELENIUM</b> (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	12 [hp_X] in 1 mL
<b>STRONTIUM CARBONATE</b> (UNII: 41YPU4MMCA) (STRONTIUM CATION - UNII:3707752C93)	STRONTIUM CARBONATE	12 [hp_X] in 1 mL
<b>VANADIUM</b> (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	12 [hp_X] in 1 mL
<b>CHROMIUM</b> (UNII: 0R0008Q3JB) (CHROMIUM - UNII:0R0008Q3JB)	CHROMIUM	14 [hp_X] in 1 mL
<b>CORTICOTROPIN</b> (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA)	CORTICOTROPIN	15 [hp_C] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44911-0542-1	120 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	05/08/2020	07/11/2027

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/08/2020	07/11/2027

**Labeler** - Energique, Inc. (789886132)

**Registrant** - Apotheca Company (844330915)

## Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(44911-0542) , api manufacture(44911-0542) , label(44911-0542) , pack(44911-0542)

Revised: 10/2024

Energique, Inc.