

**MENSTRUAL PAIN RELIEF- acetaminophen, caffeine, pyrilamine maleate tablet, film coated**  
**Walgreen Company**

-----  
**Walgreens 44-390 Menstrual Pain Relief**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Caffeine 60 mg  
Pyrilamine maleate 15 mg

***Purpose***

Pain reliever  
Diuretic  
Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- water-weight gain
- cramps
- backache
- fatigue
- muscle aches

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness may occur
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

**Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed**
- adults and children 12 years and over:

- take 2 caplets with water
- repeat every 6 hours, as needed
- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

### ***Other information***

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)

### ***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

### ***Questions or comments?***

**1-800-426-9391**

### **Principal Display Panel**

#### ***Walgreens***

Compare to the active ingredients in Midol® Complete††  
WALGREENS PHARMACIST RECOMMENDED†

NDC 0363-3900-22

#### **Menstrual Pain Relief**

**ACETAMINOPHEN** 500 mg / PAIN RELIEVER

CAFFEINE 60 mg / DIURETIC

PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

#### **Multi-Symptom Aspirin Free Caplets**

• Relieves cramps, bloating, fatigue, headaches & backaches

**48 CAPLETS**

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.

DISTRIBUTED BY: **WALGREEN CO.**

DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 walgreens.com ©2021 Walgreen Co.

50844 REV0623A39022

W3ORGMYY-F  
REV-1223

**Walgreens**  
 Compare to the active ingredients in  
 Mido<sup>®</sup> Complete\*

**Menstrual Pain Relief**  
**ACETAMINOPHEN** 500 mg / PAIN RELIEVER  
 CAFFEINE 60 mg / DIURETIC  
 PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

Multi-Symptom   Aspirin Free   Caplets

• Relieves cramps, bloating, fatigue, headaches & backaches

**48** CAPLETS

NDC 0363-3900-22

ITEM 586559 W00000-0000-0  
 TO OPEN EVIDENCE DO NOT USE IF IMPRINTED  
 SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

3 11917121273 9

**Drug Facts (continued)**

**Directions**

- do not take more than directed
- adults and children 12 years and over:
  - take 2 caplets with water
  - repeat every 6 hours, as needed
  - do not exceed 6 caplets per day
- children under 12 years: ask a doctor

**Other information**

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Inactive ingredients** corn starch, croscarmellose sodium, crospovidone, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

**Questions or comments?** 1-800-426-9391

how2recycle.info

PAPER BOX  
 PLASTIC BOTTLE

No print/No varnish  
Lot & Exp date

**Drug Facts (continued)**

a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness may occur
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

**Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

50844 REV0623A39022

DISTRIBUTED BY: WALGREEN CO.  
 DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 Walgreens.com ©2021 Walgreen Co.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Bayer Healthcare LLC, Mido<sup>®</sup> Complete.

B-2201-390-22-HR  
REV0623A39022

**Drug Facts**

**Active ingredients (in each caplet)**

- Acetaminophen 500 mg ..... Pain reliever
- Caffeine 60 mg ..... Diuretic
- Pyrilamine maleate 15 mg ..... Antihistamine

**Uses** for the temporary relief of these symptoms associated with menstrual periods:

- fatigue
- bloating
- headache
- water-weight gain
- cramps
- backache
- muscle aches

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- skin rash
- blistering
- itching

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

If you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma

ACTUAL SIZE

**MENSTRUAL PAIN RELIEF**  
 acetaminophen, caffeine, pyrilamine maleate tablet, film coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-3900
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	44;390
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-3900-10	1 in 1 CARTON	04/29/2002	
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-3900-22	1 in 1 CARTON	04/29/2002	
2		48 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:0363-3900-21	2 in 1 CARTON	04/29/2002	02/18/2021
3		8 in 1 BLISTER PACK; Type 0: Not a Combination		

Product			
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/29/2002	

**Labeler** - Walgreen Company (008965063)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-3900)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-3900) , pack(0363-3900)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-3900)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-3900)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-3900)