

VALIANT- lactic acid and linear dodecyl benzene sulfonic acid solution
ABS Global Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Warning

Causes eye irritation.

Wash skin thoroughly after handling.

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

DIRECTIONS FOR USE

Mix Directions: Add 3.5 ounces of Valiant Catalyst (US) to one gallon of Valiant Foam Active or mix (27.3 mL Valiant Catalyst (US) to 1 liter Valiant Foam Active). Inverting the container approximately 5-7 times will adequately mix the two solutions. Pour the mixed solution into the Valiant Foam Active wipe bucket or foaming teat dip cup. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.

Important: Do not add mixed Valiant Foam Active to any other teat dip or other products.

Directions For Pre-Milking Application:

WIPE: Apply to teats using wipes from the Valiant Foam Active Wipe kit. Use one wipe per cow.

FOAMING CUP: Apply foam to teats before milking, leaving sufficient contact time before wiping off with a single service towel. If product in dip cup becomes visibly dirty, discard contents and replenish. Do not reuse or return unused product to the original container.

NOTE: Valiant Foam Active is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice/
attention.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS
PRODUCT**

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If
located outside the United States and Canada, call collect
1 651 222 5352 (number is in the US).

Principal display panel and representative label

ABS

Valiant

Foam-Active

Sanitizing Pre-Milking Teat Dip

Base – For use exclusively with Valiant Catalyst (US)

An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Lactic Acid.....2.3%
Linear Dodecyl Benzene Sulfonic Acid.....1.6%

INERT INGREDIENTS:.....96.1%

(contains propylene glycol)

TOTAL:.....100.0%

6301665

18.9 L (5 US GAL)

Distributed by:

ABS Global, Inc. · P.O. Box 459
DeForest, Wisconsin USA 53532

www.absglobal.com

Manufactured by:

Ecolab Inc. · 1 Ecolab Place ·
St. Paul, MN 55102 USA ·

tel. 1 800 392 3392

© 2018 Ecolab USA Inc · All rights reserved

Made in U.S.A.

www.ecolab.com · 762425/5301/1218



Valiant[®] Foam-Active

Sanitizing Pre-Milking Teat Dip

Base – For use exclusively with *Valiant Catalyst (US)*
An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:	
Lactic Acid.....	2.3%
Linear Dodecyl Benzene Sulfonic Acid.....	1.6%
INERT INGREDIENTS:	96.1%
(contains propylene glycol)	
TOTAL:	100.0%

Base exclusiva para sellar pezones

Base – Para usarse exclusivamente con *Valiant Catalyst (US)*
Una ayuda para reducir la diseminación de organismos que pueden causar mastitis.

INGREDIENTES ACTIVOS:	
Ácido láctico.....	2.3%
Ácido lineal dodecilsulfónico.....	1.6%
INGREDIENTES INERTES:	96.1%
(contiene glicol propileno)	
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE

Warning

Causes eye irritation.
Wash skin thoroughly after handling.
Do not mix with bleach or other chlorinated products – will cause chlorine gas.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

DIRECTIONS FOR USE

Mix Directions: Add 3.5 ounces of *Valiant Catalyst (US)* to one gallon of *Valiant Foam Active* or mix (27.3 mL *Valiant Catalyst (US)* to 1 liter *Valiant Foam Active*). Inverting the container approximately 5-7 times will adequately mix the two solutions. Pour the mixed solution into the *Valiant Foam Active* wipe bucket or foaming teat dip cup. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.

Important: Do not add mixed *Valiant Foam Active* to any other teat dip or other products.

Directions For Pre-Milking Application:

WIPE: Apply to teats using wipes from the *Valiant Foam Active Wipe Kit*. Use one wipe per cow.

FOAMING CUP: Apply foam to teats before milking, leaving sufficient contact time before wiping off with a single service towel. If product in dip cup becomes visibly dirty, discard contents and replenish. Do not reuse or return unused product to the original container.

NOTE: *Valiant Foam Active* is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.]

Distributed by:
ABS Global, Inc. - P.O. Box 459
DeForest, Wisconsin USA 53532
www.absglobal.com

Manufactured by:
Ecolab Inc. - 1 Ecolab Place -
St. Paul, MN 55102 USA -
tel. 1 800 392 3392
© 2018 Ecolab USA Inc. All rights reserved
Made in U.S.A.
www.ecolab.com - 762425/5301/1218

MANTÉNGALO ALEJADO DEL ALCANCE DE
LOS NIÑOS
NO ES PARA USO HUMANO

Atención

Provoca irritación ocular.
Lávase la piel cuidadosamente después de la manipulación.

No mezclar con lejía u otros productos clorados – puede liberar doro gaseoso
EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD:
1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

INSTRUCCIONES DE USO

Instrucciones de mezclado: Agregue 3.5 onzas de *Valiant Catalyst (US)* a un galón de *Valiant Foam Active* y mezcle (27.3 mL *Valiant Catalyst (US)* a 1 litro de *Valiant Foam Active*). Para un buen mezclado de las dos soluciones, invierta el recipiente aproximadamente 5 a 7 veces. Vierta la solución mezclada en la cubeta de peños *Valiant Foam Active* o el aplicador de espuma. Esta solución mezclada permanecerá estable durante 7 días. Después de 7 días, deseché la solución y mezcle una nueva solución.

Importante: No agregue el producto *Valiant Foam Active* mezclado a ningún otro sellador de pezones o producto. Instrucciones de aplicación previa al ordeño:

PAÑO: Aplique en los pezones con los paños *Valiant Foam Active*. Use un paño por vaca.

APLICADOR DE ESPUMA: Aplique la espuma en los pezones con anterioridad al ordeño permitiendo suficiente tiempo de contacto antes de limpiar con toallas descartables. Si el producto en el aplicador presenta una suciedad notable, deseché el contenido y vuelva a llenar el aplicador. No reutilice el producto ni vuelva a colocar en el recipiente original el producto que queda sin usar.

NOTA: *Valiant Foam Active* no intenta curar o ayudar a cicatrizar pezones irritados o agrietados. En caso de irritación o agrietamiento, consulte a su médico veterinario.

6301665
18.9 L (5 US GAL)

VALIANT

lactic acid and linear dodecyl benzene sulfonic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59282-113
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	23 mg in 1 mL
DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9)	DODECYLBENZENESULFONIC ACID	16 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59282-113-16	18900 mL in 1 PAIL		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/29/2015	

Labeler - ABS Global Inc. (835053570)

Revised: 6/2019

ABS Global Inc.