

**WALGREENS PAIN RELIEVING- lidocaine menthol gel**  
**WALGREEN CO.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients**

Lidocaine 0.7%

Menthol 0.2%

**Purpose**

External Analgesic

External Analgesic

**Uses**

- temporary relief of pain and itching
- helps relieve and soothes pain from sunburn, minor burns, cuts, scrapes, skin irritations and insect bites.

**Warnings**

**For external use only**

**Do not use** in large quantities, particularly over raw surfaces or blistered areas.

**When using this product**

- avoid contact with eyes.

**Stop use and ask a doctor if**

- conditions worsens or if symptoms persists for more than 7 days.
- symptoms clear up and occur again within a few days.

**Keep out of the reach of children.**

If swallowed get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 2 years of age and older. apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor.

**Inactive ingredients**

Water, Alcohol Denat., Glycerin, Polysorbate 20, Carbomer, Aloe Barbadosensis Leaf Juice, Benzophenone-4, Tocopherol, Imidazolidinyl Urea, Blue 1.

**Principal Display Panel**

Well at

Walgreens

WALGREENS PHARMACIST RECOMMENDED

PAIN RELIEVING

Aloe

Vera

Gel


With Lidocaine

and Menthol

Cools, soothes

and moisturizes

NET WT 16 OZ (453 g)



**Drug Facts**

Active ingredients	Purpose
Lidocaine 0.7%	External Analgesic
Menthol 0.2%	External Analgesic

**Uses**

- temporary relief of pain and itching
- helps relieve and soothes pain from sunburn, minor burns, cuts, scrapes, skin irritations and insect bites.

**Warnings**

**For external use only**

Do not use in large quantities, particularly over raw surfaces or blistered areas.

When using this product:

- avoid contact with eyes.

**Stop use and ask a doctor if:**

- condition worsens or if symptoms persist for more than 7 days.
- symptoms clear up and occur again within a few days.

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor

**Inactive ingredients:** Water, Alcohol Denat., Glycerin, Polysorbate 20, Carbomer, Aloe Barbadensis Leaf Juice, Benzophenone-4, Tocopherol, Imidazolidinyl Urea, Blue 1.

Walgreens Pharmacist  
Sentry Study,  
November 2010.

ITEM 728321  
49022 11922 2  
0

SDA-FL-388

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2012 Walgreen Co.  
MADE IN U.S.A.

0900712 09007160

## WALGREENS PAIN RELIEVING

lidocaine menthol gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4012
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.7 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.2 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
SULISOBENZONE (UNII: 1W6L629B4K)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
IMIDUREA (UNII: M629807ATL)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4012-19	453 g in 1 BOTTLE, PLASTIC		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/07/2013	

**Labeler** - WALGREEN CO. (008965063)

Revised: 8/2013

WALGREEN CO.