

**SENNA S- docusate sodium, sennosides tablet**  
**TOP CARE (Topco Associates LLC)**

-----  
**Drug Facts**

**Active ingredients (in each tablet)**

Docusate sodium 50 mg  
Sennosides 8.6 mg

**Purpose**

Stool softener  
Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

**Warnings**

**Do not use**

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

### Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

### Questions or comments?

Call toll free **1-888-423-0139**

### Principal Display Panel

#### **COMPARE TO SENOKOT-S® ACTIVE INGREDIENTS†**

#### **Vegetable Laxative**

#### **+ Stool Softener**

DOCUSATE SODIUM 50 mg • STOOL SOFTENER

SENNOSIDES 8.6 MG • LAXATIVE

TABLETS

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

†This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot-S®.

**DISTRIBUTED BY TOPCO ASSOCIATES LLC**

ELK GROVE VILLAGE, IL 60007

topcare@topco.com

www.topcarebrand.com

Product Labeling

PLD-0599A  
FC006101  
Lot No.:  
Exp. Date:

0 36800 43856 9



**TopCare.**  
health

COMPARE TO SENOKOT-S®  
ACTIVE INGREDIENTS†

# Vegetable Laxative + Stool Softener

DOCUSATE SODIUM 50 mg • STOOL SOFTENER  
SENNOSIDES 8.6 mg • LAXATIVE

**120 TABLETS** actual size 

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007  
©TOPCO PLVA05Z1  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com



Scan here for more  
information or  
call 1-888-423-0139

This product is not manufactured or distributed by Avro Health L.P., distributor of Senokot-S®.

**Drug Facts (continued)**

**Other information**

- each tablet contains: calcium 30 mg
- each tablet contains: sodium 6 mg LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate dimerate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

**Questions or comments?** Call toll free 1-888-423-0139

**Drug Facts**

**Purpose**  
Docusate sodium 50 mg ..... Laxative  
Sennosides 8.6 mg ..... Stool softener

**Uses**  
■ relieves occasional constipation (regularly) ■ generally produces bowel movement in 6-12 hours

**Warnings**  
Do not use ■ if you are now taking mineral oil, unless directed by a doctor  
■ laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**  
■ stomach pain ■ nausea ■ vomiting  
■ noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Stop use and ask a doctor if you have** rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

TOPCARE HEALTH Stool Softener

**SENNAS**

docusate sodium, sennosides tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-783
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	PSD22
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-783-60	1 in 1 BOX	07/31/2019	
1		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:36800-783-12	1 in 1 BOX	07/31/2019	
2		120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M007

07/31/2019

**Labeler** - TOP CARE (Topco Associates LLC) (006935977)

Revised: 6/2024

TOP CARE (Topco Associates LLC)