

**OMEPRAZOLE MAGNESIUM- omeprazole magnesium capsule, delayed release**  
**Chain Drug Consortium, LLC**

-----  
**Active ingredient (in each capsule)**

\*Omeprazole delayed-release capsules 20 mg  
(equivalent to 20.6 mg omeprazole magnesium)

**Purpose**

Acid reducer

**Use**

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:** Do not use if you are allergic to omeprazole

**Do not use if you have**

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if**

**you are taking:**

- warfarin, clopidogrel or cilostazol (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- diazepam (anxiety medicine)
- digoxin (heart medicine)
- tacrolimus or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- methotrexate (arthritis medicine)

**Stop use and ask doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-day Course of Treatment**

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush capsules.

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77° F) and protect from moisture

**Inactive ingredients**

black iron oxide, dibasic calcium phosphate, gelatin, glyceryl monostearate, hypromellose 3 cps, magnesium oxide, magnesium stearate, methacrylic acid copolymer dispersion, methacrylic acid copolymer Type B, microcrystalline cellulose, polysorbate 80, potassium hydroxide, propylene glycol, red iron oxide, shellac, silicon dioxide, sodium lauryl sulphate, sugar spheres, talc, titanium dioxide, triethyl citrate

**Questions**

Call **1-888-375-3784**

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**Carton Label**

Premier Value\*

Compare to the active ingredient in Prilosec OTC®\*\*

Treats Frequent Heartburn!

Omeprazole

DELAYED-RELEASE CAPSULES, 20 mg\*

ACID REDUCER 24HR

14 Capsules(Safety Sealed)

One 14-Day Course of Treatment

May take 1 to 4 days for full effect



1

**Bottle Label**

Premier Value\*


Treats Frequent Heartburn!

Omeprazole

DELAYED-RELEASE CAPSULES, 20 mg\*

ACID REDUCER 24 HR

14 Capsules(Safety Sealed)  
 One 14-Day Course of Treatment  
 May take 1 to 4 days for full effect



**Premier Value** Treats Frequent Heartburn!

**Omeprazole**  
 DELAYED-RELEASE CAPSULES, 20 mg  
**ACID REDUCER** **24 HR**

**14 Capsules (Safety Sealed)**  
 One 14-Day Course of Treatment  
 May take 1 to 4 days for full effect

**IMPORTANT: THIS LABEL DOES NOT CONTAIN FULL PRODUCT INFORMATION. SEE CARTON FOR COMPLETE INFORMATION. READ THE DIRECTIONS AND WARNINGS BEFORE USE. RETAIN CARTON FOR REFERENCE.**

**Active ingredient Purpose (in each capsule)**  
 \*Omeprazole delayed-release capsules 20 mg Acid reducer  
 (equivalent to 20.6 mg omeprazole magnesium).....

**Use**  
 ■ treats frequent heartburn (occurs 2 or more days a week) ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Other Information**  
 ■ read the directions and warnings before use ■ keep the carton. It contains important information. ■ store at 20-25°C (68-77°F) and protect from moisture

**Questions? call 1-888-375-3784**

**TAMPER EVIDENT:** Do not use if foil seal under cap printed with "sealed for your protection" or pink band around center of capsule are broken or missing.

Distributed By: Pharmacy Value Alliance, LLC  
 407 East Lancaster Avenue, Wayne, PA 19087  
 Made in India

15 0074 151 R102018

LOT EXP

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-760(NDC:55111-397)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OMEPRAZOLE MAGNESIUM (UNII: 426QFE7XLK) (omeprazole - UNII:KG60484QX9)		omeprazole	20 mg
Inactive Ingredients			
Ingredient Name			Strength
FERROSO FERRIC OXIDE (UNII: XM0M87F357)			
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)			
Gelatin (UNII: 2G86QN327L)			
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)			
HYPROMELLOSE 2208 (3 MPAS) (UNII: 9H4L916OBU)			
Magnesium Oxide (UNII: 3A3U0GI71G)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:2) (UNII: 5KY68S2577)			
Methacrylic Acid - Ethyl Acrylate Copolymer (1:1) Type A (UNII: NX76LV5T8J)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
Polysorbate 80 (UNII: 6OZP39ZG8H)			
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
SHELLAC (UNII: 46N107B710)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			

<b>RAW SUGAR</b> (UNII: 8M707QY5GH)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>Sodium Lauryl Sulfate</b> (UNII: 368GB5141J)	

### Product Characteristics

<b>Color</b>	WHITE, PINK	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	22mm
<b>Flavor</b>		<b>Imprint Code</b>	OMP20
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-760-14	1 in 1 CARTON	01/01/2016	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68016-760-28	2 in 1 CARTON	01/01/2016	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:68016-760-42	3 in 1 CARTON	01/01/2016	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078878	01/01/2016	

**Labeler** - Chain Drug Consortium, LLC (101668460)